COMMITTED TO PROTECTION OF THE ENVIRONMENT

ity, Colorado

U.S. ARMY

MATERIEL COMMAND

FINAL
CONTAMINATION ASSESSMENT REPORT
SITE 3-4
NEMAGON SPILL AREA
VERSION 3.2

March 1988 Contract No. DAAK11-84-D-0017 TASK NO. 7 - LOWER LAKES

EBASCO SERVICES INCORPORATED

R. L. Stollar and Associates California Analytical Laboratories, Inc. DataChem, Inc. Geraghty & Miller, Inc.

REQUESTS FOR CORIES OF THIS DOCUMENT
SHOULD BE REFERRED TO THE PROGRAM MANAGER
FOR THE ROCKY MOUNTAIN ARSENAL CONTAMINATION CLEANUP,
AMXRM ABERDEEN PROVING GROWND, MARYLAND

19950522 112

DTIC QUALITY LEISPECTED)

REPORT DOCUMENTATION PAGE

Form Approved
OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.

Davis Highway, Suite 1204, Armigton, VA 22202 4502, and to the owner of the same of the sa	
1. AGENCY USE ONLY (Leave blank) 2. REPORT DATE 3. REPORT TYPE A 03/00/88	ND DATES COVERED
A TIXLE AND CUPTITIE	5. FUNDING NUMBERS
4. TITLE AND SUBTITLE CONTAMINATION ASSESSMENT REPORT, SITE 3-4, NEMAGON SPILL AREA, TASK 7, LOWER LAKES, FINAL, VERSION 3.2	
6. AUTHOR(S)	DAAK11 84 D 0017
6. AUTHOR(3)	DARKIT 64 D 0011
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES)	8. PERFORMING ORGANIZATION REPORT NUMBER
EBASCO SERVICES, INC.	
LAKEWOOD, CO	
EXCENSED, GO	88076R04
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)	10. SPONSORING / MONITORING
ROCKY MOUNTAIN ARSENAL (CO.). PMRMA COMMERCE CITY, CO ELECTE LLY 21411995	AGENCY REPORT NUMBER
11. SUPPLEMENTARY NOTES	
12a. DISTRIBUTION/AVAILABILITY STATEMENT	12b. DISTRIBUTION CODE
	ļ
APPROVED FOR PUBLIC RELEASE; DISTRIBUTION IS UNLIMITED	
13. ABSTRACT (Maximum 200 words)	
THIS FINAL REPORT DOCUMENTS THE PHASE I CONTAMINATION POSSIBLE DBCP SPILL AREA IN THE RAILROAD YARDS. 91 SAMPLES FROM 26 BORINGS WERE ANALYZED FOR VOLATILE ORGANICS AND METALS WITH SEPARATE ANALYZES FOR AS, HG, AN TCLEE, CD, ZN, AS, AND HG WERE DETECTED WITHIN OR ABOVE THOWEVER, THE CD, ZN, AS, AND HG CONCENTRATIONS APPEARED TO NATURALLY OCCURRING LEVELS. DBCP WAS NOT DETECTED IN THE FOUND IN A PETREX SOIL GAS INVESTIGATION. A PHASE II PROGRAM CONSISTING OF 10 ADDITIONAL BORINGS VOLUME OF POTENTIALLY CONTAMINATED SOIL PRESENT IS ESTIMATED.	AND SEMIVOLATILE D DBCP. C6H6, CCL4, HEIR INDICATOR RANGES; O BE CONSISTENT WITH SE SAMPLES, BUT IT WAS
APPENDICES: CHEMICAL NAMES, PHASE I CHEMICAL DATA, COM	MENTS AND RESPONSES, A

GEOLOGY, HYDROLOGY, GEOPHYSICAL EXPLORATION, ANALYTES, SOIL SAMPLING, CHEMICAL DATA

16. PRICE CODE

15. NUMBER OF PAGES

17. SECURITY CLASSIFICATION OF REPORT

18. SECURITY CLASSIFICATION OF THIS PAGE

19. SECURITY CLASSIFICATION OF ABSTRACT

20. LIMITATION OF ABSTRACT

88076 RO4 2nd Copy

WILE COPY

LITIGATION TECHNICAL SUPPORT AND SERVICES

ROCKY MOUNTAIN ARSENAL

Rocky Mountain Arsenal Information Center Commerce City, Colorado

FINAL
CONTAMINATION ASSESSMENT REPORT
SITE 3-4
NEMAGON SPILL AREA
VERSION 3.2

March 1988 Contract No. DAAK11-84-D-0017 TASK NO. 7 - LOWER LAKES

Prepared by:

EBASCO SERVICES INCORPORATED
R.L. STOLLAR AND ASSOCIATES
CALIFORNIA ANALYTICAL LABORATORIES, INC.
DATACHEM, INC. GERAGHTY & MILLER, INC.


Prepared for:

U.S. ARMY PROGRAM MANAGER'S OFFICE FOR ROCKY MOUNTAIN ARSENAL CONTAMINATION CLEANUP

THE INFORMATION AND CONCLUSIONS PRESENTED IN THIS REPORT REPRESENT THE OFFICIAL POSITION OF THE DEPARTMENT OF THE ARMY UNLESS EXPRESSLY MODIFIED BY A SUBSEQUENT DOCUMENT. THIS REPORT CONSTITUTES THE RELEVANT PORTION OF THE ADMINISTRATIVE RECORD FOR THIS CERCLA OPERABLE UNIT.

THE USE OF TRADE NAMES IN THIS REPORT DOES NOT CONSTITUTE AN OFFICIAL ENDORSEMENT OR APPROVAL OF THE USE OF SUCH COMMERCIAL PRODUCTS. THE REPORT MAY NOT BE CITED FOR PURPOSES OF ADVERTISEMENT.

DISCLAIMER NOTICE




THIS DOCUMENT IS BEST QUALITY AVAILABLE. THE COPY FURNISHED TO DTIC CONTAINED A SIGNIFICANT NUMBER OF PAGES WHICH DO NOT REPRODUCE LEGIBLY.

TABLE OF CONTENTS

<u>Sect</u>	<u>ion</u>	Page
	EXECUTIVE SUMMARY	
1.0	PHYSICAL SETTING	1
	1.1 LOCATION	1
	1.2 GEOLOGY	1
	1.3 HYDROLOGY	4
2.0	<u>HISTORY</u>	11
3.0	SITE INVESTIGATION	14
	3.1 PREVIOUS SOIL INVESTIGATIONS	14
	3.2 PHASE I SURVEY	15
	3.2.1 Phase I Program	15
	3.2.2 Phase I Field Observations	18
	3.2.3 Geophysical Exploration	19
	3.2.4 Phase I Analyte Levels and Distribution	19
	3.2.5 Phase I Contamination Assessment	51
	3.3 PHASE II SURVEY	55
	3.4 QUANTITY OF POTENTIALLY CONTAMINATED SOIL	59
4.0	REFERENCES CITED	62
	Appendix 3-4-A Chemical Names and Abbreviations	
	Appendix 3-4-B Phase I Chemical Data	
	Appendix 3-4-C Comments and Responses	
	Appendix 3-4-D Letter Technical Plan - Site 3-4 Soil Gas Investig	gation

LIST OF FIGURES

	Page
Location Map	2
Vicinity Map Showing Phase I Boring Locations	3
Field Boring Profile for Boring 7	5
Field Boring Profile for Boring 14	6
Topography and Surface Drainage	7
Water Table Elevations and Generalized Groundwater Flow Direction	8
Dibromochloropropane (DBCP) Plume Map	10
Analytes Detected Within or Above Indicator Levels	37
Results of DBCP PETREX Soil Gas Investigation at Site 3-4	54
Proposed Phase II Borings and Sampling Plan	57
Proposed Phase II Borings and Sampling Plan	58
Quantity of Potentially Contaminated Soil	61
	Vicinity Map Showing Phase I Boring Locations



LIST OF TABLES

<u> </u>		<u>Page</u>
3-4-1	Summary of Analytical Results for Site 3-4	21
3-4-2	Results of Phase I Field Study	22
3-4-3	Tentative Identification of Nontarget Compounds	38

EXECUTIVE SUMMARY SITE 3-4 NEMAGON SPILL AREA

Site 3-4, Nemagon spill area, is located in the western portion of Section 3 on the Rocky Mountain Arsenal. There is concern that a Nemagon (dibromochloropropane) plume may have originated in the vicinity of the railyard. The site was investigated under Task 7 in the summers of 1985 and 1986. A total of 26 borings, yielding 91 samples, were drilled to depths ranging from 5 to 75 feet. Since dibromochloropropane was not detected during the Phase I program, a PETREX soil gas investigation was conducted in the fall of 1987 in areas where dibromochloropropane spills were suspected to have occurred. In addition, 4 borings, yielding 4 composite samples, were drilled to a depth of 5 feet, and were collected within the revised Site 3-4 boundaries as part of the Section 3 nonsource area report.

The following target analytes were detected within or above their indicator levels: benzene, carbon tetrachloride, methylene chloride, tetrachloroethylene, cadmium, zinc, arsenic, and mercury. The cadmium, zinc, arsenic, and mercury concentrations were judged to be consistent with the natural levels of these metals expected in the soils being analyzed. The methylene chloride detected in several samples was not believed to be conclusive evidence of site contamination. Low concentrations of benzene, carbon tetrachloride, and tetrachloroethylene were detected in a single interval of one boring. A number of nontarget compounds, including an isomer of trichlorobenzenamine, 2,2,4-tri-methylhexane, and unknown chlorinated compounds, were also identified tentatively at Site 3-4. The results of a PETREX soil gas program showed that one sample location had a detectable level of dibromochloropropane. This sample was located in the portion of the railyard where the compound supposedly was stored in railcars. Based upon the results of these field investigations and the sources of historic information consulted, additional field investigations are warranted.

A Phase II program consisting of 10 additional borings, yielding 23 samples, is recommended to determine the extent of potential organic contaminants detected during the Phase I and PETREX soil gas programs. Based upon the results of the Phase I and PETREX soil gas programs, the estimated volume of potentially contaminated soil at this site is 5,000 cubic yards.

PHASE I CONTAMINATION ASSESSMENT REPORT

SITE 3-4

NEMAGON SPILL AREA


1.0 PHYSICAL SETTING


1.1 LOCATION

Site 3-4, Nemagon spill area, is located in Section 3 on the Rocky Mountain Arsenal (RMA). The site includes the rail classification yard and an area about one mile long centered along the north-south railroad tracks, as shown on Figure 3-4-1. At the time the Phase I investigation was conducted, the site had been defined on the basis of suspected Nemagon (dibromochloropropane) spills. This site, as originally defined by RMACCPMT (1984/RIC 83034R01), encompassed an area of 28,800 square feet (ft²). The few studies that had been conducted up to 1984 could not determine the extent or volume of suspected dibromochloropropane contamination. Preliminary literature investigations indicated that spills could have occurred anywhere within the railyard and along the railroad tracks entering and exiting the yard to the north. Consequently, the site was expanded in the Task 7 Technical Plan (Ebasco, 1986/RIC 86238R01) to an area of 276,000 ft². This area included the rail classification yard and an area 30 feet (ft) wide centered along the north-south railroad tracks in Section 3. It was this site configuration, depicted on Figure 3-4-1, that was investigated during the Phase I program. Following the completion of the Phase I program, additional information regarding the history of this site was obtained, and it was determined that only the internal track systems (Rails 3, 4, and 7) were used to store railcars containing dibromochloropropane (Section 2.0, History). Consequently, the site boundaries for the Phase II program were revised and are depicted in Figure 3-4-7 (Section 3.3). The Phase I boring locations are depicted on Figure 3-4-2.

1.2 GEOLOGY

The two uppermost stratigraphic units beneath Site 3-4 are Quaternary alluvium and the Denver Formation bedrock (May, 1982/RIC 82295R01). Wells drilled near the site (Well 03001, and Well Cluster 03002, 03003, and 03004; see





Prepared for:

Program Manager's Office for Rocky Mountain Arsenal Cleanup Aberdeen Proving Ground, Maryland Vicinity Map Showing Phase I **Boring Locations**

Rocky Mountain Arsenal, Task 7

Prepared by Ebasco Services Incorporated

Drafted: 11-11-86


Section 1.3) indicate an alluvial thickness of 105 to 110 ft. The deepest Phase I borings completed at Site 3-4 (Borings 7 and 14) penetrated an alluvial section composed principally of poorly graded sand with lesser amounts of silty and clayey sands (Figures 3-4-3a and 3-4-3b).


The underlying Denver Formation consists of interbedded claystone, sandstone, and sandy claystone. As borings and wells drilled in the vicinity of Site 3-4 did not penetrate the Denver Formation completely, the total thickness of the formation beneath this area is unknown. Bedrock was not reached in any of the Phase I field borings drilled at Site 3-4. However, 78 ft of bedrock consisting mainly of claystone with lesser interbedded lenses of sandstone and siltstone were penetrated about 106 ft below the ground surface, slightly west of the site, when drilling Observation Well 03004. A detailed description of the Denver Formation is found in a study by May (1982/RIC 82295R01).


1.3 HYDROLOGY


Site 3-4 is in the Irondale Gulch drainage basin, which drains northwest toward the South Platte River. The elevation of the site ranges from 5,180 to 5,220 ft above mean sea level (msl). Surface runoff flow directions are variable and localized within the site (Figure 3-4-4). Numerous drainage ditches, some of which channel surface runoff away from the area, are located on or adjacent to Site 3-4. Topographic relief near the site is low, and ponding is common (RMACCPMT, 1983/RIC 83326R01). Dibromochloropropane was detected in one of six surface water samples collected from areas in the vicinity of the railroad classification yard (Geraghty & Miller, 1982/RIC 81342R06). The exact locations of the surface water samples were not documented.

The regional groundwater flow direction in the area is to the north-northwest (ESE, 1986b/RIC 86317R01) as shown in Figure 3-4-5a. Groundwater elevations range from approximately 5,160 ft ms1 near the southeastern corner of the site to 5,126 ft ms1 near the northwestern corner of the site. During Phase I drilling at Site 3-4, groundwater was reached at 71.0 ft below the ground surface, 5,135.9 ft ms1, in Boring 7 and at 63.5 ft below the ground surface, 5,138.9 ft ms1, in Boring 14.









Rocky Mountain Arsenal Cleanup Aberdeen Proving Ground, Maryland


Drafted: 11/11/86

Groundwater Flow Direction

Rocky Mountain Arsenal, Task 7

Prepared by Ebasco Services Incorporated

Groundwater samples have been collected from several wells over a number of years in the vicinity of Site 3-4. A groundwater sample collected in November 1981 from Well 03523, located in the southern half of the site (Figure 3-4-5a), contained 25 parts per billion (ppb) dibromochloropropane (Whitten &May, 1983/RIC 84065R01). For the same period, dibromochloropropane was also detected approximately 1 mile northwest of Well 03523 in wells within Section 33. At that time, two unconnected dibromochloropropane plumes were hypothesized, one emanating from the railroad yard and another further north in Section 33, referred to as the control system plume. In 1984 and again in 1986, samples from a series of monitoring wells installed northwest of the site to the Shell Irondale Boundary Control System indicated that a potentially continuous dibromochloropropane plume extended from the area around Well 03523 to the control system, as shown in Figure 3-4-5b (Swift & Chiang, 1987). The highest concentrations of dibromochloropropane were detected in a plume extending one-half to three-quarters of a mile to the north from Site 3-4 northwest to Site 4-4. Dibromochloropropane was also detected downgradient from Site 3-4 in 1984, in Well Cluster RSD6 (04026, 04027, 04028, and 04029) at concentrations ranging from 0.7 ppb to 16.8 ppb. It also was detected downgradient in Well Cluster RSD-1 (04013, 04014, 04015, and 04016) in concentrations ranging from 0.73 ppb to 4.83 ppb (Whitten & Shamburger, 1984/RIC 85133R03). Sampling conducted by Environmental Science and Engineering (ESE) late in 1985 and early in 1986 detected dibromochloropropane in RSD-1 (ranging from 0.62 ppb to 6.5 ppb) and RSD-6 (ranging from 0.71 ppb to 37 ppb). It was also detected downgradient in Well 04031 at a concentration of 0.67 ppb and at Well 03523 at 50 ppb (ESE, 1986b/RIC 86317R01). Analysis of a sample for this period from on-site Well 03008, upgradient of Well 03523, detected no dibromochloropropane, but did detect the presence of aldrin, arsenic, and chloride. Trichloroethylene was detected in groundwater samples collected from downgradient Well 04035 (located at Site 4-6 in Section 4 to the west) in December 1986. A sample collected in December 1986 from downgradient Well 04036 contained chloroform and trichloroethylene. Although these compounds were detected in wells downgradient from Site 3-4, there may be other potential sources of these compounds south of RMA (for example, the Montbello industrial complex,



Stapleton International Airport, Denver Public Works Department, U.S. Postal Service). Therefore, the presence of these compounds in the wells does not imply that the site is contributing contamination to the groundwater.

2.0 HISTORY

Information on the history of the area defined as Site 3-4 was gathered through a review of aerial photographs and a search of the literature and of the Shell I, Shell II, and Juris computer databases. Based on a review of these data, Site 3-4 has been identified as a Nemagon spill area.

Aerial photographs taken between 1948 and 1980 yielded the following information on Site 3-4, the Nemagon spill area. These descriptions are interpretations of photographs published in Stout and Abbott (1982/RIC 83368R01).

Photo Date

Site Description

1948

Buildings 618 and 619 and the rail classification yard are visible. A large open storage area, including old propane tanks, truck trailers, and possibly crates, is visible north of Building 618. A large ground stain can be seen adjacent to and east of the railyard, approximately 350 ft north of 6th Avenue. Ground stains are also visible west of "B" Street in Section 4.

1955

The ground stain east of the railyard is still visible. There is another ground stain within the western section of the railyard.

1965

The ground stain east of the railyard is still visible. The ground stain may actually be scrap metal and wood debris resulting from railcar repairs. The ground stain within the railyard is no longer visible. The open storage area contains mounded material, but the northern portion of the open storage area appears unused and has revegetated.

<u>Photo Date</u>	Site Description
1967	The ground stain east of the railyard is less distinct
	but is still visible. Little activity is discernible in
	the open storage area north of Building 618.
1970	A large mound of material is visible in the open storage
	area north of Building 618. The ground stain east of the
	railyard is still apparent.
1980	Little activity is apparent in the open storage area
	north of Building 618, and the area largely has been

revegetated. The ground stain is still visible east of

Based on the various information sources, it appears that Site 3-4 has been used to temporarily "hold over" railcars containing dibromochloropropane intended for shipment by rail and as a storage area for empty railcars. No data were obtained on construction of the rail classification yard. Between 1967 and 1974, dibromochloropropane was handled in railcars at RMA (Adcock, 1985). Between 1970 and 1976, there were about one-hundred bulk shipments of dibromochloropropane from the plant area; these were mostly by rail and there were no indications of leaks (Adcock, 1980). However, the following information on spills that are believed to have occurred somewhere on RMA is summarized from Shell Chemical Company spill reports compiled by Shell. The precise locations of many of the suspected dibromochloropropane spills are unknown. It is possible that the spills occurred in association with the shipping of dibromochloropropane off-site during that period.

the railyard.

<u>Date</u>	Description of Incident
March 1965	The loss of 197 pounds (1b) of Nemagon C [a soil fumigant
	containing 81.7% 1,2,dibromochloropropane, 4.3% halogenated
	C ₃ compounds, and 14% inert ingredients] due to leakage
	was noted; no location given (Unauthored, undated-a).

<u>Date</u>

Description of Incident

September 1965

An 866 1b loss of Nemagon C due to a tank cleaning mishap was noted; no location given (Unauthored, undated-a).

February 1966

The loss of 2,891 lb of Nemagon C due to reprocessing was noted; no location or details were given regarding whether material was recovered (Unauthored, undated-a).

June 1970

The apparent disappearance of 132 five gallon (gal.) pails of Nemagon (660 gal. total), apparently during the shipping of the product off-site, was noted (Shell, 1970). No location of the spill was given. Disappearance may have occurred during transit or may have been shipping manifest error.

Rezai (1985) vaguely recalled a small dibromochloropropane spill of a few gallons in the Army's tank holding area, but did not recall a date or location of the spill. A 1981 Shell memo (Shepherd, 1981) indicates that dibromochloropropane tank cars were held only on Rails 3 and 4 and possibly moved out by Rail 7, as numbered from the west side of the railyard. Also, cars were believed to be held only on the northern half of the yard.

In 1980, dibromochloropropane was detected in the groundwater beneath the community of Irondale, located to the northwest of RMA. Subsequent groundwater sampling resulted in the identification of the rail classification yard as a probable source. A remedial action program, consisting of a system for withdrawing contaminated water, treating it, and recharging it to downgradient wells, was instituted (USAEWES, 1982/RIC 82350R03). This system, the Shell Irondale Boundary Control System, is currently in operation. A monitoring program was also instituted as part of the remedial action program. Shell continues to monitor water levels and water quality in the on-going monitoring program for this system (Anderson, 1986).

A number of pesticides, solvents, and acids were stored in Buildings 616 and 618 in the western portion of Site 3-4 (USAEHA, 1980; USAEHA, 1981). The pesticides stored were either excess materials or were slated for disposal, and included the following: boric acid; Caw Caw Rope (bird repellant); 2,4-D; 2,4,5-T; dalapon (85%); 1,4-D (50%); DDT (20%); diazinon (2%); lindane; naled; grain poisoned with strychnine (0.5%); tordon 101 mixture (pichloram, 39%); and, ground squirrel bait. There is no record indicating that dibromochloropropane was stored in either of the two buildings (Acumenics, 1987).

3.0 SITE INVESTIGATION

3.1 PREVIOUS SOIL INVESTIGATIONS

The regional soil type in the vicinity of RMA is of the Ascalon-Vona-Truckton Association. This association consists of loamy and sandy soils formed in wind-laid deposits on uplands that are somewhat excessively drained to well drained (Kolmer & Anderson, 1977/RIC 81295R07). Specific soils in the vicinity of Site 3-4 are identified as Truckton sandy loams with a 1 to 3 percent slope (USDA, 1974/RIC 81266R54). Truckton soils have a tendency to absorb water rapidly due to the high quantities of sandy materials in the profile. Sandy materials are conductive and support rapid infiltration of potential contaminants.

A soil sample collected at a depth of 2 to 4 ft south of Well 03523 in a low sump area west of the tracks in the rail classification yard were reported to contain 32.6 ppb of dibromochloropropane (Shepherd, 1981). Surface and subsurface soil samples taken at depths up to 45 ft from the vicinity of Well 03523 during 1982 and analyzed by solvent extraction were reported to contain 0.4 to 21 ppb of dibromochloropropane (Geraghty & Miller, 1982/RIC 81342R06). In an attempt to define the extent of dibromochloropropane contamination near Site 3-4, a number of PETREX samplers were installed within the site boundary in a 1986 soil gas test program. No dibromochloropropane was detected by these samplers. These were the only documented soil contamination studies conducted at this site prior to the Phase I program.

3.2 PHASE I SURVEY

3.2.1 Phase I Program

Using the methodology presented in the Task 7 Technical Plan (Ebasco, 1986/RIC 86238R01), 10 borings, yielding 66 samples at a boring density of 1/28,000 ft², were to be drilled to depths ranging from 15 to 45 ft as part of the Phase I program. Seven of these borings were to be in the rail classification yard, and three were to be spaced along the railroad tracks.

A field reconnaissance of the ground surface of the site was conducted prior to the drilling operations to assess and stake the boring locations. The planned locations of Borings 6 and 9 were cleared for safety purposes using geophysical techniques. A 10 ft square grid was centered over the locations and surveyed using an electromagnetic conductivity instrument, a metal detector, and a magnetometer. The results of the survey were used to reposition both of the borings 3 ft to the east of their original locations to avoid a water main. This procedure was conducted for safety purposes, and should not be confused with a reconnaissance geophysical exploration, which was not conducted at this site. The original site boundaries were maintained.

Subsequent to the completion of the Task 7 Technical Plan, historical reviews (Section 2, History) indicated that any potential dibromochloropropane spills were more likely to be located in the northern half of the rail classification yard. Consequently, the sampling program was modified at the site, and a number of new borings added as a result of this additional historical information. The deeper borings planned for Site 3-4 were concentrated in the northern area just to the west of the tracks, particularly in a low spot where runoff from the area could accumulate. In addition, the locations of some other borings were changed and Boring 6 was not drilled due to access difficulties. Further, a number of shallow borings were added to the drilling program along the railroad tracks near the rail classification yard. Although ground stains were noted in historic aerial photographs, borings were not relocated to these areas since the time of appearance and locations of the ground stains did not appear to be related to reported or suspected

dibromochloropropane spills, and in fact may have just been areas where materials such as scrap materials may have been stored. However, four ground stains within the Site 3-4 boundaries were investigated during the Task 15 Section 3 nonsource area field program.

Problems encountered in the field resulted in changes in the depths of some Phase I borings, as well as in the number of samples taken at Site 3-4. Auger plugging occurred during the drilling of Boring 7 at depths of 29, 53, 57, and 62 ft, and during the drilling of Boring 8 at the 18.5 ft depth. However, samples were collected at the preselected intervals. During the drilling of Boring 8, repeated jamming of the core barrel during the lower 16 ft (29-45 ft interval) required two attempts to clear the barrel for every 5 ft of penetration. A jammed core barrel was also responsible for the loss of the 9 to 10 ft sample during the second day of drilling at Boring 3. Groundwater at this site was deeper than originally anticipated. It was reached at 71 ft in Boring 7 and at 63.5 ft in Boring 14. These borings were completed to the bottom of the next 5 ft interval after groundwater was reached, or to 75 and 65 ft, respectively. The last sample in Boring 14 was taken at 60 ft.

The Site 3-4 field investigation was conducted in the summers of 1985 and 1986. Twenty-six borings, yielding 91 samples, were actually drilled as follows:

Boring No.	Depth (ft)	No. of Samples
1	10	3
2	10	3
3	25	5
4	5	2
5	5	2
6	Not drilled	-
7	75	11
8	45	8

Boring No.	Depth (ft)	No. of Samples
9	5	2
10	5	2
11	10	3
12	10	. 3
13	10	3
14	65	9
15	20	5
16	30	6
17	10	3
18	10	3
19	5	2
20	5	2
21	5	2
22	5	2
23	5	2
24	5	2
25	5	2
26	5	2
27	5	2

In addition to the 26 borings sampled for Site 3-4 under Task 7, 4 additional borings were placed near the site boundaries under Task 15 as part of the Section 3 nonsource area investigation. These were Borings 35, 45, 48, and 50 (Figure 3-4-2). Boring 50 was placed within the boundaries of the ground stain in the southeastern corner of the site. Boring 35 was placed between Buildings 614 and 615. Boring 45 was placed in an open storage area, 054, and Boring 48 was placed in an old tank cradle. The borings were drilled to 5 ft, and a composite sample analyzed for each boring.

All samples were analyzed by gas chromatography/mass spectrometry (GC/MS) for volatile organics (except the 0-1 ft interval) and semivolatile organics; by an inductively coupled argon plasma (ICP) screen for metals; and by separate

analyses for dibromochloropropane, arsenic, and mercury. Appendix 3-4-A presents the specific target analytes for which laboratory analyses were conducted. A summary of the results of these analyses is presented in Table 3-4-1, Section 3.2.4 of this report.

Since the Phase I boring program did not detect dibromochloropropane, a PETREX static trapping soil gas program was conducted in the fall of 1987 to further investigate for dibromochloropropane. This program is described in Appendix 3-4-D. To determine the applicability of the PETREX soil gas technique for detecting dibromochloropropane, a laboratory test program was conducted. PETREX samplers were exposed above water and soil spiked with dibromochloropropane. It was found that dibromochloropropane could be detected in samplers exposed 1 day above water spiked in the low microgram per liter range. It was also found that dibromochloropropane could be detected in samplers exposed 14 days in soil spiked in the low microgram per kilogram range. The results of the laboratory program showed that the PETREX soil gas method could detect dibromochloropropane at acceptably low concentrations.

Based on the results of the laboratory program, a field program consisting of 90 sample locations was initiated. Of the 89 samplers actually placed, 80 were along Rails 3, 4, and 7 in the eastern portion of the site, and 9 were in an area that contains runoff from the rail lines east of Building 619. Sample tubes were spaced approximately 40 ft apart on either side of the three rail lines and are shown on Figure 3-4-6b. Each sampler was analyzed specifically for dibromochloropropane. One of the sample tubes broke during sample placement and was not replaced.

3.2.2 Phase I Field Observations

Site 3-4 is centered along railroad tracks running north-south. It is surrounded by roads on three sides and a firebreak to the east. The site is flat and sparsely vegetated with grass, small shrubs, and a few small trees. Numerous railcars are stationed on the railroad tracks.

For safety purposes, in situ air monitoring was conducted during drilling operations using a photoionization detector (HNU), an organic vapor analyzer (OVA), and an explosimeter. OVA readings were at or slightly above background at several of the borings except Borings 7 and 8, which were more elevated but judged to be insignificant. In Boring 7, the explosimeter registered a reading of 15 percent of the lower explosive limit at 50 ft. No HNU readings were taken for Boring 7 below 50 ft. The results of the volatile organic readings down the borings at the sampled depths are presented in Table 3-4-2, Section 3.2.4 of this report.

An M8 alarm was used at Borings 3, 7, and 8 to monitor for the presence of chemical agents in the borehole or soil samples according to standard operating procedures. The M8 alarm is used specifically to detect sarin (GB) and VX at detection levels of 0.2 and 0.4 milligrams per cubic meter after a response time of 2 to 3 minutes (USAMDARC, 1979; USAMDARC, 1982). However, many other substances in addition to these two target compounds can cause the M8 alarm to respond, including smoke and engine exhaust.

No chemical agents were detected at this site by the M8 monitoring. No unexploded ordnance, buried metal, or other objects were detected during drilling. No unusual coloring or staining of the core samples was noted.

3.2.3 Geophysical Exploration

No geophysical exploration of Site 3-4 was conducted as there was no likelihood that unexploded ordnance, buried metal, or other buried objects would be present.

3.2.4 Phase I Analyte Levels and Distribution

Benzene, carbon tetrachloride, methylene chloride, tetrachloroethylene, cadmium, zinc, arsenic, and mercury were detected within or above their indicator levels in soil samples from Site 3-4. No analytes were detected within or above their indicator levels in samples from the four borings collected during the Section 3 nonsource area investigation. The number of samples containing these analytes, and the concentration range, median, mean,

standard deviation, detection limit, and indicator level are listed in Table 3-4-1. The results of geologic field observations, air monitoring during drilling, and the chemical analysis of each soil sample are summarized in Table 3-4-2.

Indicator ranges were established to assess the significance of metal and organic analytical values. The indicator level is the method detection limit for organic compounds. The indicator range for metals reflects the concentrations expected to occur naturally in RMA alluvial soils. Selection of these ranges is discussed in the Introduction to the Contamination Assessment Reports (ESE, 1986a).

Benzene, carbon tetrachloride, and tetrachloroethylene were detected at concentrations of 0.6, 0.3, and 0.4 micrograms per gram (ug/g), respectively, in Boring 27 (4-5 ft interval). Low concentrations of methylene chloride ranging from 1 to 5 ug/g were detected in 15 of the 91 samples from Site 3-4. Cadmium and arsenic were detected within their indicator ranges in four and one borings, respectively. Mercury was detected in two borings but was above its indicator range only in Boring 8 (0.2 ug/g in the 9-10 ft interval). Zinc was detected in all of the 91 samples, but was above its indicator range in only Boring 7 (190 ug/g in the 49-50 ft interval) and Boring 25 (100 ug/g in the 0-1 ft interval). The distribution of the analytes detected within or above their indicator levels in the Phase I program is presented in Figure 3-4-6a. A tabulation of all analytical data associated with the Phase I program is presented in Appendix 3-4-B.

In addition, several compounds were detected by GC/MS that were not included in the target compound list and that were not identified conclusively. Table 3-4-3 lists the boring number, sample interval depth, relative retention time (shown as "unknown number" on the table), concentration, sample number, lot, best-fit identification, and comments for these nontarget compounds detected at Site 3-4. It should be noted that an individual compound may have more than one retention time, and also that a particular retention time may be

Table 3-4-1. Summary of Analytical Results for Site 3-4. Page 1 of 1.

					Concentration (ug/g)	on (ug/g)		!
Constituent	Number of Samples*	Range	Median**	Mean**	Standard Deviation**	DataChem Detection Limit	CAL Detection Limit	Indicator Level
	22.1	0						
Volatiles (N=65)								
Benzene	1	9.0	1	1	ı	0.3	0.3	DI
Carbon tetrachloride	_	0.3	ı	1	1 .	0.3	0.3	70
Methylene chloride	15	1-5	2	7		2	0.7	1 id
Tetrachloroethylene	-	.	ı	ı				}
Semivolatiles (N=95)								
None detected								
Dibromochloropropane (N=95)								
None detected						0.0050	0.014	DL
ICP Metals (N=95)								
Cadmium	5	0.97-1.4	1.2	1.2	0.19	0.74	99.0	1.0-2.0
Chromium	41 57	6.5-21	12 9.4	12 9.9	3.7	6.5	5.2 4.9	25-40 20-35
Lead	20	11-24	14	15	4.2	8.4	13	25-40
Zinc	95	11-190	27	32	22	8.7	9.5	08-09
Arsenic (N=95)	-	3.0	1	1	ı	2.5	0.0	DL-10
Mercury (N=95)	2	0.070-0.20	1	ı	ı	0.050	090*0	DL-0.10

Site 3-4 4743A/1082A Rev. 2/16/88

DL - The indicator level is the detection limit for DataChem and CAL Laboratories, as appropriate

N - Number of samples analyzed

* - Number of samples in which constituent was detected; only these sample results were used in statistical analyses

** - Median, mean, and standard deviation not calculated when constituent detected in fewer than 5 samples

Table 3-4-2. Results of Phase I Field Study. Page 1 of 15.

		Boring 1			Boring 2	
Depth (feet) Geologic Material	0-1 Silty Very Fine Sand	4-5 Silty Very Fine Sand	9-10 Silty Very Fine to Fine Sand	0-1 Clayey/Silty Very Fine Sand	4-5 Silty Very Fine Sand	9-10 Silty Fine Sand
Percent FinesVO	35	40	30	35	30	35
AIR MONITORING						
Volatile Organic Readings (ppm)						
HNUS OVAS	NR BKD	NR 1.5-4.0	NR 1.5-4.0	NR BKD	NR BKD	NR BKD
SOIL CHEMISTRY						
Volatiles (ug/g)						
Benzene Carbon tetrachloride Methylene chloride Tetrachloroethylene	N A A N A A N A A N A A N A A N A A N A A N A A N A A N A A N A	BDL BDL BDL BDL	BDL BDL BDL BDL	N N N N N N N N N N N N N N N N N N N	BDL BDL BDL BDL	BDL BDL BDL BDL
Semivolatiles (ug/g)						
None detected						
Dibromochloropropane (ug/g)						
None detected						
ICP Metals (ug/g)						
Cadmium Chromium Copper Lead Zinc	BDL 14 14 22 52	BDL 16 17 13 49	BDL 11 9.5 BDL 27	BDL BDL 7.1 BDL 17	BDL 14 10 12 39	BDL 16 17 12 51
Arsenic ug/g)	BDL	BDL	BDL	BDL	BDI.	3.0
Mercury (ug/g)	BDL	BDL	BDL	BDL	BDL	BDL
BDL - Below detection limit BKD - Background NA - Not analyzed						

NA - Not analyzed NR - Not reported S - As referenced to calibration standard of methane for OVA, and benzene for HNU; reading has been adjusted to account for background level VO - As determined by visual observation and rounded to the nearest 5 percent

Table 3-4-2. Results of Phase I Field Study. Page 2 of 15.

			Boring 3			Bor	Boring 4
Depth (feet) Geologic Material	0-1 Sandy Clay Silt	4-5 Sand Trace Silt	14-15 Sand	19-20 Sand Trace Silt	24-25 Coarse Sand w/Clay Layer	0-1 Silty Fine Sand	4-5 Silty Sand/Top Silty/Clayey Very Fine to
Percent FinesVO	65	5	0	5	65	40	30/60
AIR MONITORING Volatile Organic Readings (ppm)							
HNU ^S OVA ^S	BKD BKD	BKD BKD	BKD BKD	BKD BKD	ВКD ВКD	NR BKD	NR BKD
SOIL CHEMISTRY							
Volatiles (ug/g)							
Benzene Carbon tetrachloride Methylene chloride Tetrachloroethylene	A A A A A A A	BDL BDL 2 BDL	BDL BDL 2 BDL	BDL BDL 5 BDL	BDL BDL 2 BDL	NA NA NA NA	8DL 8DL 8DL 8DL
Semivolatiles (ug/g)							
None detected							
Dibromochloropropane (ug/g)							
None detected							
ICP Metals (ug/g)							
Cadmium	BDL	BDL	BDL	BDL	BDL	BDL	BDL
Chromium	8.0	BDL	BDL	BDL BDI	BDL BDL	BDL 5.6	9.2
Copper Lead Zinc	8DL 34	BDL 20	BDL 13	BDL 22	BDL 18	14 26	BDL 36
Arsenic ug/g)	BDI.	BDL	TON.	BDL	BDL	BDL	BDL
Mercury (ug/g)	BDL	BDL	BDL	BDL	BDL	BDL	BDL
BDL - Below detection limit BKD - Background							

BKD - Background
NA - Not analyzed
NR - Not reported
S - As referenced to calibration standard of methane for OVA, and benzene for HNU; reading has been adjusted to account for background level
VO - As determined by visual observation and rounded to the nearest 5 percent

Site 3-4 4744A/1082A Rev. 2/16/88

Table 3-4-2. Results of Phase I Field Study. Page 3 of 15.

	Boring 5	8 5			Boring 7		
Depth (feet) Geologic Material	0-1 Silty Fine to Medium Sand	4-5 Silty Fine to Medium Sand	0-1 Clayey Sand	4-5 Clayey Sand/ Coarse Sand	9-10 Clayey Sand	14-15 Sand Trace Silt	19-20 Sand
Percent Fines ^{VO}	30	20	15	20/5	40	5	0
AIR MONITORING							
Volatile Organic Readings (ppm)	a Z	×	BKD	BKD	BKD	BKD	BKD
OVAS	BKD	BKD	1.0	2.0	3.0	3.0	NR
SOIL CHEMISTRY							
Volatiles (ug/g)							
Benzene Carbon tetrachloride Methylene chloride Tetrachloroethylene	N A A N N A A N A A	108 108 108 108	N N N N N N N N N N N N N N N N N N N	BDL BDL BDL BDL	BDL BDL BDL BDL	BDL BDL BDL BDL	BDL BDL 1 BDL
Semivolatiles (ug/g)							
None detected							
Dibromochloropropane (ug/g)							
None detected							
ICP Metals (ug/g)							
Cadmium Chromium	BDL	BDL BDL	BDL BDL	BDL 7.4	BDL BDL	BDL BDL	BDL BDL
Copper	BDL 13	BDL 13	BDL,	11 RN	7.3 BDI	BDL	6.5 BDI
beau Zinc	30	30	26	30	26	21	23
Arsenic ug/g)	BDL	BDL	BDL	BDL	BDL	BDL	BDL
Mercury (ug/g)	BDL	BDL	BDL	BDL	BDL	BDL	BDL
BDL - Below detection limit BKD - Background	·						

bKD - Background NA - Not analyzed NR - Not reported S - As referenced to calibration standard of methane for OVA, and benzene for HNU; reading has been adjusted to account for background level VO - As determined by visual observation and rounded to the nearest 5 percent

Site 3-4 4744A/1082A Rev. 2/16/88

Table 3-4-2. Results of Phase I Field Study. Page 4 of 15.

				Boring 7			
Depth (feet) Geologic Material	28-29 Sand	39-40 Sand Trace Clay	49-50 Sand w/ Clay Layer	59-60 Sand	69-70 Sand	74-75 Sand Trace Clay	
Percent FinesVO	0	5	10	0	0	5	
AIR MONITORING							
Volatile Organic Readings (ppm)							
HNUS OVAS	BKD 3.0*	BKD 28**	BKD 8***	NR 5.0 ⁺	NR 47++	NR 1.0	
SOIL CHEMISTRY			•				
Volatiles (ug/g)							
Benzene Carbon tetrachloride Methylene chloride Tetrachloroethylene	BDL BDL BDL BDL BDL	BDL BDL 4 BDI.	BDL BDL BDL BDL	BDL BDL BDL BDL	BDL BDL BDL BDL	BDL BDL 1 BDL	
Semivolatiles (ug/g)							
None detected							
Dibromochloropropane (ug/g)							
None detected							
ICP Metals (ug/g)							
Cadmium Chromium Copper Lead	1.3 BDL BDL BDL BDL 23	BDL BDL 11 BDL 6.2	0.97 BDL 12 BDL 190	1.0 BDL BDL BDL 23	1.2 BDL BDL BDL 19	1.4 BDL 8.7 BDL 30	
Arsenic ug/g)	BDL	BDL	BDL	BOL	BDL	BDL	
Mercury (ug/g)	BDL	BDL	BDL	BDL	BDL	BDL	
BDL - Below detection limit BKD - Background							

BKD - Background

NR - Not reported

S - As referenced to calibration standard of methane for OVA, and benzene for HNU; reading has been adjusted to account for background level

VO - As determined by visual observation and rounded to the nearest 5 percent

VO - As determined by visual observation and rounded to the nearest 5 percent

* - 1.0 ppm reading obtained at 25 foot level

*** - 2.0 ppm reading obtained at 45 foot level

*** - 60 ppm reading obtained at 45 foot level

+ - 52 ppm reading obtained at 57.5 foot level

+ - 29 ppm reading obtained at 62.5 foot level, 57 ppm reading obtained at 65 foot level

Table 3-4-2. Results of Phase I Field Study. Page 5 of 15.

Depth (feet) Geologic Material	0-1 Sand Trace Silt	4-5 Sand Trace Silt	9-10 Sand w/ Silt and Clay	14-15 Coarse Sand and Gravel	19-20 Sand Trace Silt	29-30 Gravelly Sand	39-40 Sand Trace Silt	44-45 Gravelly Sand
Percent FinesVO	5	5	10	0	5	0	5	0
AIR MONITORING								
Volatile Organic Readings (ppm)								
HNUS OVAS	BKD BKD	BKD 5.0	bкр 7.0	BKD 11	150 3.0-21	8KD 11	BKD NR*	BKD NR**
SOIL CHEMISTRY								
Volatiles (ug/g)								
Benzene Carbon tetrachloride Methylene chloride Tetrachloroethylene	N A A A A A A	BDL BDL 5 BDL	BDL BDL 3 BDL	BDL BDL 1 BDL	BDL BDL 2 BDL	BDL BDL 1 BDL	BDL BDL 2 BDL	BDL BDL 3 BDL
Semivolatiles (ug/g)								
None detected								
Dibromochloropropane (ug/g)								
None detected								
ICP Metals (ug/g)								
Cadmium	TOR	BDL	BDL 9 1	BDL	BDL	BDL	BDL	BDL BOL
Chromium Copper	BDL BDL	BDL	9.6	BDL	BDL	9.9	0.9	BDL
Lead	BDL 20	BDL 17	8DL 31	BDL 15	BDL 18	BDL 23	BDL 19	BDL 12
Arsenic ug/g)	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
Mercury (ug/g)	BDL	BDL	0.20	BDL	BDL	BDL	BDL	BDL
BDL - Below detection limit BKD - Background NA - Not analyzed NR - Not reported	Below detection limit Background Not analyzed Not reported							

<sup>S - As referenced to calibration standard of methane for (VVA, and benzene for HNU; reading has been adjusted to account for background level
VO - As determined by visual observation and rounded to the nearest 5 percent
* - 21 ppm reading obtained at 35 foot level
** - 0.0 ppm reading obtained at 42 foot level</sup>

⁴⁷⁴⁴A/1082A Rev. 2/16/88 Site 3-4

Table 3-4-2. Results of Phase I Field Study. Page 6 of 15.

	Boring 9	6 8	Boring 10	9 10		Boring 11	
Depth (feet) Geologic Material	0-1 Very Fine to Fine Sand	4-5 Silty Fine to Medium Sand	0-1 Silty Fine Sand	4-5 Silty Fine Sand	0-1 Silty Fine Sand	4-5 Silty Fine Sand	9-10 Silty Fine to Medium Sand
Percent Fines ^{VO}	09	50	15	15	40	35	30
AIR MONITORING							
Volatile Organic Readings (ppm)							
HNUS OVAS	NR BKD	NR BKD	NR BKD	NR BKD	NR BKD	NR BKD	NR BKD
SOIL CHEMISTRY							
Volatiles (ug/g)							
Benzene Carbon tetrachloride Methylene chloride Tetrachloroethylene	N N N N N N N N N N N N N N N N N N N	8DL 8DL 8DL 8DL	NA NA NA	BDL BDL BDL BDL	NA NA NA NA	BDL BDL BDL BDL	BDL BDL BDL BDL
Semivolatiles (ug/g)							
None detected							
Dibromochloropropane (ug/g)							
None detected							
ICP Metals (ug/g)							
Cadmium Chromium Copper Lead Zinc	BDL BDL 7.8 BDL 33	BDL 9.8 BDL BDL 37	BDL 9.6 9.7 BDL 38	BDL 8.2 6.4 BDL 29	BDL BDL BDL BDL 15	BDL 17 16 BDL 50	BDL 9.2 9.6 BDL 31
Arsenic ug/g)	BDL	BDL	BDL	BDL	BDL	BDL	BDL
Mercury (ug/g)	BDL	BDL	BDL	BDL	BDL	BDL	BDL

BDL - Below detection limit
BKD - Background
NA - Not analyzed
NR - Not reported
S - As referenced to calibration standard of methane for (0VA, and benzene for HNU; reading has been adjusted to account for background level
VO - As determined by visual observation and rounded to the nearest 5 percent

Site 3-4 4744A/1082A Rev. 2/16/88

Table 3-4-2. Results of Phase I Field Study. Page 7 of 15.

	8	Boring 12			Boring 13		
Depth (feet) Geologic Material	0-1 Silty Very Fine Sand	4-5 Silty Sand	9-10 Silty Sand	0-1 Backfill	4-5 Silty Fine Sand	9-10 Very Fine Sand/ Silt and Clay	
Percent Fines ^{VO}	90	40	30	10	25	50	
AIR MONITORING							
Volatile Organic Readings (ppm)							
HNUS OVAS	NR BKD	NR BKD	NR BKD	NR BKD	NR BKD	NR 0.5*	
SOIL CHEMISTRY							
Volatiles (ug/g)							
Benzene Carbon tetrachloride Methylene chloride Tetrachloroethylene	NA NA NA	BDL BDL BDL BDL	BDL BDL BDL BDL	NA NA NA	BDL BDL BDL BDL	BDL BDL BDL BDL	
Semivolatiles (ug/g)							
None detected							
Dibromochloropropane (ug/g)							
None detected							
ICP Metals (ug/g)							
Cadmium Chromium	BDL 15	BDL 14	BDL BDL	BDL BDL	BDL 9.7	BDL 8.0	
Copper Lead	13 15	9.9 BDL	BDL	8.7	6 • 3 BDL	8.6 BDL	
Zinc	52	45	23	28	27	33	
Arsenic ug/g)	BDL	BDL	BDL	BDL	BDL	BDL	
Mercury (ug/g)	BDL	BDL	BOL	BOL	BDL	BDL	
Timil acceptance and and							

BDL - Below detection limit

BKD - Background

NA - Not analyzed

NR - Not reported

S - As referenced to calibration standard of methane for OVA, and benzene for HNU; reading has been adjusted to account for background level

VO - As determined by visual observation and rounded to the nearest 5 percent

* - Reading taken over cuttings

Table 3-4-2. Results of Phase I Field Study. Page 8 of 15.

					Boring 14				
Depth (feet) Geologic Material	0-1 Clayey Sand	4-5 Clayey Sand	9-10 Sand	14-15 Gravelly Sand Trace	19-20 Sand w/ Silt	29-30 Gravelly Sand Trace Silt	39-40 Gravelly Sand w/Trace Silt	49-50 Gravelly Sand w/ Clay	59-60 Silty Sand w/Gravel
Percent Fines ^{VO}	14	29	0	5	10	5	5	20	23
AIR MONITORING									
Volatile Organic Readings (ppm)									
HNUS OV AS	NR BKD	NR BKD	NR BKD	NR BKD	NR BKD	NR BKD	NR BKD	NR BKD	NR BKD
SOIL CHEMISTRY									
Volatiles (ug/g)									
Benzene Carbon tetrachloride Methylene chloride Tetrachloroethylene	NA NA NA	90F 80F 80F 80F	901 801 801 801	BDL BDL BDL BDL	BDL BDL BDL BDL	BDL BDL BDL BDL BDL	BDL BDL 2 BDL	BDL BDL BDL BDL	BDL BDL BDL BDL
Semivolatiles (ug/g)									
None detected									
Dibromochloropropane (ug/g)									
None detected									
ICP Metals (ug/g)									
Cadmium	BDL	BDL	BDL	TOR	BDL	BDL	BDL	BDL	BDL
Chromium	BDL 6.6	6.5	BDL	BDL BDL	BDL BDL	BDL	BDL BDL	BDL	BDI.
Lead Zinc	23 60	BDL 32	BDL 17	BDL 11	BDL 20		BDL 11	BDL 15	BDL 15
Arsenic ug/g)	BDL	Ida	BDL	BDL	BDL	BDL	BDL	BDL	BDL
Mercury (ug/g)	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	TOR
BDL - Below detection limit									

BDL - Below detection limit
BKD - Background
NA - Not analyzed
NR - Not reported
S - As referenced to calibration standard of methane for OVA, and benzene for HNU; reading has been adjusted to account for background level
VO - As determined by visual observation and rounded to the nearest 5 percent

Table 3-4-2. Results of Phase I Field Study. Page 9 of 15.

			Boring 15		
Depth (feet) Geologic Material	0-1 Silty Fine Sand	4-5 Silty Sand	9-10 Very Fine Sand Trace Silt	14-15 Silty Sand	19-20 Sand Trace Silt
Percent FinesVO	40	25	. 5	15	5
AIR MONITORING					
Volatile Organic Readings (ppm)					
HNUS OVA ^S	NR BKD	NK BKD	NR BKD	NK BKD	NR BKD
SOIL CHEMISTRY					
Volatiles (ug/g)					
Benzene Carbon tetrachloride Methylene chloride Tetrachloroethylene	NA NA NA	BDL BDL BDL BDL	BDL BDL BDL BDL	BDL BDL BDL BDL	BDL BDL BDL BDL
Semivolatiles (ug/g)					
None detected					
Dibromochloropropane (ug/g)					
None detected					
ICP Metals (ug/g)					
Cadmium Chromium Copper Lead Zinc	BDL 14 8.0 13 46	BDL 12 6.1 BDL 26	BDL 17 9.9 11 53	BDL 19 12 BDL 43	BDL BDL BDL BDL 24
Arsenic ug/g)	BDL	BDL	BDL	BDL	BDL
Mercury (ug/g)	BDL	BDL	BDL	BDL	BDI.

BBL - Below detection limit

BKD - Background

NA - Not analyzed

NR - Not reported

S - As referenced to calibration standard of methane for OVA, and benzene for HNU; reading has been adjusted to account for background level

VO - As determined by visual observation and rounded to the nearest 5 percent

Table 3-4-2. Results of Phase I Field Study. Page 10 of 15.

			Boring 16			
Depth (feet) Geologic Material	0-1 Sand Trace Silt	4-5 Sand Trace Silt	9-10 Gravelly Silty Sand	14-15 Clayey Silty Sand	19-20 Silty Sand	29-30 Silty Fine Sand
Percent FinesVO	5	2	20	30	15	25
AIR MONITORING						
Volatile Organic Readings (ppm)						
HNUS OVAS	NR BKD	NR BKD	NR 5.0	NR 1.0	NR BKD	NR BKD
SOIL CHEMISTRY						
Volatiles (ug/g)						
Benzene Carbon tetrachloride Methylene chloride Tetrachloroethylene	NA NA NA	BDL BDL BDL BDL	BDL BDL BDL BDL	BDL BDL BDL BDL	BDL BDL BDL	BDL BDL BDL
Semivolatiles (ug/g)						
None detected						
Dibromochloropropane (ug/g)						
None detected						
ICP Metals (ug/g)						
Cadmium	BDL	BDL	BDL	BDL	BDL	BDL
Chromium Copper	BDL BDL	BDL BDL	8DL 8.4	BDL 6.3	BDL BDL	BDL
Lead	BDL	BDL	BDL	BDL	BDL	BDL
Zinc	27	18	32	24	14	15
Arsenic ug/g)	BDL	BDI.	, BDL	BDL	BDL	BDL
Mercury (ug/g)	BDL	BDL	BDL	BDL	BDL	BDL

BDL - Below detection limit
BKD - Background
NA - Not analyzed
NR - Not reported
S - As referenced to calibration standard of methane for OVA, and benzene for HNU; reading has been adjusted to account for background level
VO - As determined by visual observation and rounded to the nearest 5 percent

Table 3-4-2. Results of Phase I Field Study. Page 11 of 15.

		Boring 17			01 801 100	
Depth (feet) Geologic Material	0-1 Silty Fine Sand	4-5 Silty Fine Sand	9-10 Silty/Clayey Fine Sand	0-1 Fine Sand Trace Silt	4-5 Fine Sand Trace Silt	9-10 Fine Sand Trace Silt/ Clayey Sand
Percent FinesVO	15	20	35	5	5	5/25
AIR MONITORING						
Volatile Organic Readings (ppm)						
HNUS OVAS	NR BKD	NR BKD	NR 2.0	NK BKD	NR BKD	NR BKD
SOIL CHEMISTRY						
Volatiles (ug/g)						
Benzene Carbon tetrachloride Methylene chloride Tetrachloroethylene	N A A A A	708 80L 80L 80L	BDL BDL BDL BDL	N N N N N N N N N N N N N N N N N N N	BDL BDL BDL BDL	BDL BDL BDL BDL
Semivolatiles (ug/g)						
None detected						
Dibromochloropropane (ug/g)						
None detected						
ICP Metals (ug/g)						
Cadmium Chromium	BDL BDL	BDL BDL	BDL BDL	BDL 9.0	BDL 8.0	BDL 14
Copper Lead Zinc	6.5 BDL 25	5.8 BDL 20	BDL BDL 27	5.7 BDL 26	BDL BDL 25	12 BDL 42
Arsenic ug/g)	BDL	BDL	BDL	BDL	BDL	BDL
Mercury (ug/g)	BDL	BDL	BDL	BDL	BDL	BDL

BKD - Background
NA - Not analyzed
NR - Not reported
S - As referenced to calibration standard of methane for OVA, and benzene for HNU; reading has been adjusted to account for background level
VO - As determined by visual observation and rounded to the nearest 5 percent

Table 3-4-2. Results of Phase I Field Study. Page 12 of 15.

	Borit	Boring 19	Boring 20	g 20	Boring 21	21	
Depth (feet) Geologic Material	0-1 Fine to Medium Sand and Silt	4-5 Fine Sand Trace Silt	0-1 Fine Sandy Silt	4-5 Fine Sandy Silt	(Rubble) Sand and Gravel Silt/Clayey Fine Sand	4-5 Silty Fine Sand	
Percent Fines ^{VO}	50	5	80	70	70	35	
AIR MONITORING							
Volatile Organic Readings (ppm)							
HNUS OVAS	NR BKD	NK BKD	NR BKD	NR BKD	NR BKD	NR BKD	
SOIL CHEMISTRY							
Volatiles (ug/g)							
				,	;		
Benzene Carbon tetrachloride Methylene chloride Tetrachloroethylene	V V V V V V V V V V V V V V V V V V V	BDL BDL BDL BDL	NA NA NA	BDL BDL BDL BDL	N N N N N N N N N N N N N N N N N N N	BDL BDL BDL	
Semivolatiles (ug/g)							
None detected							
Dibromochloropropane (ug/g)							
None detected							
ICP Metals (ug/g)							
Cadmium	BDL	BDL	BDL	BDL	BDL	BDL	
Chromium Copper Lead	14 13 BDL 7,7	BDL BDL BDL 3.4.	16 12 13	21 15 BDL 52	9.5 6.2 BDL ?6	12 13 BDL 47	
71110	Ì	+ 7	Ç.	1	0,1	-	
Arsenic ug/g)	BDL	BDL	BDL	BDL	BDL	BDL	
Mercury (ug/g)	BDL	BDL	BDL	BDI.	HDL	BDL	
BDL - Below detection limit							

BKD - Background

NA - Not analyzed

NR - Not reported

S - As referenced to calibration standard of methane for OVA, and benzene for HNU; reading has been adjusted to account for background level

VO - As determined by visual observation and rounded to the nearest 5 percent

Table 3-4-2. Results of Phase I Field Study. Page 13 of 15.

	Boring 22		Boring 23		Boring 24	
Depth (feet) Geologic Material	0-1 (Rubble) Sand and Gravel Fine Sand Silt	4-5 Fine Sand and Silt	0-1 (Rubble) Sand and Gravel Silty/ Clayey Fine Sand	4-5 Sandy Clay	U-1 (Rubble) Sand, Silt and Gravel/ Very Fine Sandy Silt	4-5 Fine Sandy Clay
Percent FinesVO	50	50	40	70	09	09
AIR MONITORING						
Volatile Organic Readings (ppm) HNUS	NR 6739	N.K 87,9	NR EV.D	N.R 7,7	NR C 7 a	NR 1 0-3 0
Vamo Taglo Tiro	Q.V.					0
Volatiles (ug/g)						
Benzene Carbon tetrachloride Methylene chloride Tetrachloroethylene	NA NA NA	89L 80L 80L 80L	N N N N N N N N N N N N N N N N N N N	BOL BOL BOL BOL	NA NA NA NA	8DL 8DL 8DL 8DL
Semivolatiles (ug/g)						
None detected						
Dibromochloropropane (ug/g)						
None detected						
ICP Metals (ug/g)						
Cadmium Chromium Copper Lead Zinc	BDL BDL BDL BDL 28	BDL 11 6.6 BDL 31	BDL 9.9 6.0 BDL 32	BDL BDL 8.4 14	BDL 7.9 9.6 15 38	BDL 16 14 24 61
Arsenic ug/g)	BDL	BDL	BDL	BDL	BDL	BDL
Mercury (ug/g)	BDL	BDL	BDL	BDL	BDL	0.070
BDL - Below detection limit BKD - Background						

BKD - Background
NA - Not analyzed
NR - Not reported
S - As referenced to calibration standard of methane for OVA, and benzene for HNU; reading has been adjusted to account for background level
VO - As determined by visual observation and rounded to the nearest 5 percent Site 3-4 4744A/1082A Rev. 2/16/88

Table 3-4-2. Results of Phase I Field Study. Page 14 of 15.

	Bori	Boring 25	Boring 26	. 26	Boring 27	18 27	Bor	Boring 35*
Depth (feet) Geologic Material	0-1 Very Fine Sandy Silt/ Clay	4-5 Fine Sandy Silt/Clay	0-1 (Rubble) Sand and Gravel/Very Fine Sandy Silt	4-5 Very Fine Sandy Silt	0-1 (Rubble) Sand and Gravel	4-5 Silty Fine to Medium Sand	0-1 Gravelly Sand	4-5 Gravelly Sand
Percent Fines ^{VO}	. 57	09	6/75	09	1	40	5	5
AIR MONITORING								
Volatile Organic Readings (ppm)								
HNUS OVAS	NR BKD	NR BKD	NR BKD	NR BKD	NR BKD	NR BKD	NR BKD	NR BKD
SOIL CHEMISTRY								
Volatiles (ug/g)								
Benzene Carbon tetrachloride Methylene chloride Tetrachloroethylene	NA NA NA NA	BDI, BDI, BDI, BDI,	N N N N N N N N N N N N N N N N N N N	BDL BDL BDL BDL	NA NA NA NA	0.6 0.3 BDL 0.4	N N N N N N N N N N N N N N N N N N N	
Semivolatiles (ug/g)								
None detected								
Dibromochloropropane (ug/g)								
None detected								
ICP Metals (ug/g)								
Cadmium	BDL	BDL	BDL	BDL	BDL	BDL	BDL	
Chromium Copper Lead	1/ 19 19	16 12 12	10 13 22	13 13 14	9.3 BDL	12 12 BDL	TOR BDL BDL	
Zinc	100	56	55	67	22	04	16	
Arsenic ug/g)	BDL	BDL	BDL	BDL	BDL	BDL	BDL	
Mercury (ug/g)	BDL	BDL	BDL	BDL	BDL	BDL	HOL	
BDL - Below detection limit								

BDL - Below detection limit
BKD - Background
NA - Not analyzed
NR - Not reported
S - As referenced to calibration standard of methane for OVA, and benzene for HNU; reading has been adjusted to account for background level
VO - As determined by visual observation and rounded to the nearest 5 percent
* - Investigated as part of Section 3-UNC, Task 15

Table 3-4-2. Results of Phase I Field Study. Page 15 of 15.

Table 3-4-2. Results of Phase 1 Field				**************************************	Bor	Boring 50*
	Borı	Boring 45*	100	116 12		
Depth (feet) Geologic Material	0-1 Silty Medium Sand	4-5 Medium Coarse Sand	0-1 Medium Sand	4-5 Clayey Sand	0-1 Medium Sand	4-5 Dirty Poorly Sorted Sand
Percent Fines ^{VO}	10	0	5	20	2	10
AIR MONITORING						
Volatile Organic Readings (ppm) HNUS OVAS	NR BKD	NR BKD	NR 15	NR 15	1.0 NR	1.0 NR
SOIL CHEMISTRY						
Volatiles (ug/g)					**	
Benzene Carbon tetrachloride Methylene chloride Tetrachloroethylene	N N N NA NA		Y		NA NA NA	
Semivolatiles (ug/g)						
None detected						
Dibromochloropropane (ug/g)						
None detected						
ICP Metals (ug/g)					i	
Cadmium Chromium	BDL BDL		BDL 8.2		BDL BDL RDI	
Copper Lead Zinc	BDL BDL 29		7.8 BDL 33		BDL 16	
Arsenic ug/g)	BDL		BDL		BDL	
Mercury (ug/g)	BDL		BUL		BDL	
BDL - Below detection limit BKD - Background NA - Not analyzed NR - Not reported S - As referenced to calibration standard of methan VO - As determined by visual observation and rounded * - Investigated as part of Section 3-UNC, Task 15	tion standard observation and	of methane for 1 rounded to 1 Task 15	methane for OVA, and benzene for rounded to the nearest 5 percent ask 15	ene for HNU; ercent	reading has bee	methane for OVA, and benzene for HNU; reading has been adjusted to account for background level rounded to the nearest 5 percent ask 15

⁴⁷⁴⁴A/1082A Rev. 2/16/88 Site 3-4




Table 3-4-3. Tentative Identification of Nontarget Compounds.

Comments	0 0 0 k	₩ Φ Φ. Ω	жооо 4 , о	A D	× ×	* *	ж жж
Best-fit Identification	9-hexadecenoic acid hexadecanoic acid hexanedioic acid, dioctyl ester dioctyl phthalate	hexadecanoic acid unknown alkane, C-23 dioctyl phthalate	hexadecanoic acid nonanedioic acid, dibutyl ester hexanedioic acid, dioctyl ester unknown alcohol dioctyl phthalate	fluoranthene or pyrene hexanedioic acid, dioctyl ester			
Lot	81.U 81.U 81.U 81.U	BLV BLU BLU BLU	BLV BLU BLU BLU BLU BLU	BMA BMA BMA	BLV BMA	BLV BMA	ANX ANW ANX
Sample Number	700 700 700 700 700	002 005 005 005	003 006 006 006 006	005 005 005	900	007	002 003
Concentration (ppm)*	1.1 0.7 0.5 0.7	6.0 6.0 6.9	0.9 2.0 4.3 0.9	2.0 0.3 0.8			
Unknown Number	605 605 627 639	605 619 639	605 610 627 637 639	610 614 627			
Interval Depth (ft)	0-1	4-5	9-10	0-1	4-5	9-10	0-1
Borehole Number				2	38		e.

Table 3-4-3. Tentative Identification of Nontarget Compounds (Continued).

Comments	**	M O	⊼ હ ≪			D F, C	בע	Q V	ж С,	¥	* *
Best-fit Identification		nonanedioic acid, dibutyl ester	<pre>bis (2-methyl propyl) phthalate hexanedioic acid, a phthalate not identified</pre>	propanoic acid, 2-methyl-, 2,2-dimethyl-1-(2-hydroxy-	<pre>l-methyl) propyl ester propanoic acid, 2-methyl-, 3-hydroxy-2,4,4-</pre>	trimethylpentyl ester hexanedioic acid, dioctyl ester dioctyl phthalate	hexadecanoic acid	hexadecanoic acid aldehyde, C-18	hexanedioic acid, dioctyl ester dioctyl phthalate		
Lot	A0G A0H	AOG AOH	A0C A0H A0H	ВМО	ВМО	ВМQ ВМQ	вмо вмо	ВМQ ВМQ	BMO BMQ BMQ	AON	AOK
Sample Number	002 002	003 003	004 004 004	700	900	004	008 005	900	009 007 007	002	002 003
Concentration (ppm)*		1.0	0.8 0.5	0.4	9.0	0.8 0.0	0.3	6.4	0.8		
Unknown Number		616	605 610	575	576	627 639	909	605 636	62 <i>7</i> 639		
Interval Depth (ft)	14-15	19-20	24-25	0-1			4-5	0-1	4-5	1- 0	4-5
Borehole	3			7			3	59 9		7	

Table 3-4-3. Tentative Identification of Nontarget Compounds (Continued).

Table 3-4-3. Tentative Identification of Nontarget Compounds (Continued).

	Interval						
Borehole Number	Depth (ft)	Unknown Number	Concentration (ppm)*	Sample Number	Lot	Best-fit Identification	Comments
83	14-15	616	1.0	004	AMU	nonanedioic acid, dibutyl ester	×α
	19-20	616	9.0	002 002	ANG	nonanedioic acid, dibutyl ester	×а
	29-30	616 631	1.0	003 003 003	ANG ANH ANH	nonanedioic acid, dibutyl ester	Y Q &
	39-40	616 632	0.6	004 004 004	ANG ANH ANH	nonanedioic acid, dibutyl ester	ДФ
	44-45	616	0.5	005 005	ANG	nonanedioic acid, dibutyl ester	×α
6	0-1	626 638	0.5 6.5	800 008	BMQ BMQ	hexanedioic acid, dioctyl ester dioctyl phthalate	D F, C
41	4-5	909	0.4	002	BMZ BMQ	hexadecanoic acid	×Q
0 1	0-1			002	BMO		
	4-5	605 610	1.0	007 003 003	BMO BMQ BMQ	hexadecanoic acid nonanedioic acid, dibutyl ester	X D D
		627 635	1.6	003 003	BMQ BMQ	hexanedioic acid, dioctyl ester unknown alkene or alcohol,	D A
		639	12	003	ВМО	GT C-20 dioctyl phthalate	O
11	0-1	628	0.5	002	BMA	l-isocyano-naphthalene	

Table 3-4-3. Tentative Identification of Nontarget Compounds (Continued).

Comments	ъ Б, С	к D D F, C	×	**	× ¢	¥	4 4	× 4	* *
Best-fit Identification	hexanedioic acid, dioctyl ester dioctyl phthalate	nonanedioic acid, dibutyl ester hexanedioic acid, dioctyl ester dioctyl phthalate			unknown alcohol or alkene, GT C-26	fluoranthene	pyrene		
Lot	BLV BMA BMA	BLV BMA BMA BMA	ВМА	BLV BMA	BLZ BMA	BMB BMB	BMB BMB BMB	BLZ BMB	BLZ BMB
Sample Number	004 003 003	005 004 004 004	800	800	002	002 002	002 002 002	003	000 004
Concentration (ppm)*	7.5	1.3			1.3	0.5 0.9	0.7 0.5 1.0	9.0	
Unknown Number	627 639	610 627 639			636	610 614	617 619 637	637	
Interval Depth (ft)	45	9-10	0-1	4-5	9-10	0-1		4-5	9-10
Borehole Number	11		12			13	42		

Table 3-4-3. Tentative Identification of Nontarget Compounds (Continued).

Сомтепів	¥	ines D	k bis-	D	× Q			ter A	K Lus C, D, F		A ouc	ter D	≥ 	•	cyl ester D	c,	cyl ester D	tyl ester D	tyl ester D	tyl ester D A	tyl ester D	tyl ester D	tyl ester D	tyl ester D D D	tyl ester D D D
Best-fit Identification	an isomer of	unknown with 3 chlorines hexadecanoic acid	2-butenedioic acid, bis-	(z-metnytpropyr) e hexadecanoic acid C-18 aldehyde	hexadecanoic acid	nonanedioic acid, dibutyl ester	hexanedioic acid, mono-	(2-ethylhexyl) ester C-18 alkene	hexadecanoic acid plus	a phthalate nonanedioic acid, dibutyl ester	hexanedioic acid, mono-	(2-ethylhexyl) ester C-17 alcohol	hexadecanoic acid plus	a nhthalate	a phthalate nonanedioic acid, di	a phthalate nonanedioic acid, dibutyl ester	a phthalate nonanedioic acid, di	a phthalate nonanedioic acid, di	a phthalate nonanedioic acid, di	a phthalate nonanedioic acid, di C-17 alcohol	a phthalate nonanedioic acid, di C-17 alcohol				
Lot	BLL	BLL	BME	BLL	BME	BLL	BLL	BLL	BME	BLL	BLL	BLL	BME		BLL	BLL	BLL	BLL	BLL	BLL	BLL	BLL	BLL	BLL BLL BLL	BLL BLL BLL
Sample Number	002	002 002	002 003	003	003	900	700 007	700	004	9005	005 005	900	900		900	900	900	900	900	900	900	900	900	900	900 900 900
Concentration (ppm)*	1.0	1.0	0.3	0.3	0.3	1.0	0.3	0.4	0.2	8.0	0.1	0.2	0.3		9.0	9.0	0.6	9.0	0.6	0.6	0.6	0.2	0.6	0.0	0.6
Unknown Number	577	578 609	580	609	609	615	619	636	609	615	619 630	637	609		615	615	615	615	615 619	615 619	615 619	615 619	615 619	615 619 636	615 619 636
Interval Depth (ft)	0-1		4-5		9-10				14-15				19-20												
Borehole Number	14									43 '															

Table 3-4-3. Tentative Identification of Nontarget Compounds (Continued).

Comments	К С, D, F	Q V	K C, D, F	Q	(C, U, F	г. с	р р г, с
Best-fit Identification	hexadecanoic acid plus	a phthalate nonanedioic acid, dibutyl ester	hexadecanoic acid plus	a philipage nonanedioic acid, dibutyl ester C-17 alcohol	hexadecanoic acid plus	a phthalate nonanedioic acid, dibutyl ester	nonanedioic acid, dibutyl ester alkane, C-22 hexanedioic acid, dioctyl ester dioctyl phthalate	9-hexadecenoic acid hexadecanoic acid hexanedioic acid, dioctyl ester dioctyl phthalate
Lot	BME	BLL	BME BLL	BLL	BME BLL	BLL	BMH BMG BMC BMC BMG	BMI BMI BMI BMI
Sample Number	006	007	00 7 008	008 008	800 009	600	002 002 002 002 002	005 005 005 005
Concentration (ppm)*	0.3	0.9	0.3	0.5	0.3	0.5 0.1	1.0 0.5 1.0	0.6 0.7 0.8 0.8
Unknown Number	610	615 637	610	615 637	610	615 619	610 617 627 639	605 605 627 639
Interval Depth (ft)	29–30		39-40		49-50		29-60	0-1
Borehole Number	14		•				44	15

<sup>A - No positive identification
C - Plasticizer
D - Derived from natural products
F - Low concentration
K - None detected
* - Values reported are blank corrected</sup>

Table 3-4-3. Tentative Identification of Nontarget Compounds (Continued).

Comments	ъ Б. С.	ж о . ; С	¥ a	K A, F, C	F, C	A, F, C D F, C
Best-fit Identification	hexadecanoic acid hexanedioic acid, dioctyl ester dioctyl phthalate	hexadecanoic acid nonanedioic acid, dibutyl ester hexanedioic acid, dioctyl ester dioctyl phthalate	hexadecanoic acid nonanedioic acid, dibutyl ester	nonanedioic acid, dibutyl ester unknown phthalate	hexanedioic acid, dioctyl ester dioctyl phthalate	unknown phthalate, possibly dibutyl hexadecanoic acid hexanedioic acid, dioctyl ester dioctyl phthalate
Lot	BMJ BMI BMI BMI	BMJ BMI BMI BMI BMI	BMJ BMG BMG	BMJ BMG BMG	BMG	BMH BMC BMC BMC
Sample	003 006 006 006	004 007 007 007	005 009 009	006 010 010	003	003 004 004 004 004
Concentration (ppm)*	0.4	0.9 2.7 1.1 1.0	0.4 0.9	0.6	0.8 6.0	0.7 0.6 1.0 0.7
Unknown Number	605 627 639	605 610 627 639	605 610	610 639	627 639	602 605 627 639
Interval Depth (ft)	4-5	9-10	14-15	19-20	0-1	2-4
Borehole Number	15				16	

<sup>A - No positive identification
C - Plasticizer
D - Derived from natural products
F - Low concentration
K - None detected
* - Values reported are blank corrected</sup>

Site 3-4 4609A/1082A Rev. 9/22/87

Table 3-4-3. Tentative Identification of Nontarget Compounds (Continued).

Number	Depth (ft)	Unknown Number	Concentration (ppm)*	Sample Number	Lot	Best-fit Identification	Comments
16	9-10	\$0\$		000 2005	BMH	hexadecanoic acid	x c
		627	3.0	005	B. E.	hexanedioic acid, dioctyl ester	1
		639	1.0	900	BMC	unknown, possibly dioctyl phthalate	⋖
	14-15			900	BMH		×
		610	0.7	900	BMC	nonanedioic acid, dibutyl ester	
		639	0.7	900	BMC	unknown, possibly dioctyl phthalate	₩
	19-20			900	BMH		×
		611	0.7	007	BMC	nonanedioic acid, dibutyl ester	
		639	9.0	000	BMG	hexanedioic acid, dioctyl ester	
	29-30			000	BMH		×
		610	0.7	800	BMC	nonanedioic acid, dibutyl ester	
11	0-1	627	8.4	002	BMI	hexanedioic acid, dioctyl ester	
		639	2.0	005	BMI	dioctyl phthalate	F, C
	4-5			800	BMH		×
		605	7.0	003	BMI	hexadecanoic acid	
		627	1.6	003	BMI	hexanedioic acid, dioctyl ester	
		639	14.4	003	BMI	dioctyl phthalate	F, C
	9-10			002	BMJ		×
		605	0.1	700	BMI	hexadecanoic acid	a
		170		ţ	Tug	nevallentore acta, atocryt ester	

Table 3-4-3. Tentative Identification of Nontarget Compounds (Continued).

Comments	F, C	ı	×		×	Q			¥	×	×			×			×	4
Best-fit Identification	dibutyl phthalate	hexanedioic acid, dioctyl ester	:	hexanedioic acid, dioctyl ester		hexadecanoic acid	nonanedioic acid, dibutyl ester	hexadecanoic acid, dibutyl ester	unknown cyclic alkane			2-methyl cyclopentanol nonanedioic acid, dibutyl ester	2-methyl cyclopentanol		2-methyl cyclopentanol	nonanedioic acid, urbury; ester hexanedioic acid, mono- (2-ethylhexyl) ester		
Lot	BMI	BMI	ВМЈ	BMI	BMJ	BMI	BMI	BMI	BMI	BMP	ВМО	BMP BMP	BMP	BMO	BMP	BMP	QMB	DML
Sample Number	800	800	000	600	800	010	010	010	010	002	005	003 003	900	003	005	000	700	900
Concentration (ppm)*	0.5	2.2		0.8		0.5	7.0	0.4	6.0			0.2	0.3		0.3	0.3		
Unknown Number	602	627		627		605	610	627	637			532 614	532		531	614 629		
Interval Depth (ft)	0-1		4-5		9-10					0-1	5-7	.	0-1	5 - 7	ì		•	1-0
Borehole Number	18									19			20	,	. 7		i	21

A - No positive identification
C - Plasticizer
D - Derived from natural products
F - Low concentration
K - None detected
* - Values reported are blank corrected

Table 3-4-3. Tentative Identification of Nontarget Compounds (Continued).

Comments	K ster		* *	¥	**	D	Б, С	× 0	≪ ≪	Б, С	D F, C	× 4
Best-fit Identification	2-methyl cyclopentanol nonanedioic acid, dibutyl ester hexanedioic acid, mono-(2-ethylhexyl) ester	2-methyl cyclopentanol				hexadecanoic acid unknown alkene or alcohol,	dioctyl phthalate	hexadecanoic acid	unknown alkane, C-22 unknown alcohol or alkene, GT C-20	dioctyl phthalate	hexadecanoic acid dioctyl phthalate	unknown aldehyde, C-18
Lot	BMO BMP BMP BMP	BMP	вмо вмр	ВМР	вмо вмР	BMQ BMQ	ВМО	BMZ BMY	ВМҮ	ВМҮ	BMY	BMZ BMY
Sample Number	004 007 007 007	800	600	010	006 011	010 010	010	003 002	002 002	002	003 003	004
Concentration (ppm)*	0.2 0.5 0.2	7.0				1.0	0.5	9*0	7. 0 4. 0 0.4	1.2	0.7	6.4
Unknown Number	532 614 629	531				605 636	639	605	618 636	638	605 639	636
Interval Depth (ft)	5-4	0-1	5-7	0-1	4-5	0-1		4-5			0-1	4-5
Borehole Number	21	22		23		24					25	

Table 3-4-3. Tentative Identification of Nontarget Compounds (Continued).

Comments	¥	Ą	F, C	¥	¥	Q	A	А		F, C	D				¥	ъ, с		Ω	А	F, C	ഖ	С, D, F
Best-fit Identification	unknown polycyclic hydrocarbon, GT C-20	unknown alcohol or alkene, GT C-20	dioctyl phthalate	unknown alkane, GT C-26		hexadecanoic acid	unknown alkane, C-22	unknown alcohol or alkene,	GT C-20	dioctyl phthalate	hexadecanoic acid	nonanedioic acid, dibutyl	ester	fluoranthene or pyrene	unknown cyclic alkane	dioctyl phthalate	2,2,4-trimethyl pentane	hexadecanoic acid	unknown aldehyde, C-18	dioctyl phthalate	alkene, C-18	hexadecanoic acid and an Unidentified phthalate
Lot	ВМУ	BMY	BMY	BMY	BMZ	BMY	BMY	BMY		ВМУ	ВМУ	BMY		BMY	ВМХ	BMY	BMZ	BMY	BMY	BMY	BKV	BQR
Sample Number	900	900	900	900	005	900	900	900		900	007	200		007	007	007	900	800	800	800	900	600
Concentration (ppm)*	0.3	8.0	0.5	7.0		8.0	0.7	9.0		7.6	0.5	7.0		7.0	1.0	3.6	4.7	9.0	9.0	4.1	0.2	7.0
Unknown Number	610	636	639	652		605	619	636		639	605	610		614	636	639	121	605	636	638	635	609
Interval Depth (ft)	0-1				4-5	.					0-1						4-5				0-1/4-5 composite	0-1/4-5 composite
Borehole Number	26										27						4	0			35**	**57

A - No positive identification
C - Plasticizer
D - Derived from natural products
F - Low concentration
GT - Greater than
K - None detected
* - Values reported are blank corrected
** - Borings 35, 45, 48 and 50 were investigated as part of Section 3-UNC, Task 15

Table 3-4-3. Tentative Identification of Nontarget Compounds (Continued).

1 - 1	Interval	The addl	Concentration	Somela		Root	
Number	Number (ft)	Number		Number	Lot	Identification	Comments
87	48 0-1/4-5	528	0.1	800	BQR	2-methyl cyclopentanol	
Compos	ite	529	0.1	800	BQR	2-methyl cyclopentanone	
•		266	7.0	800	BOR	3,7-dimethyl-2, 6-octadien-1-01	
		609	0.3	800	BQR	hexadecanoic acid and an	C, D, F
						unidentified phthalate	
		619	2.0	800	BQR	alkene, C-18	
¥*0\$	50** 0-1/4-5	595	0.4	900	BRM	unknown alkane, C-18	
composite	ite	630	0.7	900	BRM	dioctyl ester, hexanedioic	Q
						acid	

C - Plasticizer
D - Derived from natural products
F - Low concentration
* - Values reported are blank corrected
** - Borings 35, 45, 48 and 50 were investigated as part of Section 3-UNC, Task 15

assigned to more than one compound. Therefore, Table 3-4-3 provides only a general indication of additional compounds that may be present. Nontarget compounds tentatively identified at Site 3-4 include phthalates (ubiquitous plasticizers); organic acids; unknown alcohols, aldehydes, alkenes, alkanes, and a cyclic alkane; fluoranthene; pyrene; 2,2,4-trimethyl pentane; 1-isocyano-naphthalene; an isomer of trichlorobenzenamine; 2-methyl cyclopentanol; an unknown polycyclic hydrocarbon; and an unknown with three chlorines. All nontarget compounds were detected at low concentrations.

3.2.5 Phase I Contamination Assessment

Phase I samples from Site 3-4 had concentrations of benzene, carbon tetrachloride, methylene chloride, tetrachloroethylene, cadmium, zinc, arsenic, and mercury within or above their indicator levels.


Benzene, carbon tetrachloride, and tetrachloroethylene were detected in low concentrations in one sample from Boring 27 (4-5 ft interval). This boring was not located within the railyard itself. Methylene chloride was detected in 15 samples from 4 borings (Borings 3, 7, 8, and 14) in concentrations ranging from 1 to 5 ug/g. These data do not show a concentration gradient from the surface to depth as might be expected in the fairly homogeneous sands of this site if a surface spill had occurred. Also as discussed in Section 1.3, methylene chloride has not been detected in groundwater wells in the vicinity of the site. In addition, low concentrations of methylene chloride were detected, although below the certified reporting limit, in every laboratory method blank associated with a sample where methylene chloride was detected. Finally, a history search for compounds other than dibromochloropropane that may have been present at the site has been initiated. Consequently, methylene chloride will not be investigated in the Phase II program. The results of the history search will provide the necessary information to determine if an investigation for methylene chloride is warranted and if so, to design an effective investigation for methylene chloride. The necessity of that investigation will be determined by the feasibility study group. The concentrations of arsenic and cadmium were within their indicator ranges and were consistent with the natural levels that could be expected in the soils being investigated. The concentrations of mercury and zinc above their indicator ranges are associated with clay materials. An increase in metals concentrations in zones of clay accumulation is considered consistent with natural conditions.

The semivolatile method, although not certified for volatile compounds, has been shown to be capable of detecting toluene, chlorobenzene, ethylbenzene, and xylenes in the nontarget fraction. The absence of these compounds in the nontarget results for this site is an indication that there is no contamination present from these compounds.

Some of the nontarget compounds tentatively identified at Site 3-4, such as the phthalates, are ubiquitous compounds. Found in low concentrations and at concentrations of less than 10 parts per million (ppm), such compounds are not considered to be significant. However, one phthalate was identified tentatively in Boring 17 at 14.4 ppm and in Boring 10 at 12 ppm. The organic acids and alcohols were derived from natural products or could not be identified positively, and at the low concentrations detected at Site 3-4, are not considered to be indicative of contamination. The tentatively identified nontarget compounds fluoranthene and pyrene are polycyclic aromatic hydrocarbons, and are products of incomplete combustion, may be related to isolated fuel spills, or may be petroleum products associated with railyard activities. A volatile nontarget compound, 2,2,4-trimethy1 pentane, was detected at 4.7 ppm in the 4 to 5 ft interval of Boring 27. A number of target organic compounds were also detected in this interval of Boring 27. the proposed Phase II investigation for the target analytes detected in this sample, the analytical methods used will be capable of detecting 2,2,4-trimethyl pentane, should it be present. Another nontarget compound was identified tentatively as an isomer of trichlorobenzenamine in Boring 14 (0-1 ft interval). This compound may be associated with the manufacture of Shell pesticides and warrants further study. An unknown semivolatile compound with three chlorines also was identified tentatively at a low concentration in Boring 14 and will be investigated in the Phase II program. The remainder of the nontarget compounds were not identified positively and/or were found in low concentrations.

Site 3-4 originally was investigated as a contamination source due to the presence of dibromochloropropane in the groundwater downgradient from the The designation of this site as a dibromochloropropane source was supported by 1982 data showing the presence of this compound in the surface water, groundwater, and selected soil samples (Geraghty & Miller, 1982/RIC 81342R06). However, analysis of soil samples collected during the Phase I program did not indicate the presence of dibromochloropropane in 91 samples from any of the 26 borings at the site as well as the four borings from the Section 3 nonsource area investigation. The detection limit for dibromochloropropane analyses ranges from 0.005 to 0.014 ug/g. Despite the fact that dibromochloropropane was not detected in any of the 26 borings at the site during Phase I, the historic information for the site and historic and current groundwater quality data seem to indicate a source of dibromochloropropane in the rail classification yard. Organic compounds were detected at levels just above their detection limits in Boring 27 north of the railyard; however, the site history does not indicate any use, spillage, or disposal of these compounds in this area. Aerial photos from 1948 to 1980 did not show any unusual stains or spills in the vicinity of the borings in which these organic compounds were detected. Additionally, the four stained areas within the Site 3-4 boundaries investigated under the Phase I Section 3 nonsource area program did not detect elevated concentrations of organic or inorganic contaminants. The lateral and vertical extents of those organic compounds detected in the Site 3-4 Phase I program are uncertain. Further sampling designed to confirm the presence of the unexpected analytes in these areas, as well as the tentatively identified nontarget chlorinated unknowns and the nontarget compound trichlorobenzenamine in the southern portion of the site, is recommended.

The results of the PETREX soil gas field program (Figure 3-4-6b) showed that one sample location (Sample 6) had a detectable level of dibromochloropropane. This sampler was located within 100 to 200 ft from where Shell and Geraghty and Miller studies detected the compound (Geraghty & Miller, 1982/RIC 81342R06; Shepherd, 1981). Although the PETREX soil gas method does not report results in values of ppm in soil, the instrument response tended toward the upper end of quantifiable limits, indicating that the dibromochloropropane



detected was well above the method detection limit. In approximately one-third of the remaining samples, there were instrument responses at the mass-to-energy ratios where dibromochloropropane would be expected to be detected. An analysis of the ratios of the different masses detected in each of these samples indicated that dibromochloropropane was not one of the primary analytes present. PETREX was not able to identify the nondibromochloropropane compounds. Since compounds other than dibromochloropropane were present and interfering with the analysis of these samples, the detection limits for these samples were higher than the samples where no interfering compounds were detected. In no sample was the instrument response for nondibromochloropropane compounds higher than in the instrument response for dibromochloropropane in Sample 6.

3.3 PHASE II SURVEY

Although the Phase I analyses of soil samples did not detect dibromochloropropane, a soil gas investigation for this compound was conducted and
indicated a potential location of dibromochloropropane contamination. A Phase
II soil sampling program is proposed to confirm the detection and define the
extent of the dibromochloropropane contamination detected by the PETREX soil
gas samplers at the location of Sample 6. Given that the Phase I program at
Site 3-4 revealed detectable levels of organic compounds, a Phase II program
is proposed to further assess the extent of these compounds. The Phase II
sampling program will also address other tentatively identified nontarget
organic compounds detected in the Phase I program. The objectives of the
Phase II program at Site 3-4 are to:

- o Determine the location and areal extent of potential dibromochloropropane contamination near PETREX Sample 6;
- o Confirm the presence and define the extent of benzene, carbon tetrachloride, tetrachloroethylene, and the nontarget compound 2,2,4-trimethyl pentane and fluoranthrene/pyrene in the vicinity of Boring 27; and

o Confirm the presence of the isomer of trichlorobenzenamine and unknown with three chlorines in Boring 14.


The Phase II boundaries of Site 3-4 have been revised to include only the northern portion of the site, near Boring 27, and the area of the rail classification yard where dibromochloropropane spills were suspected to have occurred (Shepherd, 1981) as shown in Figure 3-4-7a.


Ten additional borings, yielding 23 samples, are proposed for the Phase II program at Site 3-4. The locations of borings and the proposed sampling plan for Phase II are illustrated in Figures 3-4-7a and 3-4-7b. Four borings, one at the location where dibromochloropropane was detected in the PETREX study and 3 immediately adjacent (approximately 10 ft away) from the detected location are proposed. These borings will be drilled to 5 ft and sampled at the 0 to 1 and 4 to 5 ft intervals. Samples collected will be analyzed for dibromochloropropane only. Each of the other 6 borings will be situated around each contaminated Phase I boring, at a distance of 20 ft. These borings will attempt to confirm the presence and verify the extent of contamination by numerous organic target compounds and tentatively identified nontarget compounds. The number of borings and samples to be taken at specific depths during Phase II are tabulated below.

No. of borings	Depth (ft)	No. of Samples
3	3	6
4	5	8
3	8	9

The number of soil samples to be tested by each analytical method is listed below.

Analytical Method	No. of Samples
Volatile halogenated organics (VHO)	9
Volatile aromatic organics (VAO)	9
GC/MS Verification (GC/MS)	2
Semivolatile Organics (SVO)	6
Dibromochloropropane (DBCP)	8





The Phase II analytical methods are designed to be analyte specific, use GC techniques with specific detectors, and have detection limits much lower than the Phase I methods. However, because the GC/MS scan is considered to offer a greater level of confidence in compound identification, 10 percent of the samples submitted for Phase II organic analyses will be subject to GC/MS verification. These samples have been chosen and are designated on Figure 3-4-7a. The samples have been chosen where Phase I results indicate high enough concentrations of organic compounds to be detected by GC/MS.

The draft final version of this report was sent to the Colorado Department of Health (CDH), Shell Oil Company, and the U.S. Environmental Protection Agency on December 29, 1987. Comments were received from Shell on February 2, 1988. EPA comments are an integral part of the report review process and previously have been incorporated into the report. No comments had been received from CDH as of February 22, 1988, well beyond the end of the one month comment period. The comments received have been considered in the preparation of this final report. Comments and responses are provided in appendix 3-4-C.


3.4 QUANTITY OF POTENTIALLY CONTAMINATED SOIL
Site 3-4 originally was considered to be a contaminated site. The following estimates of the extent of potentially contaminated soil originally were calculated in RMACCPMT (1984/RIC 83034R01):

Estimated Areal Extent = 28,800 ft²
Estimated Vertical Extent = 15 ft
Estimated Volume = 16,000 cubic yards (yd³)

Based on the results of the Phase I and PETREX soil gas investigation, an estimate of 5,000 yds³ of potentially contaminated soil has been made. Analytes were detected above their indicator levels in Boring 27, and a potentially significant nontarget compound tentatively was identified in Boring 14. Dibromochloropropane tentatively was identified at PETREX sample location 6 at a depth of 6 to 12 inches. Because no general pattern of contamination can be observed, because there is no evidence of spills or

disposal of compounds other than dibromochloropropane in this area, and because each potentially contaminated boring is surrounded either by borings with no analytes above their indicator levels or by the present site boundaries, volumes were calculated by assuming that soil within a 50 ft radius of the hits potentially is contaminated. As the analytes in Phase I Boring 14 and PETREX sample location 6 were detected at the 0 to 1 ft interval, the potentially contaminated area will be assumed to extend vertically to the top of the next regular sample interval at 4 ft. A cylinder with a 50 ft radius and depth of 4 ft has a volume of 1,200 yds³. As the analytes in Boring 27 were detected at the 4 to 5 ft interval, the potentially contaminated area will be assumed to extend vertically to the top of the next regular sample interval at 9 ft. A cylinder with a 50 ft radius and depth of 9 ft has a volume of 2,600 yds³. Combining the cylinders of potential contamination around the three borings and the one PETREX sample location, the total estimated volume of potentially contaminated soil is 5,000 yds (Figure 3-4-8).

Results from the Phase I survey were used to generate a most conservative (worst-case) estimate of the volume of potentially contaminated soil at Site 3-4 except for the possible dibromochloropropane spill area. This delineation of the boundaries of potential contamination should not be construed to indicate the actual presence of contamination within the volumes outlined. In addition, this approach is not intended to imply that any or all of the soil within the potentially contaminated volume must be remediated, nor does it make any assumption about the type of remediation that may be required. Rather, this approach is intended to provide preliminary estimates of the maximum possible volume of contaminated materials for planning purposes only.



Rocky Mountain Arsenal Cleanup Aberdeen Proving Ground, Maryland

Contaminated Soil

Rocky Mountain Arsenal, Task 7

Prepared by Ebasco Services Incorporated

Drafted: 11 11/86

4.0 REFERENCES CITED

- Acumenics. 1987. Comments on draft technical plan, Task 24, v. I, phase I program for Army Spill Sites.
- Adcock, W.E. 1980. Interoffice memorandum to R.D. Lundahl, July 18, 1980: Irondale contamination. Shell Oil Company. Microfilm RSH845, Frame 1447-1450.
- Adcock, W.E. 1985, November 26. Juris deposition, v. 4, page 598. Juris Computer Database.
- Anderson, B. 1986. Personal communication, Shell Chemical Company.

 Telephone conversation with Susan Garcia, R.L. Stollar and Associates, 12

 November.

RIC 86238R01

- Ebasco Services Incorporated. 1986. Final technical plan, task no. 7, phase I survey of Lower Lakes area. Contract No. DAAK11-84-D-0017. Prepared for Program Manager's Office for Rocky Mountain Arsenal Contamination Cleanup.
- Ebasco Services Incorporated, 1987, September 10. Letter Technical Plan, Task 20, Rocky Mountain Arsenal, Soil Gas Study at Site 3-4. Contract No. DAAK11-84-D-0017. Prepared for Program Managers Office for Rocky Mountain Arsenal Contamination Cleanup.
- ESE (Environmental Science and Engineering). 1986a. Introduction to the contamination assessment reports. RMA. Prepared for Program Manager's Office for Rocky Mountain Arsenal Contamination Cleanup.

RIC 86317R01

ESE. 1986b. Revised draft screening quarter report, Rocky Mountain Arsenal water quantity/quality survey. Prepared for Program Managers Office for Rocky Mountain Arsenal Cleanup.

RIC 81342R06

Geraghty and Miller. 1982. Qualitative assessment of contaminant migration from potential contamination sources, Rocky Mountain Arsenal. Microfilm RVA002, Frames 0100-0192.

RIC 81295R07

Kolmer, J.R., and G.A. Anderson. 1977. Installation restoration of RMA, Part I - pilot contamination operations final environmental impact statement. DOA. Microfilm RMA065, Frames 0484-0485.

RIC 82295R01

May, J.H. 1982. Regional groundwater study of Rocky Mountain Arsenal, Denver, Colorado, Report 1, hydrogeological definition. Rezai, M. 1985, September 4. Juris deposition, v. 1, pages 182-185. Juris Computer Database.

RIC 83326R01

RMACCPMT. 1983. Selection of a contamination control strategy for RMA, v. I, final report.

RIC 83034R01

- RMACCPMT. 1984. Installation restoration at Rocky Mountain Arsenal, decontamination assessment for land and facilities at RMA, draft final report.
- Shell (Shell Chemical Company). 1970. Memo from H. Moss, Jr. to Denver Plant Manager regarding loss of 132 5-gallon pails of Nemagon, December 14, 1970. Microfilm RSH952, Frame 0667.
- Shell, 1985, May 1. Shell memo on spills, releases and disposal sites in Section 1, 2, and 36.
- Shepherd, W.D. 1981. Interoffice memorandum to W.E. Adcock, November 19, 1981: DBCP source investigation Irondale-RMA-project, Denver, Colorado. Shell Oil Company. Microfilm RSH859, Frames 0304-0309.

RIC 83368R01

- Stout, K., and L. Abbott. 1982. Installation assessment, RMA, v. I and II. Bionetics Corporation, EPA, and USATHAMA. Microfilm RAA020, Frames 1451-1700.
- Swift, E.W., and C.Y. Chiang. 1987. Irondale DBCP control system, Rocky Mountain ARsenal, review of 1986 operations. Shell Oil Company, July.
- Unauthored. Undated-a. Handwritten list of spills dating from February 1965 to February 1966. Microfilm RSH919, Frames 1120, 1122-1123.
- USEHA (U.S. Army Environmental Hygiene Agency). 1980. Installation pest management program review no. 16-66-0521-80, pg. 2. Microfilm, RMA051 1260, 1264, 1621.
- USAHA (U.S. Army Environmental Hygiene Agency). 1981. Installation pest management program review no. 16-66-0581-81, pg. 2. Microfilm, RMA051 1168-1175, 1174.

RIC 82350R03

USAEWES. 1982. Evaluation of Shell Chemical Company's groundwater DBCP control system, Rocky Mountain Arsenal, Colorado.

- USAMDARC (U.S. Army Materiel Development and Readiness Command). 1979.

 Safety regulations for chemical agent H. DARCOM-R 385-31. Department of the Army.
- USAMDARC (U.S. Army Materiel Development and Readiness Command). 1982. Safety regulations for chemical agents GB and VX. DARCOM-R 385-102. Department of the Army.

RIC 81266R54

USDA (United States Department of Agriculture, Soil Conservation Service). 1974. Soil survey of Adams County, Colorado.

RIC 84065R01

Whitten, C.B., and J.H. May 1983. Evaluation of Shell Chemical Company's Groundwater DBCP Control System, Rocky Mountain Arsenal, Colorado. Prepared by Geotechnical Laboratory, US Army Engineer Waterways Experiment Station for US Army Toxic and Hazardous Materials Agency.

Appendix 3-4-A **Chemical Names** and Abbreviations

APPENDIX 3-4-A CHEMICAL NAMES AND ABBREVIATIONS

Atomic Absorption Spectroscopy Gas Chromatography/Conductivity Detector Gas Chromatography/Electron Capture Detector Gas Chromatography/Flame Ionization Detector Gas Chromatography/Flame Photometric Detector Gas Chromatography/Mass Spectrometry Gas Chromatography/Nitrogen Phosphorous Detector Gas Chromatography/Photoionization Detector Gas Chromatography/Photoionization Detector High Performance Liquid Chromatography Inductive Coupled Argon Plasma Screen ICP Lon Chromatography IONCHROM	Analytic Methods	<u>Abbreviations</u>
Spectraphotometry SPECT	Atomic Absorption Spectroscopy Gas Chromatography/Conductivity Detector Gas Chromatography/Electron Capture Detector Gas Chromatography/Flame Ionization Detector Gas Chromatography/Flame Photometric Detector Gas Chromatography/Mass Spectrometry Gas Chromatography/Nitrogen Phosphorous Detector Gas Chromatography/Photoionization Detector High Performance Liquid Chromatography Inductive Coupled Argon Plasma Screen Ion Chromatography	GCCON GCECD GCFID GCFPD GCMS GCNPD GCPID HPLC ICP IONCHROM

PHASE I ANALYTES AND CERTIFIED METHODS SOIL SAMPLES

Analysis/Methods/Analytes	Synonymous Names Used <u>in Appendix B</u>	Abbreviations
AGENT PRODUCTS/HPLC Chloroacetic acid Thiodiglycol	Chloroacetic acid Thiodiglycol (TDG)	TDG CLC2A TDGCL
AGENT PRODUCTS/IONCHROM Isopropylmethylphosphonic acid	Isopropylmethylphosphonate	<u>GBDP</u> IMPA
ANIONS/IONCHROM Chloride Fluoride Sulfate	Chloride Fluoride Sulfate	ANIONS CL FL SO4
ARSENIC/AA	Arsenic	<u>AS</u>
DIBROMOCHLOROPROPANE/GCECD	Dibromochloropropane	DBCP
HYDRAZINES/SPECT Hydrazine Methylhydrazine Unsymmetrical dimethyl hydrazine	Hydrazine Methylhydrazine Unsymmetrical dimethyl hydrazine	HYD HYDRZ MHYDRZ UDMH
MERCURY/AA	Mercury	<u>HG</u>

APPENDIX 3-4-A (Continued) PHASE I

Analysis/Methods/Analytes	Synonymous Names Used in Appendix B	Abbreviations
METALS/ICP Cadmium Chromium Copper Lead Zinc	Cadmium Chromium Copper Lead Zinc	ICP CD CR CU PB ZN
ORGANONITROGEN COMPOUNDS/GCNPD n-Nitrosodimethylamine n-Nitrosodi-n-propylamine	n-Nitrosodimethylamine n-Nitrosodi-n-propylamine	<u>ONC</u> NNDMEA NNDNPA
ORGANOPHOSPHOROUS COMPOUNDS/GCFPD Diisopropylmethyl phosphonate Dimethylmethyl phosphonate	Diisopropylmethyl phosphonate Dimethylmethyl phosphate	<u>OPC</u> DIMP DMMP
SEMIVOLATILE ORGANIC COMPOUNDS/ GCMS 1,4-0xathiane 2,2-bis(Para-chlorophenyl)- 1,1-dichloroethane	1,4-0xathiane Dichlorodiphenylethane	<u>SVO</u> OXAT PPDDE
2,2-bis(Para-chloropheny1)- 1,1-1-trichloroethane	Dichlorodiphenyltrichloro- ethane	PPDDT ALDRN
Atrazine Chlordane Chlorophenylmethyl sulfide Chlorophenylmethyl sulfone Chlorophenylmethyl sulfoxide Dibromochloropropane Dicylopentadiene Dieldrin Diisopropylmethyl phosphonate	Atrazine Chlordane p-Chlorophenylmethyl sulfide p-Chlorophenylmethyl sulfone p-Chlorophenylmethyl sulfoxide Dibromochloropropane Dicyclopentadiene Dieldrin Diisopropylmethyl phosphonate	ATZ CLDAN CPMS CPMSO2 CPMSO DBCP DCPD DLDRN DIMP DMMP*
Dimethylmethyl phosphonate Dithiane Endrin Hexachlorocyclopentadiene Isodrin Malathion Parathion	Dimethylmethyl phosphonate Dithiane Endrin Hexachlorocyclopentadiene Isodrin Malathion Parathion	DITH ENDRN CL6CP ISODR MLTHN PRTHN
Supona Vapona	2-Chloro-1 (2,4-dichlorophenyl) vinyldiethyl phosphates Vapona	SUPONA DDVP

^{*} DMMP is certified as part of the semivolatile organic compound method only for Hittman-Ebasco Laboratory.

APPENDIX 3-4-A (Continued) PHASE I

Analysis/Methods/Analytes	Synonymous Names Used in Appendix B	Abbreviations
VOLATILE ORGANIC COMPOUNDS/ GCMS 1,1-Dichloroethane 1,2-Dichloroethane 1,1,1-Trichloroethane 1,1,2-Trichloroethane Benzene Bicycloheptadiene Carbon tetrachloride Chlorobenzene Chloroform Dibromochloropropane	in Appendix B 1,1-Dichloroethane 1,2-Dichloroethane 1,1,1-Trichloroethane 1,1,2-Trichloroethane Benzene Bicycloheptadiene Carbon tetrachloride Chlorobenzene Chloroform Dibromochloropropane	VO 11DCLE 12DCLE 111TCE 112TCE C6H6 BCHPD CCL4 CLC6H5 CHCL3 DBCP
Dicyclopentadiene Dimethyldisulfide Ethylbenzene m-Xylene Methylene chloride Methylisobutyl ketone o- and p-Xylene Tetrachloroethylene Trans-1,2-dichloroethylene Trichloroethylene	Dicyclopentadiene Dimethyldisulfide Ethylbenzene m-Xylene Methylene chloride Methylisobutyl ketone Ortho- & Para-xylene Tetrachloroethene Toluene Trans-1,2-dichloroethene Trichloroethene	DCPD DMDS ETC6H5 13DMB CH2CL2 MIBK XYLEN TCLEE MEC6H5 12DCE TRCLE

APPENDIX 3-4-A CHEMICAL NAMES AND ABBREVIATIONS

PHASE II ANALYTES AND CERTIFIED METHODS SOIL SAMPLES

Analysis/Methods/Analytes	Synonymous Names Used in Appendix B	Abbreviations
AGENT PRODUCTS/HPLC (Same as Phase I)		TDG
AGENT PRODUCTS/IONCHROM (Same as Phase I)		<u>GBDP</u>
ANIONS/IONCHROM (Same as Phase I)		ANIONS
ARSENIC/AA	Arsenic	<u>AS</u>
DIBROMOCHLOROPROPANE/GC	Dibromochloropropane	DBCP
HYDRAZINES/SPECT (Same as Phase I)		HYD
MERCURY/AA	Mercury	<u>HG</u>
METALS/ICP (Same as Phase I)		<u>ICP</u>
ORGANOCHLORINE PESTICIDES/GCECD 2,2-bis(Para-chloropheny1)-	Dichlorodiphenylethane	<u>OCP</u> PPDDE
<pre>1,1-dichloroethane 2,2-bis(Para-chloropheny1)- 1,1-1-trichloroethane</pre>	Dichlorodiphenyltrichloro- ethane	PPDDT
Aldrin Chlordane Dieldrin Endrin Hexachlorocyclopentadiene Isodrin	Aldrin Chlordane Dieldrin Endrin Hexachlorocyclopentadiene Isodrin	ALDRN CLDAN DLDRN ENDRN CL6CP ISODR
ORGANONITROGEN COMPOUNDS/GCNPD (Same as Phase I)		<u>onc</u>
ORGANOPHOSPHOROUS COMPOUNDS/GCFPD (Same as Phase I)		OPC

APPENDIX 3-4-A (Continued) PHASE II

Analysis/Methods/Analytes	Synonymous Names Usedin Appendix B	Abbreviations
ORGANOPHOSPHORUS PESTICIDES/		<u>OPP</u>
GCNPD Atrazine	Atrazine	ATZ
Malathion	Malathion	MLTHN
Parathion	Parathion	PRTHN
Supona	2-Chloro-1 (2,4-dichlorophenyl) vinyldiethyl phosphates	SUPONA
Vapona	Vapona	DD V P
ORGANOSULPHUR COMPOUNDS/GCFPD		<u>osc</u>
1,4-0xathiane	1,4-0xathiane	TAXO
Chlorophenylmethyl sulfide	p-Chlorophenylmethyl sulfide	CPMS
Chlorophenylmethyl sulfone	p-Chlorophenylmethyl sulfone	CPMSO2
Chlorophenylmethyl sulfoxide	p-Chlorophenylmethyl sulfoxide	CPMSO
Dimethyldisulfide	Dimethyldisulfide	DMDS
Dithiane	Dithiane	DITH
SEMIVOLATILE ORGANIC COMPOUNDS/		SVO
GCMS		<u>500</u>
(Same as Phase I)		
VOLATILE AROMATIC ORGANIC		WA 0
COMPOUNDS/GCPID	_	<u>VAO</u>
Benzene	Benzene	C6H6
Ethylbenzene	Ethylbenzene	ETC6H5
m-Xylene	m-Xylene	13DMB
o- and p-Xylene	Ortho- & Para-xylene	XYLEN
Toluene	Toluene	MEC6H5
VOLATILE HALOGENATED ORGANIC		VHO
COMPOUNDS/GCCON	1,1-Dichloroethane	11DCLE
1,1-Dichloroethane	1,2-Dichloroethane	12DCLE
1,2-Dichloroethane	1,1-Dichloroethene	11DCE
1,1-Dichloroethene	1,1,1-Trichloroethane	111TCE
<pre>1,1,1-Trichloroethane 1,1,2-Trichloroethane</pre>	1,1,2-Trichloroethane	112TCE
Carbon tetrachloride	Carbon tetrachloride	CCL4
Carbon tetrachioride Chlorobenzene	Chlorobenzene	CLC6H5
Chloroform	Chloroform	CHCL3
Methylene chloride	Methylene chloride	CH2CL2
Tetrachloroethylene	Tetrachloroethene	TCLEE
Trans-1,2-dichloroethylene	Trans-1,2-dichloroethene	T12DCE
Trichloroethylene	Trichloroethene	TRCLE
irichioroethylene	II TOUTOLOG CHEHE	TROME

APPENDIX 3-4-A (Continued) PHASE II

Analysis/Methods/Analytes	Synonymous Names Used in Appendix B	Abbreviations
VOLATILE HYDROCARBON COMPOUNDS/ GCFID Bicycloheptadiene Dicyclopentadiene Methylisobutyl ketone	Bicycloheptadiene Dicyclopentadiene Methylisobutyl ketone	HYDCBN BCHPD DCPD MIBK
VOLATILE ORGANIC COMPOUNDS/GCMS (Same as Phase I)		<u> vo</u>

Appendix 4-6-B

Phase I Chemical Data

APPENDIX 3-4-B

Phase I Chemical Data

The analytical results of the laboratory analysis of soil samples collected as part of the Phase I program comprise the first part of Appendix 3-4-B. Data are listed sequentially by boring number and successive depths below the surface. Within each depth, all analytes for which the samples were tested are listed alphabetically. Results are given as less than (LT) the detection limit for the test laboratory, or as detected concentrations above this limit. Based on the accuracy of laboratory test methods, values for volatile and semivolatile compounds are considered accurate to one significant figure, values for dibromochloropropane when tested separately and for metals are considered accurate to two significant figures.

The second part of Appendix 3-4-B contains data from the blanks associated with Phase I analytical work. Blanks for Phase I soil samples were based on a homogenized subsample of composited samples from a known uncontaminated soil that is stratigraphically similar to the RMA soils. Blanks for Phase I water samples were based on distilled water. Control samples, or blanks, are introduced into the train of environmental samples to function as monitors on the performance of the analytical method. These samples function as quality control (QC) samples, and are an integral part of the quality assurance (QA) program for the project. The method blanks listed in this Appendix were utilized to verify that the laboratory was not a source of sample contamination. If contamination were detected in a method blank, corrective actions were taken to assure that reported concentrations of target analytes reflected sample analytes, and not analytes introduced by the laboratory process.

Summary of Analytical Results

Task 7 , Site 3-4

Sample Number	BLU004 BMC007 BLU004 BMD007 BLU004 BLU004 BLU004 BLU004 BLU004	BMD007 BLU004 BLU004 BLU004 BLU004 BLU004 BRXC07 BLU004 BRU004 BLU004 BRU007 BLU004 BRU007 BLU004 BRU007	BLV002 BLV002 BLV002
Units	6/6n 6/6n 6/6n 6/6n 6/6n	\$\\ \text{0} \\ \t	6/6 n 6/6n
ø	+000 -011 -011 -011 -011 +000 -011 +001	+01 +01 +00 +00 +00 +00 +00 +00 +00 +00	-01 -01 +00
Results		4	2
8			וו
Analytic al Parameters	Aldrin Arsenic Atrazine Cadmium Hexachlorocyclopentadiene Chlordane D-Chlorophenylmethyl Sulfide D-Chlorophenylmethyl Sulfoxide Chlorophenylmethyl Sulfoxide Chromium	Copper Dibromochloropropane Dibromochloropropane Dicyclopentadiene Vapona Disporopylmethyl Phosphonate Dithiane Dithiane Dieldrin Endrin Malathion 1.4-Oxathiane Lead Dichlorodiphenyltrichloroethane Dichlorodiphenyltrichloroethane Parathion 2-Chloro-1(2,4-Dichlorophenyl) Vinyldiethyl Phosphates Zinc	1,1,1-Trichloroethane 1,1,2-Trichloroethane 1,1-Dichloroethane
Sample Type	Soi 1		Soi 1
Depth (ft)	0.1		4 - 5
Borina Number	1000		1000

Results for Dibromochloropropane (DBCP) may appear in up to three analytical fractions. Results for Dicyclopentadiene (DCP) may appear in up to two analytical fractions. Note:

Summary of Analytical Results

Borina - Number

COOL

Sample Number	81 VAO2 BLVOO2 81, UOO5 RI, UOO5	BL U005 BL V002 BL V002 BL V002 RMD008 BL V002 BL V002 RL V002 RL V005	BL UDDS BL UDDS BL UDDS BL UDDS BR UDDS BR UDDS	8L.0005 8L.0002 8L.0005 8L.0005 8L.0005 8L.0005	RU 11005 BL V002 BL V005 BK V002 BK K D08
Units	0/80 08/8 08/8 08/8	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	6/6n 6/6n 6/6n 6/6n 6/6n	0/00/00/00/00/00/00/00/00/00/00/00/00/0	6/6/ 6/6/ 6/6/ 6/6/ 6/6/ 6/6/
# #		4 - 011 - 011 - 011 - 011 - 011 - 011 - 011 - 011			+01 +01 -01 -01 -02 -03
Results	11 11 12 12 13 13 13 13 13 13 13 13 13 13 13 13 13	1		LT 3. LT 2. LT 1. LT 7. LT 3. LT 3. LT 4.	LT 3. LT 7. LT 4. LT 8.0
Analytical Parameters	2-Dichloraethene 2-Dichloraethane Xylene drin genic	Atrazine Bicycloheptadiene Benzene Carbon Tetrachloride Cadmium Methylene Chloride Chloroform Hexachlororyclopentadiene Chlorobenzene	Chlordane Chlorophenylmethyl Sulfide p-Chlorophenylmethyl Sulfoxide p-Chlorophenylmethyl Sulfoxide Chromium Copper	Dibromochloropropane Dibromochloropropane Dibromochloropropane Dicyclopentadiene Picyclopentadiene Vapona Dithiane	Dieldrin Dimethyldisulfide Endrin Ethylbenzene Mercury
Sample lype	Soil				
(t)) Haded	Ľ				

Results for Dibpomochloropropage (1867) may appear in up to these analytical fractions. Results for Dicyclopentadiene (1878) may agreen in up to two analytical fractions. Set Se

The second secon

Summary of Analytical Results (base o services theorpmented

Boring Mindor

LÜÜÜ

Memorant Spill Area

	ر د ا	افاواده	ڊ ج	Results	u)	Unite	Number
		TO SERVICE TO THE RESIDENCE OF THE TOTAL CONTROL OT THE TOTAL CONTROL OF THE TOTAL CONTROL OF THE TOTAL CONTROL OT			:		
4.5	Soil	10] uen@	⊢ 	85,	10-	मध्य/व	BL VOO2
		Methylisobutyl ketone		7	10-	ua/a	Bt. V002
		Malathion	-	7.	0.	11a/a	BLH005
		1,4-Oxathiane		ς,	-(11	וומ/מ	81,0005
		Lead		1.3	10+	na/a	BMDOO8
		Dichlerodiphenylethane	۲	9	5	6/6n	BL 0005
		Vichloradiphenyltrichloro-	LI	ر.	TO-	na/a	81,0005
		ethane					
		Parathion	-1	σ.	-01	na/a	81,0005
		2-Chloro-1(2,4-Dichlorophenyl) Vinvldiethyl Phoschates	_	ċ	- 01	6/60	BL 0005
		Tetrachloroethene	- 7	ĸ,	-01	6/6n	BLV002
		Trichtoroethene	1 1	5.	10.	6/an	81,0002
		Ortho- & Para-Xylene		5.	+00	6/60	BLV002
		Zinc		6.3		6/60	вироов
9.10	Soi 1	1,1,1-Trichloroethane	ا ۔	۴.	-0.1	6/6n	BLVOO3
		1.1.2-Trichloroethane	1	. 7	-01	ug/a	BL V003
		1,1-Dichloroethane	-	2.	÷00	6/60	BLV003
		1,2-Dichloroethene	1.1	~	00+	na/a	BL. V003
		J,2-Dichlordethane		έ	-01	6/ 6 n	BLVOO3
		a.××1ere	<u>ا</u> _	ά	Ę	6/60	BL.V003
		Aldrin	-	ĸ;	-01	6/6n	BLU006
		Arsenic	L	2.5	90+	6/60	BM C009
		Atrazine	LT	ĸ,	7	119/9	81.U006
		Bicycloheptadiene		. 4	-01	ĕ/ĕn	BLVOO3
		Benzene	1	ĸĵ	-01	6/6n	BL.VOO3
		Carbon letrachloride	1	3	-01	na/a	BL V003
		Cadmium	1	7.4	-01	na/a	8MD003
		Methylene Chloride	17	~	+00	ng/a	BL V003
		Chloroferm	Ξ	ń	TD	ñá/ā	BLVOO3
		Hexachlorocyclopentadiene		9	- 111	na/a	86,000%
		Chlorobenzene	-	1.	Q: +	na/a	BI, V003
		Chlordane	1.	N	(10)+	b/sn	BLUODA

1000

Note: Results for Dibromochlororropane (DRCP) may appear in up to thee analytical fractions. Results for Dicyclopentadiene (DCPD) may appear in up to two analytical fractions.

Lark 2 , Site 3.4

Summary of Analytical Results Tipos o services brothorated

Newagon Spill Area

Sample Number	BL UDD6 BL UDD6 BMD009 BMD009 BL UD06	BI. VOO3 BI. WOO7 BI. DOO6 RI. VOO3 BI. UOO6	81.0006 81.0006 81.0006 81.0006	81 VOO3 BKKCO9 RLUDO6 BLVOO3 BLVOO3	BLUDDA BRUDDA BLUDDA BLUDDA	RL.1006 BL.1006 BLV003 BLV003	BMD009 BMA005
ÿΣ	<u>គល់សំសំសំ</u>						
uni ts		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1	6/6n 1 6/6n 1 6/6n 1	6/6n	6/60 (6/60 (6/60 (9/6n 1
Results	301. 301. 1.1 +01. 3. 5 +00.	2. +fff0 5.0 -03 1. +00 7(11 3. +00	1. +00 401 301 5. +01 501	401 5.0 -02 301 301 701	701 3n) 8.4 .UI 601 501	601 601 301 501	2.7 +01
Ω. Λ	L1 L1						I 1
Analytical Parameters	-Chlorophenylmethyl Sulfo- Chlorophenylmethyl Sulfo- bromium opper	Nibromochloropropane Libromochloropropane Dicyclopentadiene Dicyclopentadiene Vapona	Diisopropylmethyl Phosphonate Dithiane Dieldrin Dimethyldisulfide Endrin	Ethylbenzene Mercury Isodnin Toluene Methylisobutyl Ketone	Malathion 1,4-Oxathiane Lead Dichlorodiphenylethane Dichlorodiphenyltrichloro- ethane	Parathion 2-Chlore 1(2.4 Dichlorephenyl) Vinyldiethyl Phosphates Tetrarhlorethene Trichlorethene Ortho: & Para Xylene	Zinc Aldrin
Sample	3011						Soil
Depth (ft)	U1·6						- 0
Borjig Number	1000						0005

Results for Dibromochloropropane (DDCD) may amedam in up to three analytical fractions. Results for Dicyclopentadiene (DCPD) may appear in up to two analytical tractions. Notes

/

Ebasco Services Incorporated

Boring Number	Depth (ft)	Sample Type	Analytical Paramoters	Results		Sample Number
50005	0.1	Soil	Arsenic Atrazine Cadmium Hexachlorocyclopentadiene Chlordane p-Chlorophenylmethyl Sulfide	LT 9. +00 LT 9. +00 LT 7.4 -01 LT 9. +01 LT 901	1	RMC013 BMA005 BMA005 BMA005 BMA005
						BMAGGS BMD013 BMD013 BMAG015 BMAGGS BMAGGS BMAGGS
			Dithiane Dieldrin Endrin Mercury Isodrin 1,4-Oxathiane Lead Dichlorediphonylethane Dichlorediphonyltrichlore- ethane	LT 401 LT 301 LT 5. 0 -02 LT 5. 0 -02 LT 701 LT 801 LT 8. 4 +00 LT 601 LT 601	-01 ug/g -01 ug/g -02 ug/g -03 ug/g -01 ug/g -01 ug/g -01 ug/g -01 ug/g -01 ug/g	BMA 005 BMA005 BKK013 BKK013 BMA005 BMA005 BMA005 BMA005
			Parathion 2-(hloro-1(2,4-Dichlorophenyl) Vinyldiethyl Fhosphales Zinc	LT 90 LT 60 L.7 +0	-01 ug/g -01 ug/g +01 ug/g	8MA005 8MA005 8MD013
0003	ራ · ን	Soil	1,1,1-Trichlomoethame 1,1,2-Trichlomoe thame 1,1-Michlomoethame 1,2 Edichlomoethame	LT 4	-01 ua/g -01 ua/g +00 ua/g +00 ua/g	81.V006 81.V006 81.V006 81.V006

Results for Dibromochloropropane (DBCP) mov appear in up to three analytical fractions. Results for Dicyclopentadiene (DCPD) may appear in up to two analytical fractions. Note:

the state of the s

Ž	
Nemagon	
3.4	
5110	
7	
1001	

Summery of Analytical Results Ebased Services Incorporated

0000

Boring Number

Area
_
_
•
Ì
_ 0
ĬŪ.
Ε
<u>c</u>
2

Sample Number	81.V006 81.V006 8MA006 8MC014 8MA006	BLV006 BLV006 BLV006 BMD014 BLV006	8L.V006 BMA006 BL.V006 BMA006 BMAC06	BMAGG6 BMAGG6 BMDG14 BMCG14 BLVGG6	BLW012 BMA006 BLV006 BMA006 BMA006	BMADD6 BMADD6 BMADD6 BLVD06 BMADD6	BL.V006 BKK014 BMAD06 RL.V006
Units	6/60 6/60 6/60 6/60	6/6n 6/6n 6/5n 6/5n	6/6n 6/6n 6/6n 6/6n	6/6n 6/6n 6/6n 6/6n	6/6n 6/6n 6/6n 6/6n	6/6n 6/6n 6/6n 6/8n	6/6n 6/6n 6/6n
Results	LT 601 LT 801 LT 301 LT 2.5 +00 LT 301	LT 401 LT 301 LT 301 LT 2. +00	LT 301 LT 601 LT 1. +00 LT 2. +00 LT 901	LT 301 LT 301 1.4 +01 1.0 +01 LT 2. +00	LT 5.0 -03 LT 301 LT 701 LT 1. +00 LT 3. +00	LT 1. +00 LT 401 LT 301 LT 2. +01 LT 501	
Analytical Parameters	1,2-Dichloroeth a ne m-Xylene Aldrin Arsenic Atrazin e	Bicycloheptadiene Benzene Carbon Tetrachloride Cadmium Methylene Chloride	Chloroform Hexachlorocyclopentadiene Chlorobenzene Chlordane p-Chlorophenylmethyl Sulfide	p-Chlorophenylmethyl Sulfore p-Chlorophenylmethyl Sulfore Chromium Copper Dibromochloropropane.	Dibromochleropropane Dibromochleropropane Dicyclopentadiene Dicyclopentadiene Vapona	Diisopropylmethyl Phosphonate Difhiane Dieldrin Dimethyldisulfide Endrin	Ethylbenzene Mercury Isodrin Toluene
Sample Type	Soil						
(Jepth (ft)	জ - 4						

Results for Dibromochloropropane (BUCP) may appear in my to there analytical fractions. Results for Dicyclopentadiene (BUCD) may appear in my to two analytical Dactions. Note:

Summary of Analytical Resulfs Ebasco Services Incorporated

Borina Number	Depth (ft)	Sample Type	Analytical Forameters	유	Results	:	Units	Sample
0002	₽? ? 7		Methylisobutyl Kerone Nalathion 1.4-Oxathiane Lead Dichlorodiphenyleth ane		7. 7. 3. 6.	-01 -01 -01 -01	6/6n 6/6n 6/6n 6/6n	BL VOO6 BMAOO6 BMAOO6 EMDO14 BMAOO6
			Dichlorodiphenyltrichloro- ethane Parathion 2-Chloro-1(2,4-Dichlorophenyl) Vinyldiethyl Phosphates Tetrachloroethene Trichloroethene		က် ထွဲထုံ ကိုက် ကို	-01 -01 -01 -01	6/6n 6/6n 6/6n 6/6n	BMADD6 RMADD6 BMADD6 BLVD06 BLVD06
			Zinc	I	3.9	+01	6/6n	BMD014
0005	9-10	Soil	1,1.1-Trichloroethane 1,1.2-Trichloroethane 1.1-Dichloroethane		4 4 6	-01 -01 +00	6/6n 6/6n 6/6n	BLV007 BLV007 RLV007
			1,2-Dichloroethene 1,2-Dichloroethane		6.5	-01	6/6n 6/6n	BLV007 BLV007
			m -Xvlene Aldrin Arsenic	+ +	8 6 6	-01	119/9 119/9	BL V007 BMA007 BMC015
			Atrazine Atrazine Bioyoloheptadiene	11	, w , .	-01	6/6n 6/6n	BL V007
			Benzene	⊢ !	M) I	-01	6/60	BL. V007
			Carbon letrachloride Cadmium		3.	T 0-	00/0 ∏a/a	BL.VUU7 BMD015
			Methylene (h)oride (hloroform	L L .	. 0 m	+00	ug/g ug/g	81, V00 7
				בבב		-01 +00 +000	09/80 08/8 08/8	8MA007 81 V007 8MA0017
			p-Chlorophenylmethyl Sulfide p-Chlorophenylmethyl Sulfoxide		o M	Ξ ;	ua/a ua/a	BMA007 BMA007

Nemagon Spill Area

Chases Services Incorporated Rocky Mour Summary of Amalytical Results Task 7 , Site 3-4

Sample Number	BMAUU17 BMUU15 BL V007 BL W007 BL W007 BL W007 BMA007 BMAO07 BMAO07 BMAO07 BMAO07 BMAO07 BMAO07 BMAO07	BL.V00.7 BMAD0.7 BMAD0.7 BMAD0.7 BMAD0.7 BMAD0.7 BL.V00.7 BL.V00.7 BL.V00.7 BL.V00.7 BL.V00.7	
\$ 4 juli	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	5/60 6/60 6/60 60 60 60 60 60 60 60 60 60 60 60 60 6	
ا د	100 000 000 000 000 000 000 000 000 000		
· .		8 K K K K K K K K K K K K K K K K K K K	
3			
halytical Parameters	p-Chlorophenylmethyl Sulfone Chromium Copper Dibromochloropropane Dibromochloropropane Dibromochloropropane Disyclopentadiene Disyclopentadiene Vapona Disseropylmethyl Phosphonate Dieldrin Dimethyldisulfide Endrin Ethylbenzene	Toluene Methylisobutyl Ketone Malathion 1,4-0xathiane Lead Dichlorodiphenyltrichloro- ethane Farathion 2-Chloro-1(2,4-Dichlorophenyl) Vinyldiethyl Phosphates Fetrachloroethene Trichloroethene Zinc	
Sample Type	116	Section	
Depth (ft)	01:-6	0.1	
Bortna Number		2000	

Results for Dibromorthorogenesism (DRCP) may appear in up to three analytical fractions. Results for Dicyclopentadiene (DCPD) may appear in up to two analytical fractions. Note:

Ebassio Services Indorporated

Berina Number	Depth (ft)	Sample	Analytical Parameters	Results	Units	Sample
\$ 0003	0 - 1	Soli	Arsenic Atrazine Cadmium Hexachlorocyclopentadiene Chlordane	LT 5.0 +000 LT 301 LT 6.6 -01 LT 301 LT 601	6/6n 6/6n 6/6n	AUC 009 ANX 002 AOBO 1.1 ANX 002 ANX 002
			p-Chlorophenylmethyl Sulfide p-Chlorophenylmethyl Sulfoxide p-Chlorophenylmethyl Sulfone Chromium	LT 4. +00 LT 7. +00 LT 601 6.8 +00 8.3 +00	6/6n (6/6n) (7/6n) (7/6	ANXOG2 ANXOG2 ANXOG2 AOBO11 AOBO11
			Dibromochloropropane Dibromochloropropane Dicyclopentadiene Vapona Diisopropylmethyl Phosphonate	LT 301 LT 5.0 -03 LT 401 LT 301 LT 301	6/6n 5 6/6n 5 6/6n 5	ANX002 ANYD05 ANX002 ANX002 ANX002
			Dithiane Dieldrin Endrin Mercury Isodrin Malathion 1.4-Oxathiane Lead Dichlorodiphenylethane Dichlorodiphenyltrichloro- ethane	LT 7. +00 LT 301 LT 301 LT 5.0 -02 LT 301 LT 301 LT 301 LT 6. +00 LT 301 LT 6. +00 LT 603	6/6n 1 1 6/6n 1 6/6n 1 6/6n 1 6/6n 1 6/6n 1 1 6/6n 1	ANX002 ANX002 ANX002 AOAD11 ANX002 ANX002 ANX002 ANX002 ANX002
			Parathion 2-Chlero-1(2,4-Dichlorophenyl) Vinyldjethyl Phosphates Zinc	LT 491 LT 301 3.4 +01	1 ug/g 1 ug/g 1 ug/g	ANXOO2 ANXOO2 AOBOII
5000.3	5 5	Seil	1,1,1-Trichloroethane 1,1,2-Trichloroethane 1,1-Dichloroethane 1,2-Dichloroethane	LT 301 LT 3. 01 LT 901 LT 301	1. ug/g 1. ug/g 1. ug/g 1. ug/g	ANWOO2 ANWOO2 ANWOO2

Results for Dibromochloropropane (DBCP) may appear in up to two analytical fractions. Results for Dicyclopentadiene (DCPD) may appear in up to two analytical fractions. Note:

task 7 , Site 5 4

Summary of Analytical Results Ebaseo services Incorporated

Boring Number

000.3

Results for Dibromochloropropane (DRCP) may suggest in up to three analytical Craffions. Results for Dicyclopentadiene (DCFD) may appear in up to two analytical fractions. Note:

Methylisobudyl Ketone

0003

Boring Number

Task 7 , Site 3-4 Summary of Analytical Results

Sample	ANX003 ANX003 AOB012 ANX003 ANXO03	ANXOO3 ANXOO3 ANWOO2 ANWOO2	ANW002 A08012	A0G002 A0G002 A0G002 A0G002 A0G002	A0H002 A0C011 A0H002 A0G002 A0G002	A06002 A08013 A06002 A06002 A0H002	А06002 А0Н002 А0Н002 А0Н002 ЛОН002
Units	6/6n 6/6n 6/6n 6/6n	6/6n 6/6n 6/6n 6/6n 6/6n	6/6n 6/6n	6/6n 6/6n 6/6n 6/6n	6/6n 6/6n 6/6n 6/6n	6/6n 6/6n 6/6n 6/6n	6/6n 6/6n 6/6n
	-01 +00 +01 -01	-01 -01 -01 -01	-01	-01 -01 -01	-01 -01 -01	-01 +00 +00 -01	.01 +00 +00 +000
Results	6 4 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	4 m m m m	3.	n n o n r		8 9 9 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 9 4 K 9
G. €n	11111	ברב בד	, , ,	רונו			
Analytical Farameters	Malathion 1.4-Oxathiane Lead Dichlorodiphènylethane Dichlorodiphenyltrichloro- ethane	Parathion 2-Chloro-1(2,4-Dichlorophenyl) Vinyldiethyl Phosphates Trans-1,2-Dichloroethene Tetrachloroethene Trichloroethene	Ortho- & Para-Xylene Zinc	1,1.1-Trichloroethane 1,1.2-Trichloroethane 1,1-Dichloroethane 1,2-Dichloroethane m-Xylene	Aldrin Arsenic Atrazine Bicycloheptadiene Benzene	Carbon Tetrachloride Cadmium Methylene Chloride Chloroform Hexachlorocyclopentadiene	Chlorobenzene Chlordane p-Chlorophenylmethyl Sulfide p-Chlorophenylmethyl Sulforie p-Chlorophenylmethyl Sulfone
Sample Type	Soil			Soil			
Depth (ft)	ক – ১			14-15			

0003

Results for Dibromochloropropane (DRCP) may appear in up to three analytical fractions. Results for Dicyclopentadiene (DCPD) may appear in up to two analytical fractions. Note:

Task 7 , Site 3-4

Summary of Analytical Results Ebasco Services Incorporated

Nemadon Spill Area

-		
Sample Number	A08013 A08013 ANY007 A05002 A0H002	A06003
Units		na/a
Results	1	LT 301
Analytical Parameters	Chromium Copper Dibromochloropropane Dibromochloropropane Dicyclopentadiene Dicyclopentadiene Dicyclopentadiene Dicyclopentadiene Vapona Disperopylmethyl Phosphonate Dithiane Dithiane Dithiane Dieldrin Dimethyldisulfide Endrin Ethylbenzene Mercury Isodrin Toluene Methylisobutyl Ketone Malathion 1,4-Oxathiane Lead Dichlorodiphenyltrichloro- ethane Parathion 2-Chloro-1(2,4-Dichlorophenyl) Vinyldiethyl Phosphates Trans-1,2-Dichloroethene Trichloroethene Trichloroethene Trichloroethene Ortho- & Fara-Xylene	1,1,1-Trichloroethane
Sample Type		Soil
Depth (ft)	14-15	19-20
Boring Number	0003	0003

Results for Dibromochloropropane (DBCP) may appear in up to three analytical fractions. Results for Dicyclopentadiene (DCPD) may appear in up to two maalytical fractions. Note:

Ebasco Services Incorporated Summary of Analytical Results

Depth (ft)

Boring Number

0000

19-20

Area
_
_
Nemadon

Sample 1ype	Analytical Parameters	<u>κ</u>	Results	Units	o j	Sample Number
50il	1,1,2-Trichloroethane 1,1-Dichloroethane 1,2-Dichloroethane m-Xylene Aldrin	1	301 901 301 701	6/6n 6/6n 6/6n 6/6n	୍ଷ (ଷ ଷ ଷ ଷ	A0G003 A0G003 A0G003 A0G003 A0H003
	Arsenic Atrazine Bicycloheptadiene Benzene Carbon Tetrachloride	; ; ; ; ; ;	5.0 +00 301 301 301	6/6n 6/6n 6/6n 6/6n	ြာ ဇာ ဇာ ဇာ ဇာ ဇာ ဇာ ဇာ ဇာ ဇာ	A0C012 A0H003 A0G003 A0G003
	Cadmium Methylene Chloride Chloroform Hexachlorocyclopentadiene Chlorobenzene	111	6.6 -01 5. +00 301 301	6/6n 1 6/6n 1 6/6n 1 6/6n (မောင်းရောက် ရောင်းရောက်	A0B014 A0G003 A0G003 A0G003
	Chlordane p-Chlorophenylmethyl Sulfide p-Chlorophenylmethyl Sulfoxide p-Chlorophenylmethyl Sulfone Chromium		601 4. +00 7. +00 601 5.2 +00	6/6n (6/6n (00000	A0H003 A0H003 A0H003 A0H003
	Copper Dibromochleropropane Dibromochleropropane Dibromochleropropane		4.9 +00 5.0 -03 401 301	0 09/9 1 09/9 1 09/9 1 09/9	0 0 0 0 0	A08014 ANY008 A06003 A06003
	Dicyclopentadiene Vapona Diisopropylmethyl Phosphonate Dithiane Dieldrin		401 301 301 7. +00 301	1 us/s 1 us/s 1 us/s 1 us/s	00000	A0H003 A0H003 A0H003 A0H003
	Dimethyldisulfide Endrin Ethylbenzene Mercury		801 301 301 5.0 -02	1 ug/g 1 ug/g 1 ug/g 2 ug/g	0 0 0 0 0 0 0 0	A0G003 A0H003 A0G003 A0A014

Results for Dibromochloropropane (DBCP) may apprar in up to the analytical fractions. Results for Dicyclopentadiene (DCPD) may appear in up to two amalytical fractions. Note:

Nemagran Spill Area

Task 7 , Site 3-4

Summary of Analytical Results Ebasco Services Incorporated

		•
Sample Number	AOHDD3 AOGDD3 AOGDD3 AOHDD3 AOHDD3 AOHDD3 AOHDD3 AOHDD3 AOHDD3 AOGDD3 AOGDD3 AOGDD3 AOGDD3 AOGDD3 AOGDD3 AOGDD3 AOGDD3	A0G004 A0G004 A0G004 A0G004 A0G004 A0G004 A0G004 A0G004 A0G004 A0G004 A0G004 A0G004 A0G004 A0G004
Units	6/6n 6/6n 6/6n 6/6n 6/6n 6/6n 6/6n	
Results	LT 301 LT 301 LT 6. +00 LT 7. 301 LT 7. 4. 01 LT 801 LT 301 LT 301 LT 301 LT 301	LT 301
Analytical Parameters	Isodrin Toluene Methylisobutyl Ketone Malathion 1.4-Oxathiane Lead Dichlorodiphenylethane Dichlorodishenyltrichloro- ethane Parathion 2-Chloro 1(2,4-Dichlorophenyl) Vinyldiethyl Phosphates Trans 1,2-Dichloroethene Tetrachloroethene Trichloroethene Zinc	1,1,1-Trichloroethane 1,1,2-Trichloroethane 1,2-Dichloroethane m.Xylene Aldrin Arsaine Bicycloheptadiene Benzene Cadmium Methylene Chloride Chloroform Hexachlorocyclopentadiene Chlorobenzene
Sample Type	Soil	Soil
Depth (ft)	19-20	24 - 25
Boring Number	0003	00003

Results for Dibromochloropropane (DBCP) may appear in up to three analytical fractions. Results for Dicyclopentadiene (DCPD) may appear in up to two analytical fractions. Note:

Boring Number

00003

Nemagon Spill Area	
Task 7 , Site 3-4	
Bummary of Analytical Results	

Sample	ACHOO4 ACHOO4 ACHOO4 ACHOO4 AOBO15	A08015 ANY009 A06004 A0H004 A0G004	AOHOD4 AOHOD4 AOHOD4 AOHOD4 AOHOD4	A0G004 A0H004 A0G004 A0A015 A0H004	A0G004 A0H004 A0H004 A0B015 A0H004 A0H004	A0H004 A0H004 A0G004 A0G004
Units	6/6n 6/6n 6/6n 6/6n	6/6n 6/6n 6/6n	ua/a ua/a ua/a ua/a	6/6n 6/6n 6/6n	6/6n 6/6n 6/6n 6/6n	6/6n 6/6n 6/6n 6/6n
Results	LT 601 LT 4. +00 LT 7. +00 LT 601 LT 5.2 +00	40466	LT 4. +00 LT 301 LT 301 LT 7. +00 LT 301	တွင်္ကလုပ်ကို ကို	LT 301 LT 6. +00 LT 1.3 +01 LT 301 LT 601	LT 401 LT 301 LT 301 LT 301 LT 301
Analytical Parameters	Chlordane D-Chlorophenylmethyl Sulfide D-Chlorophenylmethyl Sulfoxide D-Chlorophenylmethyl Sulfone Chromium	Copper Dibromochloropropane Dibromochloropropane Dibromochloropropane	Dicyclopentadiene Vapona Diisopropylmethyl Phosphonate Dithiane	Dimethyldisulfide Endrin Ethylbenzene Mercury Isodrin Toluene	Methylisobutyl Ketone Malathion 1,4-Oxathiane Lead Dichlorodiphenylethane Dichlorodiphenyltrichloro-	Perathion 2-Chloro-1(2.4-Dichlorophenyl) Vinyldiethyl Phosphates Trans-1,2-Dichloroethene Tetrachloroethene
Sample Type	Soil					
Depth (ft)	24-25					

Results for Dibromochloropropane (DBCP) may armear in up to three analytical fractions. Results for Dicyclopentadiene (DCPD) may appear in up to two analytical fractions. Note:

Task 7 , Site 3-4

Ebasco Services Incorporated Summary of Analytical Results

Sample Number	A06004.	BM0004 BMS020 BM0004 BMX014 BMX014	BMG004 BMG004 BMG004 BMG004 BMG014	BMX014 BMG0004 BMG0004 BMG0004 BMG0004 BMG0004 BMG0004 BMG0004 BMG0004 BMG0004 BMG0004 BMG0004 BMG0004 BMG0004 BMG0004	800008
Units	6/6n	6/6n 6/6n 6/6n	6/6n 6/6n 6/6n	6 / 6 / 6 / 6 / 6 / 6 / 6 / 6 / 6 / 6 /	6/6n
Results	LT 301 1.8 +01	LT 301 LT 5.0 +00 LT 301 LT 7.4 -01 LT 601	LT 2. +00 LT 301 LT 301 LT 5. +00	5.6 +000 1.7 5.0 -031 1.7 1. +000 1.7 3. +000 1.7 401 1.7 5.0 -021 1.7 5.0 -021 1.7 7011 1.7 6011 1.7 6011 1.8 6011	LT 301
Analytical Parameters	Ortho- & Para-Xylene Zinc	Aldrin Arsenic Atrazine Cadmium Hexachlorocyclopentadiene	Chlordane P-Chloropherylmethyl Sulfide P-Chloropherylmethyl Sulfoxide P-Chloropherylmethyl Sulfone Chromium	Copper Dibromochloropropane Dibromochloropropane Dicyclobentadiene Vapona Dissopropylmethyl Phosphonate Dithiane Disthiane Dieldrin Endrin Malathian 1,4-Oxathiane Lead Clead Clehlorodiphenyltrichloro- ethane Parathian 2-Chloro-1(2,4-Dichlorophenyl) Vinyldiethyl Phosphates Zinc	1,1,1-Trichloroethane
Sample Type	Soil	Soi1			Soil
Depth (ft)	24-25	.0-1			45
Boring Number	0003	0004			7000

Results for Dibromochloropropane (DBCP) may appear in up to three analytical fractions. Results for Dicyclopentadiene (DCPD) may appear in up to two analytical fractions. Note:

Task 7 , Site 3-4

Summary of Analytical Results

Depth (ft)

Boring Number

4 - 5

0004

Nemagon Spill Area

Sample	BM0008 BM0008 BM0008 BM0008 BM0008	8MG005 8MS021 8MG005 8MG008 8MG008 8MG008	BMX015 BM0008 BM0008 BM0005	BM0008 BM0005 BM0005 BM0005 BMX015 BMX015 BM0008 BM0008	8M0008 8M0005 8M0005 8M0005 8M0005 8M0008 8M0008
Units	6/6n 6/6n 6/6n 6/6n		6/6n 6/6n 6/6n	6/60 6/60 6/60 6/60 60 60	6/6n 6/6n 6/6n 6/6n 6/6n 6/6n
Results	LT 301, LT 301, LT 301, LT 301, LT 701		7.4	LT 301 LT 2. +00 LT 301 LT 301 LT 401 LT 401 LT 5.0 -03	LT 301 LT 301 LT 3. +00 LT 1. +00 LT 401 LT 301 LT 301 LT 301 LT 301
Analytical Parameters	1,1,2-Trichloroethane 1,1-Dichloroethane 1,2-Dichloroethane 1,2-Dichloroethane m-Xylene	Aldrin Arsenic Atrazine Bicycloheptadiene Benzene Carbon Tetrachloride	Cadmium Methylene Chloride Chloroform Hexachlorocyclopentadiene	Chlorobenzene Chlordane p-Chlorophenylmethyl Sulfide p-Chlorophenylmethyl Sulfoxide p-Chlorophenylmethyl Sulfone Chromium Copper Dibromochloropropane Dibromochloropropane Dibromochloropropane	Dicyclopentadiene Dicyclopentadiene Vapona Dilsopropylmethyl Phosphonate Dithiane Dieldrin Dimethyldisulfide Endrin
Sample Type	Soil				

Results for Dibromochloropropane (DBCP) may appear in up to three analytical fractions. Results for Dicyclopentadiene (DCPD) may appear in up to two analytical fractions. Note:

Ebasco Services Incomponated Summany of Analytical Results

ì				
Sample Number	8MW013 8M0005 8M0005 8M0005 8M0005 8MX015 8M0005	8M0008 8M0008 8M0008 8M0008	BM0006 BM5022 BM0006 BMX016 BM0006 BM0006 BM0006 BM0006 BM0006	BMX016 BMR019 BM0006 BM0006 BM0006
Units	6/60 6/60 6/60 6/60 60 60 60	6/6n 6/6n 6/6n	6/6n 6/6n 6/6n 6/6n 6/6n	6/6n
Results	LT 5.0 -02 LT 301 LT 301 LT 701 LT 8.4 +00 LT 601 LT 501	LT 601 LT 301 LT 301 LT 301 3.6 +01	LT 301 LT 301 LT 7. 4 -01 LT 601 LT 2. +00 LT 301 LT 301 LT 301 LT 301	1T 4.7 +00 LT 5.0 -03 LT 301 LT 1. +00 LT 3. +00 LT 1. +00
Analytical Parameters	Mercury Isodrin Toluene Methylisobutyl Ketone Malathion 1,4.0xathiane Lead Dichlorodiphenylethane Dichlorodiphenyltrichloro- ethane Parathion	2-Chloro-1(2,4-Dichlorophenyl) Vinyldiethyl Phosphates Tetrachloroethene Trichloroethene Ortho- & Para-Xylene	Aldrin Arsenic Atrazine Cadmium Hexachlorocyclopentadiene Chlorophenylmethyl Sulfide p-Chlorophenylmethyl Sulfoxide p-Chlorophenylmethyl Sulfore Chromium	Copper Dibromochloropropane Dibromochloropropane Dicyclopentadiene Vapona Diisopropylmethyl Phosphonate
Sample Type	Soil		Soil	
Depth (ft)	તે			
Boring Number	9000		2000	

Results for Dibromochloropropane (DBCP) may appear in up to three analytical fractions. Results for Dicyclopentadiene (DCPD) may appear in up to two analytical fractions. Note:

Summary of Analytical Results

Nemagón Spill Area

Sample Number	8MG006 8MG006 8MG006 8MG006 8MG006 8MG006 8MG006 8MG006 8MG006	BMGDG6 BMGDD6 BMXD16	8M0009 8M0009 8M0009 8M0009 8M0007 8M0007 8M0009 8M0009 8M0009 8M0009 8M0009
Units	6/6n 6/6n 6/6n 6/6n	6/6n 6/6n 6/6n	6/6n 6/6n 6/6n 6/6n 6/6n 6/6n 6/6n 6/6n
Results	LT 401 LT 501 LT 501 LT 302 LT 301 LT 701 LT 501 LT 601 LT 601	LT 901 LT 601 3.0 +01	LT 301 LT 7.4 -01 LT 7.4 -01 LT 7.4 -01 LT 7.4 -01 LT 7.4 -01 LT 7.4 -01
Analytical Parameters	Dithiane Dieldrin Endrin Mercury Isodrin Malathion 1,4-Oxathiane Lead Dichlorodiphenylethane Dichlorodiphenyltrichloro- ethane	Parathion 2-Chloro-1(2,4-Dichlorophenyl) Vinyldiethyl Phosphates Zinc	1,1,1-Trichloroethane 1,1,2-Trichloroethane 1,2-Dichloroethane 1,2-Dichloroethane 1,2-Dichloroethane m-Xylene Aldrin Arsenic Atrazine Benzene Carbon letrachloride Carbon letrachloride Calboroform Methylene Chloride Chlorobenzene Chlorobenzene Chlorobenzene Chlorobenzene Chlorophenylmethyl Sulfide
Sample	Soil		Soil
Depth (ft)	0-1		5-5
Boring Number	5000		5000

Results for Dibromochloropropane (DBCP) may appear in up to three analytical fractions. Results for Dicyclopentadiene (DCPD) may appear in up to two analytical fractions. Note:

lask 7 , Site 3-4

Summary of Analytical Results Ebasco Services Incorporated

Nemagon Spill Area

v :	~ ~ ~ ~ ¢	0 2 6 2 2	~ ~ ~ ~ ~	~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~		NN	K &
Sample	BM0007 BM0007 BMX017 BMX017 BM0009	BMR020 BM0007 BM0009 BM0007 BM0007	8MG007 8MG007 8MG007 8MGG09	BM0009 BM0015 BM0007 BM0009	8MGGG7 8MGGG7 8MXG17 8MGGG7 8MGGG7	8MQQQ7 8MQQQQ9 8MQQQ9 8MQQQ9	BMX017 ACNOCI2
Units	6/6n 6/6n 6/6n 6/6n	0/60 0/60 0/60 0/60	6/6n 6/6n 6/6n	6/6n 6/6n 6/6n 6/6n	6/6n 6/6n 6/6n 6/6n	6/6n 6/6n 6/6n 6/6n	6/6n
Results	LT 301 LT 301 LT 6.5 +00 LT 4.7 +00 LT 401	LT 5.0 -03 LT 301 LT 301 LT 1. +00 LT 3. +00	LT 1. +00 LT 401 LT 301 LT 801 LT 501	LT 301 LT 5.0 -02 LT 301 LT 301 LT 301	LT 701 LT 301 1.3 +01 LT 601 LT 501	LT 901 LT 601 LT 301 LT 301 LT 301	3.0 +01 LT 301
Analytical Parameters	p-Chlorophenylmethyl Sulfoxide p-Chlorophenylmethyl Sulfone Chromium Corper Dibromochloropropane	Dibromochloropropane Dibromochloropropane Dicyclopentadiene Dicyclopentadiene Vapona	Diisopropylmethyl Phosphonate Dithiane Dieldrin Dimethyldisulfide	Ethylbenzene Mercury Isodrin Toluene Methylisobutyl Ketone	Malathion 1,4-Oxathiane Lead Dichlorodiphenylethane Dichlorodiphenyltrichloro-ethane	Farathion 2-Chloro-1(2,4-Dichlorophenyl) Vinyldiethyl Phosphates Tetrachloroethene Trichloroethene Ortho- & Para-Xylene	Zinc Aldrin
Sample Type	Soil						Soil
Uepth (ft)	2 - 5 5 - 5						0-1
Boring	0005						

Results for Dibromochloropropane (DBCP) may appear in up to three analytical fractions. Results for Dicyclopentadiene (DCPD) may appear in up to two enalytical fractions. Note:

Rocky Mountain Arsenal Program

Task 7 , Site 3-4

Summary of Analytical Results Fbasco Services Incorporated

Nemagon Spill Arra

Sample	AOCO14 AONOO2	AONOO2 AONOO2 AOBO16	A0K002 A0K002 A0K002 A0K002
Units	0	6/6n 6/6n	6/6n 6/6n 6/6n
Results	ψως ως 4ς ου 4 υ ω γω ω ω ω α τω ο σ ο σ ο ω σ ο ω ω ω ω ω ω ω ω ω ω ω ω ω	LT 401 LT 301 2.6 +01	LT 301 LT 301 LT 901 LT 301
Analytical Parameters	Arsenic Atracine Cadmium Hexachlorocyclopentadiene Chlordane D-Chlorophenylmethyl Sulfide D-Chlorophenylmethyl Sulfore Chromium Copper Dibromochloropropane Dibromochloropropane Disopropylmethyl Phosphonate Disthiane Disthiane Dieldrin Endrin Mercury Isodrin Malathion 1,4-Oxathiane Lead Dichlorodiphenyltrichloro- ethane	Parathion 2-Chloro-1(2,4-Dichlorophenyl) Vinyldiethyl Phosphates Zinc	1,1,1-Trichloroethane 1,1,2-Trichloroethane 1,1-Dichloroethane 1,2-Dichloroethane
Sample Type	Soil		Soil
Depth (ft)	0-1		6 - 5
Boring Number	0000		2000

Results for Dibromochloropropane (DBCP) may appear in up to three analytical fractions. Results for Dicyclopentadiene (UCPD) may appear in up to two analytical fractions. Note:

Nemagon Spill Area

Task 7 , Site 3-4

Summary of Analytical Results Ebasco Services Incorporated

2000

Boring Number

Sample Number	AOKOD2 AONOD3 AOCO15 AONOO3 AOKOD2	A0K002 A0K002 A0B017 A0K002 A0K002	AONDO3 AOKOD2 AONDO3 AONDO3 AONDO3	AONDO3 AOBO17 AOBO17 AOKDD2 AOMOD6	AONDO3 AOKOO2 AONOO3 AONDO3 AONDO3	AONDO3 AONDO3 AOKOO2 AONOO3 AOKOO2	A0A017 A0N003 A0K002 A0K002
Units	6/6n 6/6n 6/6n 6/6n	6/6n 6/6n 6/6n 6/6n	6/8n 6/8n 6/8n 6/8n	6/6n 6/6n 6/6n 6/6n	6/6n 6/6n 6/6n	6/6n 6/6n 6/6n	6/6n 6/6n 6/6n 6/6n
Results	LT 701 LT 301 LT 301 LT 301 LT 301	LT 301 LT 301 LT 701 LT 701	LT 301 LT 301 LT 601 LT 7. +00	LT 601 7.4 +00 1.1 +01 LT 401 LT 5.0 -03	LT 301 LT 301 LT 401 LT 301 LT 301	LT 7. +00 LT 301 LT 801 LT 301 LT 301	LT 5.0 -02 LT 301 LT 301 LT 301
Analytical Parameters	m-Xylene Aldrin Arsenic Atrazine Bicycloheptadiene	Benzene Carbon Tetrachloride Cadmium Methylene Chloride Chloroform	Hexachlorocyclopentadiene Chlorobenzene Chlordane p-Chlorophenylmethyl Sulfide	p-Chlorophenylmethyl Sulfone Chromium Copper Dibromochloropropane Dibromochloropropane	Dibromochloropropane Dicyclopentadiene Dicyclopentadiene Vapona Disopropylmethyl Phosphonate	Dithiane Dieldrin Dimethyldisulfide Endrin Ethylbenzene	Mercury Isodrin Toluene Methylisobutyl Ketone
Sample Type	Soil						
Depth (ft)	4 የን						

Results for Dibromochloropropane (DGCP) may appear in up to three analytical fractions. Results for Dicyclopentadiene (DCPD) may appear in up to two analytical fractions. Note:

1 m m m m m m m m m m m m m m m m m m m	Sample Number	AONOD3 AONOD3 AOBO17 AONOO3	AONDO3 AONDO3 AOKDO2 AOKDO2 AOKOO2	AOK002 AOB017 AOK003 AOK003 AOK003 AOK003	AONOD4 AOCD16 AONDO4 AOKOD3 AOKOD3	AOK003 AOB018 AOK003 AOK003 AOK003
Early 1.7 is common when a particular or a	Units	6/6n 6/6n 6/6n 6/6n	6/6n 6/6n 6/6n 6/6n	6/6n 6/6n 6/6n 6/6n	6/6n 6/6n 6/6n 6/6n	6/6n 6/6n 6/6n 6/6n
Nemagon Spill Area	Results	LT 301 LT 6. +00 LT 1.3 +01 LT 301 LT 601	4 ่ม พ.พ.พ.	LT 301 3.0 +01 LT 301 LT 901 LT 301 LT 701	LT 301 LT 5.0 +00 LT 301 LT 301 LT 301	LT 301 LT 6.6 -01 LT 701 LT 301 LT 301
Task 7 , Site 3-4 Nemagran s	Analytical Farameters	Malathion 1,4-Oxathiane Lead Dichlorodiphenylethane Dichlorodiphenyltrichloro- ethane	Farathion 2-Chloro-1(2.4-Dichlorophenyl) Vinyldiethyl Phosphates Trans-1,2-Dichloroethene Tetrachloroethene Trichloroethene	Ortho. & Para.Xylene Zinc 1,1.1-Trichloroethane 1,1.2-Trichloroethane 1,2-Dichloroethane m-Xylene	Aldrin Arsenic Atrazine Bicycloheptadiene Benzene	Carbon Tetrachloride Cadmium Methylene Chloride Chloroform Hexachlorocyclopentadiene
Results	Sample Type	Sol1		Soil		
Summary of Aralytical Res	Depth (ft)	ል የጋ		9-10		
Summary of	Boring Number	0007		2000		

AON004 AON004 AON004

6/6n 6/6n 76/6 76/6 76/6

-01 -01 -01 +00 +00

8. 6.

4.4.6

p-Chlorophenylmethyl Sulfide p-Chlorophenylmethyl Sulfoxide p-Chlorophenylmethyl Sulfone

Chlor obenzene

Chlordane

AOKOO3 AONOO4

Results for Dibromochloropropane (DBCP) may appear in up to three analytical fractions. Results for Dicyclopentadiene (DCPD) may appear in up to two analytical fractions. Note:

Summary of Analytical Results Ebasco Services Incorporated

Nemagon Spill Area

Sample Number	AOR 00 3 AON 00 4 AON 00 6	AOKO04
Units		6/bn
Results	LT 5.2 +00 1.7 3 +00 1.7 3 +00 1.7 3 +00 1.7 3 +00 1.7 3 +01 1.7 3 +01 1.7 3 +01 1.7 3 +01 1.7 3 +01 1.7 4 0 1.7 3 +01 1.7 5.0 -02 1.7 3 +01 1.7 5.0 -02 1.7 5.0 -02 1.7 5.0 -01 1.7 5.0 -02 1.7 5.0 -02 1.7 5.0 -02 1.7 6 +00 1.7 7 40 1.7 8 -01 1.7 8 -01 1.7 8 -01 1.7 8 -01 1.7 8 -01 1.7 8 -01 1.7 9 9 -01 1.7 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	LT 301
Analytical Parameters	Chromium Copper Dibromochloropropane Dibromochloropropane Dibromochloropropane Dicyclopentadiene Dicyclopentadiene Vapona Disspropylmethyl Phosphonate Dishiane Dishiane Ethylbenzene Mercury Isodrin Toluene Methylisobutyl Ketone Malathion 1,4-0xathiane Lead Dichlorodiphenylethane Cichloro-1(2,4-Dichlorophenyl) Vinyldiethyl Phosphates Trans-1,2-Dichloroethene Tetrachloroethene Trichloroethene Trichloroethene Trichloroethene Trichloroethene Trichloroethene Trichloroethene Trichloroethene Trichloroethene	1,1,1-Trichloroethane
Sample	5011	Soil
Depth (ft)	9-10	14-15
Boring Number	2 000 2	. 2000

Results for Dibromochloropropane (DBCP) may appear in up to three analytical fractions. Results for Dicyclopentadiene (DCPD) may appear in up to two analytical fractions. Note:

Rocky Mountain Arsenal Program

Task 7 , Site 3-4

Ebasco Services Incorporated Summary of Analytical Results

Boring Number

2000

Nemagon Spill Area

Depth (ft)	Sample Type	Analytical Parameters	Results	Units	Sample Number	
14 - 1 5	5011	1,1,2-Trichloroethane 1,1-Dichloroethane 1,2-Dichloroethane m-Xylene Aldrin	LT 301 LT 301 LT 301 LT 701 LT 301	6/6n 6/6n 6/6n 6/6n	AOKOO4 AOKOO4 AOKOO4 AOKOO4 AONOO5	
		Arsenic Atrazine Bicycloheptadiene Benzene Carbon Tetrachloride	LT 5.0 +00 LT 301 LT 301 LT 301 LT 301	6/6n 6/6n 6/6n 6/6n	A0C017 A0N005 A0K004 A0K004 A0K004	
		Cadmium Methylene Chloride Chloroform Hexachlorocyclopentadiene Chlorobenzene	LT 6.6 -01 LT 701 LT 301 LT 301 LT 301	6/6n 6/6n 6/6n 6/6n	AOBO19 AOKO04 AOKO04 AONO05 AOKO04	
		Chlordane p-Chlorophenylmethyl Sulfide p-Chlorophenylmethyl Sulfoxide p-Chlorophenylmethyl Sulfone Chromium	LT 601 LT 4. +00 LT 7. +00 LT 601 LT 5.2 +00	6/6n 6/6n 6/6n	AONOOS AONOOS AONOOS AONOOS	
		Copper Dibromochloropropane Dibromochloropropane Dibromochloropropane Dicyclopentadiene	LT 4.9 +00 LT 401 LT 5.0 -03 LT 301 LT 301	6/6n 6/6n 6/6n	AOB019 AOK004 AOM008 AON005 AOK004	
		Dicyclopentadiene Vapona Diisopropylmethyl Phosphonate Dithiane Dieldrin	LT 401 LT 301 LT 301 LT 7. +00 LT 301	6/6n 6/6n 6/6n 6/6n	AONOOS AONOOS AONOOS AONOOS AONOOS	
		Dimethyldisulfide Endrin Ethylbenzene Mercury	LT 801 LT 301 LT 301 LT 5.0 -02	6/6n 3 6/6n 1	AOKOD4 AONDD5 AOKOD4 AOAD19	

Results for Dibromochloropropane (DBCF) may ampear in up to three analytical fractions. Results for Dicyclopentadiene (DCPD) may appear in up to two analytical fractions. Note:

Nemagor Spill Area

Task 7 , Site 3-4

Sample Number	AONDOS AOKOO4 AOKOO5 AONDOS AONDOS AONDOS AONDOS AONDOS AONDOS	AOK 004 AOK 004 AOK 004 AOB 019 AOK 005 AOK 005	AOKOOS AOKOOS AOKOOS AOKOOS AOKOOS AOKOOS AOKOOS	AOKO05
Units	6/6n 6/6n 6/6n 6/6n	6/6n 6/6n 6/6n 6/6n	60 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	na/a
Results	LT 301 LT 301 LT 301 LT 6. +00 LT 1.3 +01 LT 301 LT 601 LT 601 LT 601	LT 301 LT 301 LT 301 LT 301 LT 301 LT 301 LT 901		LT 3. ±0.1
Analytical Farameters	Isodrin Toluene Methylisobutyl Ketone Malathion 1,4-Oxathiane Lead Dichlorodiphenylethane Dichlorodiphenyltrichloro- ethane Farathion 2-Chloro-1(2,4-Dichlorophenyl) Vinyldiethyl Phosphates	Trans-1,2-Dichloroethene Tetrachloroethene Trichloroethene Ortho- & Para-Xylene Zinc 1,1,1-Trichloroethane 1,1,2-Trichloroethane 1,1-Dichloroethane	1,2-Dichloroethane m-Xylene Aldrin Arsenic Atrazine Bicycloheptadiene Benzene Carbon Tetrachloride Cadmium Methylene Chloride Chloroform Hexachlorocyclopentadiene	Chlorobenzene
Sample	Soil	30il		
Depth (ft)	14-15	19.20		
Boring Number	2000	7.000		

Results for Dibromochloropropane (DBCP) may appear in up to three analytical fractions. Results for Dicyclopentadiene (DCPD) may appear in up to two analytical fractions. Note:

Summary of Analytical Results

Depth (ft)

Boring Number

19-20

0000

Nemagon Spill Area

Task 7 , Site 3-4

Sample Type	Analytical Parameters	Re	Results		Units	Sample Number	
Soi 1	Chlordane -Chlorophenylmethyl Sulfide -Chlorophenylmethyl Sulfoxide -Chlorophenylmethyl Sulfone Chromium	בבבב	6. 7. 5. 7.	-01 +00 +00 -01 +00	6/6n 6/6n 6/6n	AONDD6 AONDD6 AONDD6 AONDD6 AOBD20	
	Copper Dibromochloropropane Dibromochloropropane Dibromochloropropane		6.5 6.5 7.0 3.	+00 -01 -03 -01	6/6n 6/6n 6/6n 6/6n	A08020 A0K005 A0M009 A0N006 A0K005	
	Dicyclopentadiene Vapona Diisopropylmethyl Phosphonate Dithiane Dieldrin		46676	-01 -01 +00 -01	6/6n 6/6n 6/6n 6/6n	ACNDO6 ACNDO6 ACNDO6 ACNDO6 ACNDO6	
	Dimethyldisulfide Endrin Ethylbenzene Mercury Isodrin			-01 -01 -02 -02	6/6n 6/6n 6/6n 6/6n	AOKODS AONOD6 AOKODS AOAD20 AONOD6	
	Toluene Methylisobutyl Ketone Malathion 1,4-Oxathiane Lead		1.6 u.u.u.	-01 -01 -01 +00 +01	6/6n 6/6n 6/6n 6/6n	AOKOOS AOKOOS AONOO6 AUNOO6 AOBOZO	
	Dichlorodiphenylethane Dichlorodiphenyltrichloro- ethane Farathion 2-Chloro-1(2,4-Dichlorophenyl) Vinyldiethyl Phosphates Trans-1,2-Dichloroethene	רן רן	μφ. 4 μ. μ.	-01 -01 -01	6/6n 6/6n 6/6n 6/6n	AONDO6 AONDO6 AONDO6 AONDO6	
	Tetrachloroethene Trichloroethene	L L	ю́ю́	-010-	6/6n 6/6n	AOKOOS AOKOOS	

Results for Dibromochloropropane (DBCP) may appear in up to three analytical fractions. Results for Dicyclopentadiene (DCDP) may appear in up to two analytical fractions. Note:

Task 7 , Site 3-4

Sample

Type

(repth (ft)

Boring Number

Soil

19-20

0000

Soi1

28-29

Curthon & Para-Xylene LT 3. -01 ua/g AOKO Zinc 1.1.1-Trichloroethane LT 3. -01 ua/g AORO 1.1.2-Trichloroethane LT 3. -01 ua/g AORO 1.1.2-Trichloroethane LT 3. -01 ua/g AORO 1.1.2-Dichloroethane LT 3. -01 ua/g AORO 1.1.2-Dichloroethane LT 3. -01 ua/g AORO Arsenic LT 3. -01 ua/g AORO Arrazine LT 3. -01 ua/g AORO Benzene LT 3. -01 ua/g AORO Benzene LT 3. -01 ua/g AORO Camium Methylene Chloride LT 3. -01 ua/g AORO Chlorobenzene LT 3. -01 ua/g AORO Chlorobenzene LT 4. +00 <	Analytical Parameters	Re	Result	ď	Units	Sample Number
Hanse LT 301 ug/g LT 4. +00 ug/g LT 501 ug/g LT 501 ug/g LT 501 ug/g LT 601 ug/g LT 7. +00 ug/g LT 601 ug/g LT 7. +00 ug/g	ಳು	۲,		107	6/6n 6/6n	AOKOO5 AOBO2O
LT 301 ug/g LT 5.0 +00 ug/g LT 301 ug/g LT 501 ug/g LT 501 ug/g LT 601 ug/g LT 601 ug/g LT 7. +00 ug/g LT 601 ug/g LT 7. +00 ug/g LT 601 ug/g LT 7. +00 ug/g LT 601 ug/g LT 7. +00 ug/g	1,1,1-Trichloroethane 1,1,2-Trichloroethane 1,1-Dichloroethane 1,2-Dichloroethane m-Xylene	1111	, w o w v	-01 -01 -01	6/6n 6/6n 6/6n 6/6n	A0R002 A0R002 A0R002 A0R002 A0R002
1.3 +00 ug/g	Aldrin Arsenic Atrazine Bloyoloheptadiene Benzene			-01 -01 -01	6/6n 6/6n 6/6n 6/6n	A0S002 A0C019 A0S002 A0R002 A0R002
LT 301 ug/g LT 601 ug/g LT 601 ug/g LT 7. +00 ug/g LT 7. +00 ug/g LT 7. +00 ug/g LT 601 ug/g LT 601 ug/g LT 601 ug/g LT 6. 5 +00 ug/g LT 7. +00 ug/g LT 7. +00 ug/g LT 7. +00 ug/g LT 7. +00 ug/g LT 301 ug/g	Carbon Tetrachloride Cadmium Methylene Chloride Chloroform Hexachlorocyclopentadiene	 	w 4 7 m m	-01 +00 -01 -01	6/6n 6/6n 6/6n	A0R002 APA005 A0R002 A0R002 A0S002
LT 6.5 +00 ug/g LT 4.7 +00 ug/g LT 5.0 -03 ug/g nne LT 5.0 -03 ug/g LT 401 ug/g LT 301 ug/g LT 401 ug/g LT 301 ug/g LT 501 ug/g LT 501 ug/g LT 7. +00 ug/g			w 0 4 K 0	-01 -01 +00 +00	6/6n 6/6n 6/6n	A0R002 A0S002 A0S002 A0S002 A0S002
LT 301 u9/9 LT 401 u9/9 LT 301 u9/9 Phosphonate LT 301 u9/9 LT 7. +00 u9/9	Chromium Copper Dibromochloropropane Dibromochloropropane		6.5 7.7 5.0 3.		6/6n 6/6n 6/6n 6/6n	APA005 APA005 A0M010 A0R002 A0S002
2000 A 21 10 10 10 10 10 10 10 10 10 10 10 10 10	Dicyclopentadiene Dicyclopentadiene Vapona Diisopropylmethyl Phosphonate Dithiane		w 4 w w 7	10-10-10-10-10-10-10-10-10-10-10-10-10-1	6/6n 6/6n	AOROG2 AOSOG2 AOSOG2 AOSOG2 AOSOG2

Results for Dibromochloropropane (DBCP) may appear in up to three analytical fractions. Results for Dicyclopentadiene (DCPP) may appear in up to two analytical fractions. Note:

Summary of Amalytical Results

Nemagon Spill Area

Boring Number	Depth (ft)	Sample Type	Analytical Parameters	Res	Results	Units	Sample Number
0007	28-29	Soil	Dimethyldisulfide Endrin Ethylbenzene Mercury Isodrin	11111	801 301 301 5.0 -02 301	1 ug/g 1 ug/g 1 ug/g 2 ug/g	A0R002 A08002 A0R002 APN005 A0S002
			Toluene Methylisofutyl Ketone Malathion 1,4-Oxathiane Lead	11111	301 301 301 6. +00 8.4 +00	1 ug/g 1 ug/g 1 ug/g 0 ug/g	AOROO2 AOROO2 AOSOO2 AOSOO2 APAOO5
			Dichlorodiphenylethane Dichlorodiphenyltrichloro- ethane Parathion 2-Chloro-1(2,4-Dichlorophenyl) Vinyldiethyl Phosphates Trans-1,2-Dichloroethene		301 601 401 301	1 ug/g 1 ug/g 1 ug/g 1 ug/g	A0S002 A0S002 A0S002 A0S002
			Tetrachloroethene Trichloroethene Ortho- & Para-Xylene Zinc	, r r r	301 301 301 2.3 +01	1 ug/g 1 ug/g 1 ug/g 1 ug/g	A0R002 A0R002 A0R002 APA005
0007	39-40	Soil	1,1,1-Trichloroethane 1,1,2-Trichloroethane 1,1-Dichloroethane 1,2-Dichloroethane m-Xylene		301 301 901 301 701	11 ug/g 11 ug/g 11 ug/g 11 ug/g 11 ug/g	AORDD:3 AORDD:3 AORDD:3 AORDD:3
			Aldrin Arsenic Atrazine Bicycloheptadiene Benzene		301 5.0 +00 301 301	11 ug/g 0 ug/gu II 0 ug/g 11 ug/g	A05003 A0C020 A05003 A0R003 A0R003
			Carbon Tetrachloride Cadmium Methylene Chloride	11	301 7.4 -01 4. +00	-01 ug/g -01 ug/g +00 ug/g	AOROO3 AFAQO6 AOROO3

Results for Dibromochloropropane (DBCP) may appear in up to three analytical fractions. Results for Dicyclopentadiene (DCPD) may appear in up to two analytical fractions. Note:

Depth (ft)

Boring Number

39--40

Sample	A0R003 A0S003 A0R003 A0S003 A0S003	A0SD03 A0SD03 AFAD06 APAD06 A0MU11	AOROD3 AOSOD3 AOSOD3 AOSOD3	A0S003 A0S003 A0S003 A0S003 A0S003	AORGG3 APNGG6 AOSGG3 AORGG3 AORGG3	AOSOO3 AOSOO3 APAOO6 AOSOO3 AOSOO3	A0S003 A0S003
Units	\$/\$n \$/\$n \$/\$n	5/5n 5/5n 5/5n	6/6n 6/6n 6/6n 6/6n	6/6n 6/6n 6/6n 6/6n	6/6n 6/6n 6/6n 6/6n	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	ø∕øn ø∕øn
Results	LT 301 LT 301 LT 301 LT 601 LT 6. +00	LT 7. +00 LT 601 LT 6.5 +00 LT 5.0 -03	LT 401 LT 301 LT 301 LT 401 LT 301	LT 301 LT 7. +000 LT 301 LT 801 LT 301	LT 301 - LT 5.0 -02 - LT 301 - LT 301 - LT 301	LT 301 LT 6. +00 LT 8.4 +00 LT 301 LT 601	LT 401 LT 301
Analytical Parameters	Chloroform Hexachlorocyclopentadiene Chlorobenzene Chlordane p-Chlorophenylmethyl Sulfide	p-Chlorophenylmethyl Sulfoxide p-Chlorophenylmethyl Sulfone Chromium Copper Dibromochloropropane	Dibromochloropropane Dibromochloropropane Dicyclopentadiene Dicyclopentadiene Vapona	Diisopropylmethyl Phosphonate Dithiane Dieldrin Dimethyldisulfide Endrin	Ethylbenzene Mercury Isodrin Toluene Methylisobutyl Ketone	Malathion 1,4-Oxathiane Lead Dichlorodiphenylethane Dichlorodiphenyltrichloro- ethane	Farathion 2-Chloro-1(2,4-Dichlorophenyl) Vinyldiethyl Phosphates
Sample Type	50 i 1						

Results for Dibromochloropropane (DBCP) may appear in up to three analytical fractions. Results for Dicyclopentadiene (DCPD) may appear in up to two analytical fractions. Note:

Nemagon Spill Area

Task 7 , Site 3-4

).e	22 22 22 22 22 22 22 22 22 22 22 22 22	004 004 004 004	04 21 04 04	04 07 04 04	04 04 04 04 04	07 07 12 04 04	04 04 04
Sample Number	AURUU3 AORUU3 AORUU3 AORUU3 APAU06	AOROO4 AOROO4 AOROO4 AOROO4	A0S004 A0C021 A0S004 A0R004 A0R004	AOROO4 APAOO7 AOROO4 AOROO4 AOSOO4	A0\$004 A0\$004 A0\$004 A0\$004 A0\$004	APADO7 APADO7 AOMO12 AOROO4 AUSOO4	A0R004 A0S004 A0S004
Umits	6/6n 6/6n 6/6n 6/6n	6/6n 6/6n 6/6n 6/6n 6/6n	6/6n 6/6n 6/6n 6/6n	6/6n 6/6n 6/6n 6/6n	6/6n 6/6n 6/6n 6/6n	6/6n 6/6n 6/6n	0/6n 0/6n 0/6n
Results	LT 3011 LT 301 LT 301 LT 301	LT 301 LT 301 LT 901 LT 301 LT 701	LT 301 LT 5.0 +00 LT 301 LT 301 LT 301	LT 301 9.7 -01 LT 701 LT 301 LT 301	LT 3, -01 LT 6, -01 LT 4, +00 LT 7, +00 LT 6, -01	LT 6.5 +00 1.2 +01 LT 5.0 -03 LT 401 LT 301	LT 301 LT 401 LT 301
Analytical Parameters	Trans-1,2-Dichloroethene Tetrachloroethene Trichloroethene Ortho- & Para-Xylene Zinc	1,1,1-Trichloroethane 1,1,2-Trichloroethane 1,1-Dichloroethane 1,2-Dichloroethane m-Xylene	Aldrin Arsenic Atrazine Bicycloheptadiene Benzene	Carbon Tetrachloride Cadmium Methylene Chloride Chloroform Hexachlorocyclopentadiene	Chlorobenzene Chlordane p-Chlorophenylmethyl Sulfide p-Chlorophenylmethyl Sulfoxide p-Chlorophenylmethyl Sulfoxe	Chromium Copper Dibromochloropropane Dibromochloropropane	Dicyclopentadiene Dicyclopentadiene Vapona
Sample Type	Soil	Soil					
Depth (ft)	09~62	76~50					
Boring Number	000,	2000					

Results for Dibromochloropropane (DBCP) may appear in up to three analytical fractions. Results for Dicyclopentadiene (DCPD) may appear in up to two analytical fractions. Note:

Summary of Analytical Results Ebaseo Services Incorporated

A: ea
_
<u>S</u>
Nemagon

Sample Number	A05004 A05004 A05004 A0R004 A0S004	AOROO4 AFNOO7 AOSOO4 AOROO4 AOROO4	ACS004 AOS004 APA007 AOS004 AOS004	A0S004 A0S004 A0R004 A0R004	APF002 APF002 APF002 APF002 APF002	APB002 A0C022 APB002 AFF002 APF002
Units	6/6n 6/6n 6/6n 6/6n	5/6n 5/6n 5/6n 5/6n	6/6n 6/6n 6/6n 6/6n	6/6n 6/6n 6/6n	6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	6/6n 6/6n 6/6n 6/6n 6/6n
Results	LT 301 LT 7. +00 LT 301 LT 801 LT 301	LT 301 LT 5.0 -02 LT 301 LT 301	LT 301 LT 6. +00 LT 8.4 +00 LT 301 LT 601	LT 301 LT 301 LT 301 LT 301		LT 301 LT 5.0 +00 LT 301 LT 301 LT 301
Analytical Parameters	Diisopropylmethyl Phosphonate Dithiane Dieldrin Dimethyldisulfide Endrin	Ethylbenzene Mercury Isodrin Toluene Methylisobutyl Ketone	Malathion 1,4-Oxathiane Lead Dichlorodiphenylethane Pichlorodiphenyltrichloro- ethane	Parathion 2-Chloro-1(2,4-Dichlorophenyl) Vinyldiethyl Phosphates Trans-1,2-Dichloroethene Tetrachloroethene Trichloroethene	2 <u>1 1 1 1 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 </u>	Aldrin Arsenic Atrazine Bicycloheptadiene Benzene
Sample Type	Soil				Soil	
Depth (ft)	49-50				5960	
Boring Number	0000				2000	

Results for Dibromochloropropane (DBCP) may appear in up to three analytical fractions. Results for Dicyclopentadiene (DCPD) may appear in up to two analytical fractions. Note:

29--60

And and a second	Sample Number
THE PARTY OF THE P	Units
A GARAGE A CAMBRACACIÓN MENOS EN SUR EL CAMBRACACIÓN DE MENOS ES CONTROL DE MENOS ES C	Results
	Analytical Parameters
napade haspin i vien a vien nen i en proprio presentano i de com com percentano e com com com com percentano d	Sample epth (ft) Type
	Boring Number D

Sample Type	Analytical Parameters	ъ 6	Results	(0)	Units	Sample Number	
5011	ਰ	בבר בבב ב	3. 3. 3. 4. 0 3. 3. 3. 4. 6. 6. 6. 6. 6. 6. 6. 6. 6. 6. 6. 6. 6.	+00 +00 -01 -01 -01	5/5n 5/5n 5/5n 5/5n	APF002 APF002 APF002 APB002 APB002 APF002	
	p-Chlorophenylmethyl Sulfide p-Chlorophenylmethyl Sulfoxide p-Chromium Copper Dibromochloropropane Dibromochloropropane		7. 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		6/6n 6/6n 6/6n 6/6n 6/6n 6/6n	APB002 APB002 APA008 APA008 APB002 API005	
	Dicyclopentadiene Dicyclopentadiene Vapona Diisopropylmethyl Phosphonate Dithiane Dieldrin Dimethyldisulfide Endrin Ethylbenzene Mercury		4 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	-01 -01 -01 -01 -01 -01 -01	6/6n 6/6n 6/6n 6/6n 6/6n 6/6n	APB002 APB002 APB002 APB002 APB002 APF002 APF002 APF002	
	Isodrin Toluene Methylisobutyl Ketone Malathion 1,4-Oxathiane Lead Dichlorodiphenylethane Cichlorodiphenyltrichloro-ethane	1111111111		-01 -01 -01 -01 +00 +00 -01	6/6n 6/6n 6/6n 6/6n 6/6n	APB002 APF002 APB002 APB002 APB002 APB002 APB002	

Results for Dibromochloropropane (DBCP) may appear in up to three analytical fractions. Results for Dicyclopentadiene (DCPD) may appear in up to two analytical fractions. Note:

Boring Number

7000

7000

Nemadon Spill Area

,						
Sample	APB002 APB002 APF002 APF002 APF003 APA008	APF003 APF003 APF003 APF003	APB003 A0C023 APB003 APF003 APF003	APF003 APF003 APF003 APF003	APF003 APB003 APB003 APB003 APB003	APA009 APA009 APB003 APF003 APF003
Units	6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	6/6n 6/6n 6/6n 6/6n	5/6n 5/6n 5/6n 6/6n	6/6n 6/6n 6/6n 6/6n	6/6n 6/6n 6/6n 6/6n	6/6n 6/6n 6/6n 6/6n
8	-01 -01 -01 -01 -01	-01 -01 -01 -01	- 01 - 01 - 01 - 01	-01 -01 -01	-01 -01 +00 +00	+00 +00 -01 -01
Results	4 พ. พ. พ. พ. พ. พ. พ.	m m o m r		8 4 7 F 8	w 0 4 V 0	6.5 4.7 5.0
8		, , , , , , , , , , , , , , , , , , ,		1 1 1		
Analytical Parameters	Farathion 2-Chloro-1(2,4-Dichlorophenyl) Vinyldiethyl Phosphates Trans-1,2-Dichloroethene Tetrachloroethene Trichloroethene Ortho. & Para-Xylene Zinc	1,1,1-Trichloroethane 1,1,2-Frichloroethane 1,1-Dichloroethane 1,2-Dichloroethane m-Xylene	Aldrin Arsenic Atrazine Bicycloheptadiene Benzene	Carbon Tetrachloride Cadmium Methylene Chloride Chloroform Hexachlorocyclopentadiene	Chlorobenzene Chlordane p-Chlorophenylmethyl Sulfide p-Chlorophenylmethyl Sulfoxide p-Chlorophenylmethyl Sulfone	Chromium Copper Dibromochloropropane Dibromochloropropane
Sample Type	Soil	50 i l				
Depth (ft)	5960	DZ~69				

Results for Dibromochlaroparopane (DBCP) may appear in up to three analytical fractions. Results for Dicyclopentadiene (DCPD) may appear in up to two analytical fractions. Note:

Ebasco Services Incorporated	Rocky Mountai	Rocky Mountain Arsenal Program	1
Summary of Analytical Results	Task 7 , Site 3-4	Nemagon Spill Area	

Boring Number	Depth (ft)	Sample	Analytical Parameters	R	Results	(0	Units	Sample	
2000	69.70	Soil	Dicyclopentadiene Dicyclopentadiene Vapona Visopropylmethyl Phosphonate Dithiane Dieldrin Dimethyldisulfide Endrin Ethylbenzene		4 m m m m m m m m m m m m m m m m m m m	-01 -01 -01 -01 -01	5/50 5/50 5/50 5/50 5/50 5/50 5/50	APR003 APR003 APR003 APR003 APR003 APF003 APF003	
			Isodrin Toluene Methylisobutyl Ketone Malathion 1,4-Oxathiane Lead Dichlorodiphenylethane Dichlorodiphenyltrichloro- ethane Parathion 2-Chloro-1(2,4-Dichlorophenyl) Vinyldiethyl Phosphates Trans-1,2-Dichloroethene Tetrachloroethene Trichloroethene Ortho- & Para-Xylene Zing	בבבב בב בבב בבבב ב	ာ ဂ မယ်မှုလုံးကွဲ ထွဲဆိုတဲ့ မြောက် ကိုက်ဆိုက်— စ	001 001 001 001 001 001 001 001 001 001		APB003 APF003 APF003 APB003 APB003 APB003 APF003 APF003 APF003 APF003	
2000	74-75	Soi 1	1.1.1-Trichloroethane 1.1.2-Trichloroethane 1.1-Dichloroethane 1.2-Dichloroethane m-Xylene	ר וורון	ห์ที่ดักกั ที่	-01 -01 -01 -01	6/6n 6/6n 6/6n 6/6n 6/6n	APF004 APF004 APF004 APF004 APF004	

Results for Dibromochloropropane (DBCP) may appear in up to three analytical fractions. Results for Dicyclopentadiene (DCPD) may appear in up to two analytical fractions. Note:

Depth (ft)

Boring Number

74-75

Ċ	
\	
`	
2	
`	
٦	

Sample Type	Analytical Parameters	я 6	Results	.	Units	Sample
Soil	Arsenic Atrazine Bicycloheptadiene Benzene Carbon Tetrachloride		လုပ္လုပ္လုပ္ ဝ	+00 -01 -01	6/6n 6/6n 6/6n 6/6n	A0C024 APB004 APF004 APF004 APF004
	Cadmium Methylene Chloride Chloroform Hexachlorocyclopentadiene Chlorobenzene	1111	1.4 3.3.	+00 +00 -01	6/6n 6/6n 6/6n	AFA010 APF004 APF004 APB004 APF004
	Chlordane p-Chlorophenylmethyl Sulfide p-Chlorophenylmethyl Sulfoxide p-Chlorophenylmethyl Sulfone Chromium		6.5 6.5 8.5	-01 +00 +00 +00 +00	6/6n 6/6n 6/6n 6/6n 6/6n	APB004 APB004 APB004 APB004 APA010
	Copper Dibromochloropropane Dibromochloropropane Dibromochloropropane Dicyclopentadiene		8.7 8.7 5.0 6.0	+00 -01 -01 -03	6/6n 6/6n 6/6n 6/6n 6/6n	APA010 APB004 APF004 AFI007 APB004
	Dicyclopentadiene Vapona Diiscpropylmethyl Phosphonate Dithiane Dieldrin		m n n n n n	-01 -01 -01 +00	5/5n 5/5n 6/5n 6/5n	APF004 APB004 APB004 APB004 APB004
	Dimethyldisulfide Endrin Ethylbenzene Mercury Isodrin			-01 -01 -02 -02	6/6n 6/6n 6/6n 6/6n 6/6n	APF004 APF004 APF004 APNU10 APB004
	Toluene Methylisobutyl Ketone Malathion 1,4-Oxathiane		ન નિંતન ન	-01 -01 -01 +00	6/6n 6/6n 6/6n	APF004 APF004 APB004 APB004

Results for Dibromochloropropane (DRCP) may appear in up to three analytical fractions. Results for Dicyclopentadlene (DCPD) may appear in up to two analytical fractions. Note:

Rocky Mountain Arsenal Program

Nemagon Spill Area

Task 7 , Site 3-4

Depth (ft)	Sample Type	Analytical Parameters	Results	Units	Sample Number
7475	Soil	Lead Dichlorodiphenylethane Dichlorodiphenyltrichloro- ethane Farathion 2-Chloro-1(2.4-Dichlorophenyl) Vinyldiethyl Phosphates	LT 8.4 +00 LT 301 LT 601 LT 401 LT 301	6/6n 6/6n 6/6n 6/6n	APA010 APB004 APB004 APB004 APB004
		Trans-1,2-Dichloroethene Tetrachloroethene Trichloroethene Ortho- & Para-Xylene Zinc	LT 301 LT 301 LT 301 LT 301 3.0 +01	6/6n 6/6n 6/6n 6/6n	APF004 APF004 APF004 APF004 APA010
0-1	Soil	Aldrin Arsenic Atrazine Cadmium Hexachlorocyclopentadiene	LT 301 LT 5.0 +00 LT 301 LT 6.6 -01 LT 301	6/6n 6/6n 6/6n	AMV002 AMM021 AMV002 AMG019 AMV002
		Chlordane p-Chlorophenylmethyl Sulfide p-Chlorophenylmethyl Sulfoxide p-Chlorophenylmethyl Sulfone Chromium	LT 601 LT 4. +00 LT 7. +00 LT 601 LT 5.2 +00	6/6n 6/6n 6/6n 6/6n 6/6n	AMV002 AMV002 AMV002 AMV002
		Copper Dibromochloropropane Dibromochloropropane Dicyclopentadiene Vapona	LT 4.9 +00 LT 301 LT 1.4 -02 LT 401 LT 301	6/6n 6/6n 6/6n 6/6n 6/6n	AMC019 AMV002 AMX005 AMV002 AMV002
		Dilsopropylmethyl Phosphonate Dithiane Dieldrin Endrin Mercury	LT 301 LT 7. +00 LT 301 LT 301 LT 5.0 -02	6/6n 6/6n 6/6n 6/6n	AMV002 AMV002 AMV002 AMV002
		Isodrin	LT 301	na/a	AMV002

Results for Dibromochloropropane (DBCP) may appear in up to three analytical fractions. Results for Dicyclopentadiene (DCPD) may appear in up to two analytical fractions. Note:

Boring Number

0008

Sample Number	AMV002 AMS019 AMV002 AMV002 AMV002 AMV002	AMUDD2
Units	6/6n 6/6n 6/6n	
Results	LT 301 LT 6. +00 LT 1.3 +01 LT 301 LT 601 LT 401 LT 301	LT 301 LT 501 LT 501 LT 601 LT 601 LT 701
Analytical Parameters	Malathion 1,4-Oxathiane Lead Lead Dichlorodiphenylethane Dichlorodiphenyltrichloro- ethane Parathion 2-Chloro-1(2,4-Dichlorophenyl) Vinyldiethyl Phosphates Zinc	1,1,1-Trichloroethane 1,1,2-Trichloroethane 1,2-Dichloroethane 1,2-Dichloroethane 1,2-Dichloroethane m-Xylene Aldrin Arsenic Atrazine Benzene Carbon Tetrachloride Cadmium Methylene Chloride Chloroform Hexachlorocyclopentadiene Chlorophenylmethyl Sulfide p-Chlorophenylmethyl Sulfoxide p-Chlorophenylmethyl Sulfone
Sample	Soil	Soil
Depth (ft)	0 - 1	5 - 5

Results for Dibromochloropropane (DBCP) may appear in up to three analytical fractions. Results for Dicyclopentadiene (DCPD) may appear in up to two analytical fractions. Note:

Task 7 , Site 3-4

Sample	AMY003	AMUDO3 AMUDO3 AMUDO3 AMUDO3
Units	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	6/6n 6/6n 6/6n 6/6n
Results	LT 1.4 -02 LT 301 LT 301 LT 301 LT 301 LT 301 LT 301 LT 401 LT 301	
Analytical Farameters	Dibromochleropropane Dicyclopentadiene Dicyclopentadiene Vapona Disopropylmethyl Phosphonate Dithiane Dichlane Dichlane Dieldrin Dimethyldisulfide Endrin Ethylbenzene Mercury Isodrin Toluene Methylisobutyl Ketone Methylisobutyl Ketone Melathion 1,4-0xathiane Lead Dichlorodiphenylethane Dichlorodiphenylethane Dichlorodiphenylethane Perathion 2-Chloro-1(2,4-Dichlorophenyl) Vinyldiethyl Phosphates Trans-1,2-Dichloroethene Tetrachloroethene Tetrachloroethene Trichloroethene Ontho- & Para-Xylene	1,1,1-Trichloroethane 1,1,2-Trichloroethane 1,1-Dichloroethane 1,2-Dichloroethane m.Xylene
Sample	Soil	Soil
Depth (ft)	7-5	910
Borîng Number	8000	0008

Results for Dibromochloropropane (DBCP) may appear in up to three analytical fractions. Results for Dicyclopentadiene (DCPD) may appear in up to two analytical fractions. Note:

Summary of Analytical Results Ebasco Services Incorporated

Boring Number

_ 1							
Sample	AMV004 AMM023 AMV004 AMU003 AMU003	AMUDD3 AOBDD5 AMUDD3 AMUDD3 AMUDD3	AMUGO3 AMVGO4 AMVGO4 AMVGO4	A0B005 A0B005 AMU003 AMV004	AMUOO3 AMVOO4 AMVOO4 AMVOO4	AMV004 AMU003 AMV004 AMU003	AMV004 AMV003 AMV003 AMV004
Units	6/6n 6/6n 6/6n	6/6n 6/6n 6/6n	6/6n 6/6n 6/6n 6/6n	6/6n 6/6n 6/6n 6/6n	6/6n 6/6n 6/6n	6/6n 6/6n 6/6n 6/6n	6/6n 6/6n 6/6n
Results	LT 301 LT 5.0 +00 LT 301 LT 301 LT 301	LT 301 LT 6.6 -01 3. +00 LT 301 LT 301	LT 301 LT 601 LT 4. +00 LT 7. +00 LT 601	8.1 +00 9.4 +00 LT 401 LT 301 LT 1.4 -02	LT 301 LT 401 LT 301 LT 301 LT 7. +00	LT 301 LT 801 LT 301 LT 301 2.0 -01	LT 301 LT 301 LT 301 LT 301
Analytical Parameters	Aldrin Arsenic Atrazine Bicycloheptadiene Benzene	Carbon Tetrachloride Cadmium Methylene Chloride Chloroform Hexachlorocyclopentadiene	Chlorobenzene Chlorodane pChlorophenylmethyl Sulfide p-Chlorophenylmethyl Sulfoxide	Chromium Copper Dibromochloropropane Dibromochloropropane	Dicyclopentadiene Dicyclopentadiene Vapona Diisopropylmethyl Phosphonate	Dieldrin Dimethyldisulfide Endrin Ethylbenzene Mercury	Isodrin Toluene Methylisobutyl Ketone Malathion
Sample Type	Soi 1						
Depth (ft)	9-10						

Results for Dibromochloropropane (UBCP) may appear in up to three analytical fractions. Results for Dicyclopentadiene (DCPD) may appear in up to two analytical fractions. Note:

ALEG	
_	
60	
vemagen	

Sample	AMV004 A08005 AMV004 AMV004 AMV004	AMV004 AMU003 AMU003 AMU003 AMU003	AMUDD4 AMUDD4 AMUDD4 AMUDD4 AMUDD4 AMUDD4 AMUDD4 AMUDD4 AMUDD4 AMUDD4 AMUDD4 AMUDD4 AMUDD4 AMUDD4 AMUDD4 AMUDD4	AMV005 AMV005 AMV005 AMV005
Units	6/6n 6/6n 6/6n	6/6n 6/6n 6/6n 6/6n	6 / 6 / 6 / 6 / 6 / 6 / 6 / 6 / 6 / 6 /	6/6n 6/6n 6/6n
ø	+00 +01 -01 -01	-01		-01 +00 +00
Results	6. 6. 6.	က် က်က်က်က် က	મુખ્યું મુખ્ય	6.4.6
Re	ב בבבב		ו ול נד נווני וניני	
Analytical Parameters	1,4-Oxathiane Lead Dichlorodiphenylethane Dichlorodiphenyltrichloro- ethane Parathion	2-Chloro-1(2,4-Dichlorophenyl) Vinyldiethyl Phosphates Trans-1,2-Dichloroethene Tetrachloroethene Trichloroethene Ortho- & Para-Xylene	1,1,1-Trichloroethane 1,1,2-Trichloroethane 1,1-Dichloroethane 1,2-Dichloroethane m-Xylene Aldrin Arsenic Atrazine Bicycloheptadiene Benzene Cadmium Methylene Chloride Chloroform Hexachlorocyclopentadiene Chlorobenzene	Chlordane p-Chlorophenylmethyl Sulfide p-Chlorophenylmethyl Sulfoxide p-Chlorophenylmethyl Sulfone
Sample Type	Soir		Soil	
Depth (ft)	91B		14-15	
Boring Number	. 8000		0008	

Results for Dibromochlorepropane (DBCF) may appear in up to three analytical fractions. Results for Dicyclopentadiene (DCFO) may appear in up to two analytical fractions. Note:

Task 7 , Site 3-4

Depth (fl.)	Sample Type	Analytical Parameters	Results	Š	Units	Sample Number
14-15	Soil	Chromium	5.2	. 00+	6/6n	A08006
		Copper	6.4		6/6n	A08006
		Dibromochlereprepane	ч.	-01	6/6n	AMUDD4
		Dibromochloropropane	N)	-01	na/a	AMV005
		Dibromochloropropane	1.4	-02	na/a	AMX008
		Dicyclopentadiene	ю.	-01	6/6n	AMU004
		Dicyclopentadiene	,		6/6n	AMV005
		Vapona	ю.	.01	6/6n	AMV005
		Diisopropylmethyl Phosphonate	ĸ,		6/6n	AMVOOS
		Dithiane	۲.	00+	na/a	AMV005
		Dieldrin	m m	-01	6/60	AMV005
		Dimethyldisulfide	8	-01	6/6n	AMU004
		Endrin	M)		na/a	AMV005
		Ethylbenzene			ø/øn	AMU004
		Mercury	5.0	-02	na/a	A0A006
		Isodrin	'n	-01	a/an	AMV005
		Toluene			ø∕øn	AMU004
		Methylisobutyl Ketone	'n		na/a	AMU004
		Malathion	'n		na/a	AMV005
		1,4-Oxathiane		1 00+	na/a	AMV005
		Lead	м)	+01	6/60	A08006
		Dichlorodiphenylethane	'n	-01	na/a	AMV005
		Dichlorodiphenyltrichloro- ethane		-01	a/an	AMVOOS
		Parathion	4	-01	a/an	AMV005
		2-Chloro-1(2,4-Dichlorophenyl) Vinyldiethyl Phosphates	LT 3.		a/an	AMVOOS
		Trans-1,2-Dichloroethene	ю.	-01	a/a	AMU004
		Tetrachloroethene	œ.	-01	na/a	AMU004
		Trichloroethene	IT 3.		6/6n	AMU004
		Ortho- & Para Xylene	m		na/a	AMU004
		Zinc	1. ማ +	+01	a∕a a/a	AUBOD6
19-20	Soil	1.1.1-Trichloroethane	, K	-	ua/a	ANGOOS
) i	t †))				n D)

Results for Dibromochloropropane (DBCP) may appear in up to three analytical fractions. Results for Dicyclopentadiene (DCPD) may appear in up to two analytical fractions. Note:

Ebasco Services Incorporated

8000

Boring Number

Rocky Mountain Arsenal Program

Task 7 , Site 3.4

Nemagon Spill Area

Samele Number	ANGOD2 ANGOD2 ANGOD2 ANGOD2 ANHOD2 ANGOD2 ANGOD2 ANGOD2 ANGOD2 ANGOD2	AOBOO7 ANGOO2 ANGOO2 ANGOO2 ANGOO2 ANHOO2 ANHOO2 ANHOO2 ANHOO2	AOBOOO7 AMXOOO9 ANGOO2 ANGOO2 ANHOOO2 ANHOOOO
Units	6/60 6/60 6/60 6/60 6/60 6/60	5/5n	5/50 5/50 5/50 5/50 5/50 5/50 5/50 5/50
	-01 -01 -01 -01 -01 -01	-01 -01 -01 -01 -01 -01 -01 -01	600 601 601 601 601 601 601 601 601 601
Results		6	4.1.4.6.6.4.6.6.6.6.6.6.6.6.6.6.6.6.6.6.
R			
Analytical Parameters	1,1,2-Trichloroethane 1,1-Dichloroethane 1,2-Dichloroethane m-Xylere Aldrin Arseric Atrazine Bicycloheptadiene Benzene Carbon Tetrachloride	Cadmium Methylene Chloride Chloroform Hexachlorocyclopentadiene Chlorobenzene Chlorophenylmethyl Sulfide p-Chlorophenylmethyl Sulfide p-Chlorophenylmethyl Sulfione Chromium	Copper Dibromochloropropane Dibromochloropropane Dicyclopentadiene Vapona Dispropylmethyl Phosphonate Dithiane Uieldrin Dimethyldisulfide Endrin Ethylbenzene Mercury
Sample	Soil		
Depth (ft)	19-20		

Results for Dibromochloropropane (DBCF) way appear in up to three analytical fractions. Results for Dioyclopentadiene (DCPD) way appear in up to two analytical fractions. Note:

Summary of Analytical Results Ebasco Services Incorporated

Boring Number

8000

The state of the s					
	Sample Number	ANHOUS ANGOOS ANHOOS ANHOOS ANHOOS ANHOOS ANHOOS	ANGDO2 ANGDO2 ANGDO2 AOBOO7 AOBOO7	ANGOO3 ANGOO3 ANGOO3 ANGOO3 ANGOO3 ANGOO3 ANGOO3 ANGOO3	ANGOD3 AOBOD8 ANGOD3 ANGOD3 ANHOD3 ANGOD3
	Units	6/6n 6/6n 6/6n 6/6n 6/6n	6/6n 6/6n 6/6n	6/6n 6/6n 6/6n 6/6n	6/6n 6/6n 6/6n 6/6n
	S.	01 01 01 01 01 01	- 01 - 01 - 01 - 01		-01 -01 -01 -01
	Results	મું મુખ્યું કે મુખ્યું			
	я. 9				
	Analytical Parameters	Isodrin Toluene Methylisobutyl Ketone Malathion 1,4-Oxathiane Lead Dichlorodiphenylethane Dichlorodiphenyltrichloro- ethane Farathion 2-Chloro-1(2,4-Dichlorophenyl) Vinyldiethyl Phosphates	Trans.1,2-Dichloroethene Tetpachloroethene Trichloroethene Ortho. & Fara-Xylene Zinc	1,1,2-Trichlorocthane 1,1-Dichlorocthane 1,2-Dichlorocthane m-Xylene Aldrin Arsenic Atrazine Bicycloheptadiene Benzene	Carbon Tetrachloride Cadmium Methylene Chloride Chloroform Hexachlorocyclopentadiene Chlorobenzene
	Sample Type	Soil			
	Depth (ft)	1920		7 7 8 8	

Results for Dibromochloropropane (DBCP) may appear in up to three analytical fractions. Results for Dicyclopentadiene (DCPD) may appear in up to two analytical fractions. Note:

Summary of Analytical Results Ebasco Services Incorporated

8000

Boring Number

Nemagon Spill Area

Results for Dibromochloropropane (DBCP) may appear in up to three analytical fractions. Results for Dicyclopentadiene (DCPD) may appear in up to two analytical fractions. Note:

Summary of Analytical Results Ebasco Services Incorporated

Boring Number

0008

Anea	
-	
ヿ゙	
000	
Nesagon	
Ō	
٤	
Š	
_	

Sample Number	ANGOO3 AOBOO8	ANGOCK ANGOOK ANGOOK ANGOOK ANGOOK	ANHDD4 AOCDD7 ANHDD4 ANGDD4 ANGDD4	ANGOD4 AOBOD9 ANGOQ4 ANGOO4 ANGOO4	ANGOO4 ANHOO4 ANHOO4 ANHOO4 ANHOO6	A08009 A08009 ANE005 ANG004 ANG004	ANGOG4 ANHOG4 ANHOG4 ANHOG4 ANHOG4
Uhits	ug/a ug/g	6/6n 6/6n 6/6n 6/6n	5/5n 5/5n 5/5n 5/5n	6/6n 6/6n 6/6n 6/6n	6/6n 6/6n 6/6n 6/6n	6/6n 6/6n 6/6n 6/6n	6/6n 6/6n 6/6n 6/6n
Results	LT 3, -01 2,3-01	LT 301 LT 301 LT 301 LT 301	LT 301 LT 301 LT 301 LT 301	LT 301 LT 6.6 -01 2. +00 LT 301 LT 301	LT 301 LT 601 LT 4. +00 LT 7. +00 LT 601	LT 5.2 +00 6.0 +00 LT 1.4 -02 LT 401 LT 301	LT 301 LT 401 LT 301 LT 301 LT 7. +00
Analytical Farameters	Ortho- & Para-Xylene Zinc	1,1,1-Trichloroethane 1,1,2-Trichloroethane 1,1-Dichloroethane 1,2-Dichloroethane m-Xylene	Aldrin Arsenic Atrazine Bicycloheptadiene Benzene	Carbon Tetrachloride Cadmium Methylene Chloride Chloroform Hexachlorocyclopentadiene	Chlorobenzene Chlordane p-Chlorophenylmethyl Sulfide p-Chlorophenylmethyl Sulfoxide p-Chlorophenylmethyl Sulfone	Chromium Copper Dibromochloropropane Dibromochloropropane	Dicyclopentadiene Dicyclopentadiene Vapona Diisopropylmethyl Phosphonate Dithiane
Sample Type	Soil	Soil					
Depth (ft)	2930	39-40					

Results for Dibromochloropropane (PBCP) may apprar in up to three analytical fractions. Results for Dicyclopentadiene (DCPD) may appear in up to two analytical fractions. Note:

Task 7 , Site 3-4

0008		Type	Analytical Parameters	<u>≈</u>	Results		Units	Number
	07-68	Soil	Dimethyldisulfide	-1	83.	-01	6/611	ANGOO4
	• •	1	Endrin	LT	r)	-01	6/ 6 n	ANH1004
			Ethylbenzene	LJ	ĸ,	-01	na/a	ANGOO4
			Mercury	LT	5.0	-02	6/6n	AOAOO9
		a.	Isodrin	LI	م	-01	6/6n	ANHO04
			Tolugne	L	ъ,	-01	6/6n	ANGOD4
			Methylisobutyl Ketone .	1	М,	-01	6/6n	ANG004
			Malathion	-1	М,	-01	6/6n	ANHOO4
			1,4-Oxathiane			00+	6/6n	ANHOO4
			Lead	L	1.3	+01	6/6n	A08009
			Dichlorodiphenylethane	L	ĸ,	-01	na/a	ANHOO4
			Dichlorodiphenyltrichloro-	1		-01	6/6n	ANH004
			ethane					
			Parathion	L1	. 4	-01	6/6n	ANHOO4
			2-Chloro-1(2,4-Dichlorophenyl)	L	r)	-01	6/6n	ANHD04
			Vinyldiethyl Phosphates					
			Trans-1,2-Dichloroethene	L	м	-01	6/8n	ANGOO4
			Tetrachloroethene	٢	ņ	-01	6/6n	ANG004
			Trichloroethene	⊢	ĸ,	-01	a/an	ANG004
			Ortho- & Para-Xylene	LT	ю М	-01	6/6n	ANG004
			Zinc		1.9	+01	6/6n	A0B009
	44-45	Soil	1,1,1-Trichloroethane	LT	'n	-01	6/8n	ANG005
			1.1.2-Trichloroethane	Ļ	м	-01	6/6n	ANG005
			1,1-Dichloroethane	LT	6	-01	6/6n	ANG005
			1,2-Dichloroethane	LT	'n	-01	na/a	ANG005
			m-Xylene	⊢	7.	-01	6/6n	ANG005
			Aldrin	LT	3.	-01	6/BN	ANHOOS
			Ansenio	L.1	5.0	00+	6/6n	A0C008
			Atrazine	۲٦	'n	-01	na/a	ANHOUS
			Bicycloheptadiene	_	œ.	-01	6/bn	ANGOOS
			Benzene	LT	ĸ,	-01	6/6n	ANG005
			Carbon Tetrachloride	Ţ	ń	-01	6/6n	ANGOOS
			Cadmium	L	6.6		6/6N	A0B010
			Methylene Chloride		r)	00+	na/a	ANG005

Results for Dibromochloropropane (DBCP) may appear in up to three analytical fractions. Results for Dicyclopentadiene (DCPD) may appear in up to two analytical fractions. Note:

Depth (ft)

Boring Number

94.45

0008

Sample Type	Analytical Farametérs	ŭ	Results	ď	Units	Sample	
Soi 1	Chloroform Hexachlorocyclopentadiene Chlorobenzene Chlordane		www.4.	-01 -01 -01 +00	6/80 08/80 08/80 08/80	ANGOOS ANHOOS ANGOOS ANHOOS	
	p-Chlorophenylmethyl Sulfoxide p-Chlorophenylmethyl Sulfone Chromium Copper Dibromochloropropane		7. 6.2 4.9	+00 -01 +00 +00	6/6n 6/6n 6/6n	ANHOO5 ANHOO5 AOBO10 AOBO10 ANEOO6	
	Dibromochloropropane Dibromochloropropane Dicyclopentadiene Dicyclopentadiene Vapona		466.46	-01 -01 -01	6/6n 6/6n 6/6n 6/6n	ANGOOS ANHOOS ANGOOS ANHOOS	
	Diisopropylmethyl Phosphonate Dithiane Dieldrin Dimethyldisulfide Endrin		n K n a n	-01 +00 -01 -01	6/6n 6/6n 6/6n	ANH005 ANH005 ANH005 ANG005 ANH005	
	Ethylbenzene Mercury Isodrin Toluene Methylisobutyl Ketone		က် က် က် က် ပြ	-01 -01 -01	6/6n 6/6n 6/6n 6/6n	ANGOOS AOAO10 ANHOOS ANGOOS ANGOOS	
	Malathion 1,4-Oxathiane Lead Dichlorodiphenylethane Dichlorodiphenyltrichloro- ethane		6.4.5. 6.4.6.	-01 +00 +01 -01	6/6n 6/6n 6/6n 6/6n	ANHOOS ANHOOS AOBOJO ANHOOS ANHOOS	
	Parathion 2-Chloro-1(2.4-Dichlorophenyl) Vinyldicthyl Phosphates	. L L	4 W	-01	6/6n 6/6n	ANHOOS ANHOOS	

ز

Results for Dibromochloropropane (DBCP) may appear in up to three analytical fractions. Results for Dicyclopentadiene (DCPD) may appear in up to two analytical fractions. Note:

Boring Number

8000

Sample Number	ANGODS ANGODS ANGODS ANGODS AOBOJO	BM0008 BMV005 BM0008 BMX018 BM0008	ВМООО8 ВМООО8 ВМООО8 ВМООО8 ВМХО 18	BMX018 BNA005 BM3008 BM3008 BM3008	виосов виосов виосов виосов виисте	ВМООО8 ВМООО8 ВМООО8 ВМХО18 ВМООО8	вмооов вмооов
St Urits Nu	ug/g Ar ug/g Ar ug/g Ar ug/g Ar	18 6/6n 18 6/6n 19 6/6n 19 6/6n	ig 6/6n	8 6/6n 8 6/6n 8 6/6n 6/6n	8 6/6n 6/6n 8 6/6n	8 6/6n 8 6/6n 8 6/6n 8 6/6n	a 6/6n
Results	LT 301 LT 301 LT 301 LT 301	LT 301 LT 2.5 +00 LT 301 LT 7.4 -01 LT 601	LT 2, +00 LT 3, -01 LT 3, -01 LT 6.5 +00	7.8 +00 LT 5.0 -03 LT 301 LT 1. +00 LT 3. +00	LT 1. +00 LT 401 LT 301 LT 501 LT 5.0 -02	LT 301 LT 701 LT 301 LT 8.4 +00 LT 601	LT 5, -01 LT 9, -01
Analytical Parameters	Trans-1,2-Dichloroethene Tetrachloroethene Trichloroethene Ortho- & Para-Xylene Zinc	Aldrin Arsenic Atrazine Cadmium Hexachlorocyclopentadiene	Chlordane p-Chlorophenylmethyl Sulfide . p-Chlorophenylmethyl Sulfoxide p-Chlorophenylmethyl Sulfone Chromium	Copper Dibromochloropropane Dibromochloropropane Dicyclopentadiene Vapona	Diisopropylmethyl Phosphonate Dithiane Dieldrin Endrin Mercury	Isodrin Malathion 1,4-Oxathiane Lead Dichlorodiphenylethane	Dichlorodinhenyltrichloro ethane Parathion
Sample Type	Soil	Soil					
Depth (ft)	44-45	0-1					,

Results for Dibromochloropropane (DBCP) may appear in up to three analytical fractions. Results for Dicyclopentadiene (DCPD) may appear in up to two analytical fractions. Note:

Sample Number	BM0008 BMX018	BMZ002 BMZ002 BMZ002 BMZ002 BMZ002	BMZ002 RM0009 BMV006 BM0009	BMZ002 BMZ002 BMZ002 BMZ002 BMZ002 BMZ009 BMZ009	BM0009 BM0009 BMX019 BMX019 BMX019 BMX002	BM0009 BMZ002 BM0009 BM0009
Units	6/6n	6/6n 6/6n 6/6n	0/6n 0/6n 0/6n	5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	6/6n 6/6n 6/6n	6/6n 6/6n 6/6n 6/6n
Results	LT 601	LT 401 LT 2. +00 LT 2. +00 LT 2. +00 LT 601	LT 801 LT 301 LT 2.5 +00 LT 301 LT 401		LT 901 LT 301 LT 301 LT 4.7 +00 LT 2. +00 LT 5.0 -03	LT 301 LT 701 LT 1. +00 LT 3. +00 LT 1. +00
Analytical Farameters	2-Chloro-1(2,4-Dichlorophenyl) Vinyldiethyl Phosphates Zinc	1,1.1-Trichloroethane 1,1.2-Trichloroethane 1,1-Dichloroethane 1,2-Dichloroethene 1,2-Dichloroethane	m-Xylene Aldrin Arsenic Atrazine Bicycloheptadiene	Benzene Carbon Tetrachloride Cadmium Methylene Chloride Chloroform Hexachlorocyclopentadiene Chlorobenzene	p-Chlorophenylmethyl Sulfide p-Chlorophenylmethyl Sulfoxide p-Chlorophenylmethyl Sulfone Chromium Copper Dibromochloropropane Dibromochloropropane	Dibromochloropropane Dicyclopentadiene Dicyclopentadiene Vapona Dilscpropylmethyl Phosphonate
Sample Type	Soil	Soil				
Depth (ft)	01	4-5				
Boring	6000	6000				

Results for Dibromochloropropane (DBCP) may appear in up to three analytical fractions. Results for Dicyclopentadiene (DCPD) may appear in up to two analytical fractions. Note:

Rocky Mountain Arsenal Program

Task 7 , Site 3-4 Nemagon 9

Ebasco Services Incorporated Summary of Analytical Results

Nemagor Spill Area

Borina Number	Depth (ft)	Sample Type	Analytical Parameters	Results	Umits	Sample Number
6000	4-5	Soil	Dithiane Dieldrin Dimethyldisulfide Endrin Ethylbenzene	LT 401 LT 301 LT 3. +01 LT 501 LT 401	6/6n 6/6n 6/6n 6/6n	8M0009 8M2009 8M2002 8M0009
			Mercury Isodrin Toluene Methylisobutyl Ketone Malathion	1.7 5.0 -02 1.7 301 1.7 301 1.7 701 1.7 701	6/6n 6/6n 6/6n 6/6n	BM0017 BM0009 BM2002 BM2002 BM0009
			1;4-Oxathiane Lead Dichlorodiphenylethane Dichlorodiphenyltrichloro- ethane Parathion	LT 301 LT 8.4 +00 LT 601 LT 501 LT 901	6/6n 6/6n 6/6n 6/6n 6/6n	BMGDD9 BMX019 BMGDD9 BMGDD9
			2-Chloro-1(2,4-Dichlorophenyl) Vinyldiethyl Phosphates Tetrachloroethene Trichloroethene Ortho- & Para-Xylene Zinc	LT 601 LT 301 LT 5. +00 3.7 +01	6/6n 6/6n 6/6n 6/6n	BM0009 BMZ002 BMZ002 BMX019
0010	01	Soil	Aldrin Arsenic Atrazine Cadmium Hexachlorocyclopentadiene	LT 301 LT 5.0 +00 LT 301 LT 7.4 -01 LT 601	6/6n 6/6n 6/6n 6/6n	BM0002 BM0002 BM0002 BM0002
			Chlordane p-Chlorophenylmethyl Sulfide p-Chlorophenylmethyl Sulfoxide p-Chlorophenylmethyl Sulfone Chromium	LT 2. +00 LT 901 LT 301 LT 301 9.6 +00	6/6n (6/6n) (6/6n) (7/6n) (7/6	8M0002 8M0002 8M0002 8M0002 8M0012
			Copper	9.7 +00	6/6n (BMX012

Note: Results for Dibromochloropropane (DBCP) may appear in up to three analytical fractions. Results for Dicyclopentadiene (DCPD) may appear in up to two analytical fractions.

Summary of Analytical Results Ebasco Services Incorporated

Boring Number

0010

Sample Number	8M0002 8MR015 8M3002 8M3002 8M0002	8M9002 BM0002 BM0002 BM010 BM0002	BM0002 BM0002 BM0002 BM0002 BM0002	BMX012 BMX012 BM0007 BM0007 BM0007	BN0003 BM0003 BM0003 BM0007 BM0007 BM0007 BM0007
Units ————	6/6n 6/6n 6/6n 6/6n	6/6n 6/6n 6/6n 6/6n	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 00/00/00 0 0 00/00 0 0 0 0 0 0 0 0 0	6/67 6/67 6/67 6/67
Results	LT 301 LT 5.0 -03 LT 1. +00 LT 3. +00 LT 1. +00	LT 401 LT 301 LT 501 LT 5.0 -02 LT 301	4	. w www.w. i	LT 301 LT 301 LT 301 LT 301 LT 301 LT 301 LT 301 LT 301
Analytical Parameters	Dibromochloropropane Dibromochloropropane Dicyclopentadiene Vapona Disopropylmethyl Phosphonate	Dithiane Dieldrin Endrin Mercury Isodrin	Malathion 1,4-Oxathiane Lead Dichlorodiphenylethane Dichlorodiphenyltrichloro- ethane Parathion	Vinyldiethyl Phosphates Zinc 1,1,1-Trichloroethane 1,1,2-Trichloroethane 1,2-Dichloroethane 1,2-Dichloroethane 1,2-Dichloroethane 2.5-Dichloroethane 3.5-Dichloroethane	Aldrin Arsenic Atrazine Bicycloheptadiene Benzene Carbon letrachloride Cadmium
Sample Type	\$0il			sof 1	
Depth (ft)	0 - 1				

Results for Dibromochloropropane (DBCP) may appear in up to three analytical fractions. Results for Dicyclopentadiene (DCPD) may appear in up to two analytical fractions. Note:

Rocky Mountain Arsenal Program

Summary of Analytical Results Ebasco Services Incorporated

0000

Boring Number

Nemagon Spill Area

Sample	8M0007 8M0003 8M0007 8M0003	BM0003 BM0003 BMX013 BMX013 BM0007	BM0003 BM016 BM0007 BM0003 BM0003	BM0003 BM0003 BM0003 BM0007 BM0003	BM0007 BMW011 BM0003 BM0007 BM0007	8MGC03 8MGC03 8MX013 8MG003 8MG003	BMQ003 BMQ003
Units	6/6n 6/6n 6/6n	6/6n 6/6n 6/6n 6/6n	6/8n 6/8n 6/6n 6/6n	6/6n 6/6n 6/6n 6/6n	6/6n 6/6n 6/6n 6/6n	6/6n 6/6n 6/6n	6/6n
Results	LT 3, -01 LT 6, -01 LT 3, -01 LT 2, +00 LT 9, -01	LT 301 LT 301 8.2 +00 6.4 +00 LT 401	LT 301 LT 5.0 -03 LT 301 LT 1. +00 LT 3. +00	LT 1. +00 LT 401 LT 301 LT 801 LT 501	LT 301 LT 5.0 -02 LT 301 LT 301 LT 301	LT 701 LT 301 LT 8.4 +00 LT 601 LT 501	LT 901 LT 601
Analytical Farameters	Chloroform Hexachlorocyclopentadiene Chlorobenzene Chlordane p-Chlorophenylmethyl Sulfide	p-Chlorophenylmethyl Sulfoxide p-Chlorophenylmethyl Sulfone Chromium Copper Dibromochloropropane	Dibromochloropropane Dibromochloropropane Dicyclopentadiene Uicyclopentadiene Vapona	Diisopropylmethyl Phosphonate Dithiane Dieldrin Dimethyldisulfide Endrin	Ethylbenzene Mercury Isodrin Toluene Methylisobutyl Ketone	Malathion 1,4-Oxathiane Lead Dichlorodiphenylethane Dichlorodiphenyltrichloro- ethane	Parathion 2-Chloro-1(2,4-Dichlorophenyl) Vinyldiethyl Phosphates
Sample Type	Soi 1						
Depth (ft)	\$:·\$						

Results for Dibromochloropropane (DBCP) may appear in up to three analytical fractions. Results for Dicyclopentadiene (DCPD) may appear in up to two analytical fractions. Note:

Depth (ft)

Boring Number

9-12

0010

0 - 1

0011

Nemagon Spill Area

Sample	Analytical Parameters	Re	Results	Units	Sample
. Soil	Tetrachloroethene Trichloroethene Ortho- & Para-Xylene Zinc	1 1 1	301 301 301 2.9 +01	6/6n 6/6n 6/6n	BM0007 BM0007 BM0007 BMX013
Soil.	Aldrin Arsenic Atrazine Cadmium Hexachlorocyclopentadiene		301 2.5 +00 301 7.4 -01 601	6/6n 6/6n 6/6n 6/6n	BMA002 BMC010 BMA002 BMD010 BMA002
	Chlordane p-Chlorophenylmethyl Sulfide p-Chlorophenylmethyl Sulfoxide p-Chlorophenylmethyl Sulfone Chromium		2. +00 901 301 301 6.5 +00	6/6n 6/6n 6/6n 6/6n	BMA002 BMA002 BMA002 BMA002 BMA002
	Copper Dibromochloropropane Dibromochloropropane Dicyclopentadiene Vapona		4.7 +00 5.0 -03 301 1. +00 3. +00	6/6n 6/6n 6/6n 6/6n	BMD010 BLW008 BMA002 BMA002 BMA002
	Diisopropylmethyl Phosphonate Dithiane Dieldrin Endrin Mercury		1. +90 401 301 501	6/6n 6/6n 6/6n 6/6n	BMADO2 BMADO2 BMADO2 BMAO02 BMAO02
	Isodrin Malathion 1,4-Oxathiane Lead Dichlorodiphenylethane		301 701 301 8.4 +00 601	6/6n 6/6n 6/6n 6/6n	BMA002 BMA002 BMA002 BMO010 BMA002
	Dichlorodiphenyltrichloro- ethane Parathion 2-Chloro-1(2,4-Dichlorophenyl) Vinyldiethyl Phosphates	ור ד	501 901 601	6/6n 6/6n	BMA002 BMA002 BMA002

Results for Dibromochloropropane (DECP) may appear in up to three analytical fractions. Results for Dicyclopentadiene (DCPD) may appear in up to two analytical fractions. Note:

Boring Number

0011 0011

Nemagon Spill Area

Task 7 , Site 3-4

Sample Number	BMD010	BL V004 BL V004	BLV004 BLV004 BLV004	BLV004 BMA003 BMC011 BMA003 BLV004	BLV004 BLV004 BMD011 BLV004 BLV004	BMA003 BLV004 BMA003 BMA003 BMA003	BMA003 BM0011 BM011 BLV004 BLW009	BMADO3 BLV004 BMADO3 BMADO3	BMAGG3 BMAGG3
Units	6/6n	6/6n 6/6n	6/6n 6/6n	6/6n 6/6n 6/6n 6/6n	6/6n 6/6n 6/6n 6/6n	6/6n 6/6n 6/6n 6/6n	6/6n 6/6n 6/6n	6/6n 6/6n 6/6n 6/6n	6/5N 6/5N
Results	1.5 +01	4 4	LT 2. +00 LT 2. +00 LT 601	LT 801 LT 301 LT 301 LT 301 LT 401	LT 301 LT 301 LT 7.4 -01 LT 2. +00 LT 301	LT 601 LT 1. +00 LT 2. +00 LT 901 LT 301	LT 301 1.7 +01 1.6 +01 . LT 2. +00 LT 5.0 -03	LT 301 LT 701 LT 1. +00 LT 3. +00 LT 1. +00	LT 401 LI 301
Analytical Parameters	Zinc	1,1,1-Trichloroethane 1,1,2-Trichloroethane	<pre>1,1-Dichloroethane 1,2-Dichloroethene 1,2-Dichloroethane</pre>	m-Xylene Aldrin Arsenic Atrazine Bicycloheptadiene	Benzene Carbon Tetrachloride Cadmium Methylene Chloride Chloroform	Hexachlorocyclopentadiene Chlorobenzene Chlordane p-Chlorophenylmethyl Sulfide p-Chlorophenylmethyl Sulfoxide	p-Chlorophenylmethyl Sulfone Chromium Copper Dibromochloropropane Dibromochloropropane	Dibromochloropropane Dicyclopentadiene Dicyclopentadiene Vapona Diisopropylmethyl Phosphonate	Dithiane Dieldrin
Sample Type	Soil	Soil							
Depth (ft)	01	5- 7							

Results for Dibromochloropropane (DRCF) may appear in up to three analytical fractions. Results for Dicyclopentadiene (DCPD) may appear in up to two analytical fractions. Note:

Boring Number

0011

Sample	BLV004 BMA003 BLV004 BKK011 BMA003	BLV004 BLV004 BMA003 BMA003	BMA003 BMA003 BMA003 BMA003 BLV004 BLV004 BLV004	BLV005 BLV005 BLV005 BLV005 BLV005 BLV005 BMA004 BMC012 BMA004	8LV005 8LV005 8MD012 8LV005
Units	6/6n 6/6n 6/6n 6/6n	6/6n 6/6n 6/6n	5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5		6/6n 6/6n 6/6n 6/6n
Results	LT 2. +01 LT 501 LT 401 LT 5.0 -02 LT 301	LT 301 LT 701 LT 701 LT 301 LT 8.4 +00	LT 601 LT 901 LT 601 LT 501 LT 5. +00		LT 301 LT 301 LT 7.4 -01 LT 2. +00
Analytical Parameters	Dimethyldisulfide Endrin Ethylbenzene Mercury Isodrin	Toluene Methylisobutyl Ketone Malathion 1.4-Oxathiane Lead	Dichlorodiphenylethane Dichlorodiphenyltrichloro- ethane Farathion 2-Chloro-1(2,4-Dichlorophenyl) Vinyldiethyl Phosphates Tetrachloroethene Trichloroethene Orthon & Para-Xylene	1,1,1-Trichloroethane 1,1,2-Trichloroethane 1,2-Dichloroethane 1,2-Dichloroethane 1,2-Dichloroethane M-Xylene Aldrin Arsenic Atrazine Bicycloheptadiene	Benzene Carbon Fetrachloride Cadmium Methylene (hloride
Sample	Soi 1			Soil	
Depth (ft)	7 - 22			9-10	

Results for Dibromochloropropane (DBCP) may appear in up to three analytical fractions. Results for Dicyclopentadiene (DCPD) may appear in up to two analytical fractions. Note:

Depth (ft)

Boring Number

9--10

0011

Task 7 , Site 3-4

Sample Type	Analytical Parameters	ਲ ਗੁ	Results		Units	Sample Number	
Soil	Chloroform Hexachlorocyclopentadiene Chlorobenzene Chlordane p-Chlorophenylmethyl Sulfide		90406	-01 -01 +00 +00	6/6n 6/6n 6/6n 6/6n	BLV005 8MA004 BLV005 8MA004 8MA004	
	p-Chlorophenylmethyl Sulfoxide p-Chlorophenylmethyl Sulfone Chromium Copper Dibromochloropropane	ב נו	5.00 y	-01 -01 +00 +00	6/6n 6/6n 6/6n	BMA004 BMA004 BMD012 BMD012 BLV005	
	Dibromochloropropane Dibromochloropropane Dicyclopentadiene Dicyclopentadiene Vapona	r r r r d	5.0 3.	-03 -01 -01 +00 +00	6/8n 6/8n 6/8n 6/8n	BLW010 BMA004 BLV005 BMA004 BMA004	
	Diisopropylmethyl Phosphonate Dithiane Dieldrin Dimethyldisulfide Endrin		4.6.6.5	+00 -01 -01 +01	6/6n 6/6n 6/6n 6/6n	BMA004 BMA004 BMA004 BLV005 BMA004	
	Ethylbenzene Mercury Isodrin Toluene Methylisobutyl Ketone		. 40.00 . 10.00 . 10.00	-01 -02 -01 -01	6/6n 6/6n 6/6n 6/6n	BL VOO5 BKK 012 BMADO4 BL VOO5 BL VOO5	
	Malathion 1,4-Oxathiane Lead Dichlorodiphenylethane Dichlorodiphenyltrichloro- ethane	11111111111	5.00	-01 -01 -01 -01	6/6n 6/6n 6/6n 6/6n	BMA004 BMA004 BMD012 BMA004 BMA004	
	Parathion 2-Chloro-1(2,4-Dichlorophenyl) Vinyldiethyl Phosphates	L.T L.f	6.6	-01	6/6n 6/6n	BMADO4 BMADO4	

Results for Dibromochloropropane (DBCP) may appear in up to three analytical fractions. Results for Dicyclopentadiene (UCPD) may appear in up to two analytical fractions. Note:

Depth

Boring Number

0011

Jepth (ft)	Sample Type	Analytical Parameters	8	Results		Units	Sample Number	
9-10	50il	Tetrachloroethene Trichloroethene Ortho- & Para-Xylene Zinc		မှ ကု ကု မှ 11	-01 -01 +00 +01	6/6n 6/6n 6/6n	8LV005 BLV005 BLV005 BMD012	
0-1	Soil	Aldrin Arsenic Atrazine Cadmium Hexachlorocyclopentadiene		8.88.79.89.49.49.49.49.49.49.49.49.49.49.49.49.49	-01 +00 -01 -01	6/6n 6/6n 6/6n	BMA008 BMC016 BMA008 BMD016 BMA008	
		Chlordane -Chlorophenylmethyl Sulfide -Chlorophenylmethyl Sulfoxide -Chlorophenylmethyl Sulfone Chromium		2 6 8 8 5	+00 -01 -01 +01	8/6n 6/6n 6/6n 6/6n	BMAD08 BMAD08 BMAD08 BMAD08	
		Copper Dibromochloropropane Dibromochloropropane Dicyclopentadiene	וונו	1.3 3.0 3.	+01 -03 -01 +00	6/6n 6/6n 6/6n	BMD016 BLW014 BMAD08 BMAD08 BMAD08	
		Diisopropylmethyl Phosphonate Dithiane Dieldrin Endrin Mercury	ניניני	1. 4. 5.0	+00 -01 -01 -01	6/6n 6/6n 6/6n	BMA008 BMA008 BMA008 BMA008 BKK016	
		Isodrin Malathion 1,4-Oxathiane Lead Dichlorodiphenylethane	111111111111111111111111111111111111111	. 5 . 5 . 5	-01 -01 -01 -01	6/6n 6/6n 6/6n 6/6n	BMA008 BMA008 BMA008 BMD016 BMA008	
		Dichlorodiphenyltrichloro- ethane Farathion 2-Chloro-1(2,4-Dichlorophenyl) Vinyldiethyl Phosphates		ં છે છે	-01	6/6n 6/6n	BMA008 BMA008 BMA008	

Results for Dibromochloropropane (DBCP) may appear in up to three analytical fractions. Results for Dicyclopentadiene (DCPD) may appear in up to two analytical fractions. Note:

Summary of Analytical Results

0012 0012

Depth

Boring Number

Nemagon Spill Area

Septh (ft)	Sample Type	Analytical Farameters	Results	Units	Sample	
0-1	Soi1	Zinc	5.2 +01	11 ug/g	8MD016	
L	•		. + -	7/01	9000 IB	
5	1100	1.1.1. Trichtor occupate			BL VOOS	
		1,1,2=Ifichioroethane		_	21 VOOS	
		I,1-Uichloroethane	,		pLV008	
		1.2-Dichloroethene	LI 2. +UU	+UO 09/9	81,7008	
		1,2-Dichieroethane	ċ		00.000	
		-Xvlene	LT 801	11 ug/g	BL.V008	
		Aldrin	m		BMA009	
		Arsenio	2.5		BMC017	
		Atrazine		-01 ug/g	BMA009	
		Bicycloheptadiene	4.	-01 ug/g	8LV008	
		Renzene		-01 ua/a	81.0008	
		Carbon Tetrachloride	M		81, V008	
			7.4		BMD017	
		Methylene Chloride	5	_	BLV008	
		Chloroform		Ī	BLV008	
		Hexachlorocyclopentadiene	۰,	_	BMA009	
		Chlorobenzene .	₩.	#00 ng/a	BLV008	
		Chlondane	5.	_	BMA009	
		p-Chlorophenylmethyl Sulfide	6	-01 ug/g	8MA009	
		p-Chlorophenylmethyl Sulfoxide		-01 ug/g	BMA009	
		n-Chlorophenylmethyl Sulfone)- '. ⊥ .	-01 ua/a	BMA009	
			1.4		BMD017	
		Copper			BMD017	
		Dibromochloropropane		_	BL.V008	
		Dibromochloropropane	5.0		BLW015	
		Dibromochloropropane	ń	-01 ug/q	BMA009	
		Dicyclopentadiene	7	-01 ug/g	81,0008	
		Dicyclopentadiene	1.		BMA009	
		Vapona	ĸ)	6/6n 00+	BMA009	
		Diisopropylmethyl Phosphonate	, 1.	e/6n 00+	BMA009	
				-01 ua/a	BMA009	
		Ulchiane Dieldrin	i n		BMA009	

Results for Dibromochloropropane (DRCF) may appear in up to three analytical fractions. Results for Dicyclopentadiene (DCPD) may appear in up to two analytical fractions. Note:

Boring Number

0012

lask 7 , Site 3-4

Nemagon Spill Area

Depth (ft)	Sample Type	Analytical Parameters	بر م	Results	ري د	Units	Sample Number	
/ - E,	l i c's	Dimethy diendfide	-	,	+01	6/51	אטטא וא	
) I	# #)	Findrin	- }	i in	10	(a)/a	BMA009	
		Ethylbenzene	<u> </u>	, 4	-01	ug/a	BLVOOR	
		Mercury	ļ	5,0		6/6n	BKK017	
		Isodrin	LT	ъ.	-01	6/6n	BMA009	
		Tolliene	_	Μ,	10-	110/0	RI VOOR	
		Methylisobutyl Ketone	. <u>.</u> .		-01	ma/a	BLV008	
		Malathion	٦	7	-01	6/6ri	BMA003	
		1,4-Oxathiane	1	, (4	-01	ø/øn	BMA009	
		Lead	LT	8.4		6/6n	BMD017	
		Dichlorodiphenylethane	ļ	Ġ	-01	g/gn	BMA009	
		Dichlorodiphenyltrichloro-	ב	5	-01	6/6n	BMA009	
		ethane						
		Parathion	٦	6	-01	na/a	BMA009	
		2-Chloro-1(2,4-Dichlorophenyl)	ר		-01	6/6n	. BMA009	
		Vinyldiethyl Phosphates						
		Tetrachloroethene	LT	ю.	-01	na/a	81,0008	
		Trichloroethene	LT	υ.	-01	na/a	BLV008	
		Orthor & Para-Xylene	٢٦	ъ.	+00	na/a	BLV008	
		Zinc		4.5		6/6n	BMD017	
9-10	Soil	1,1,1-Trichloroethane		4.	-01	6/6n	BL2002	
		1,1,2-Trichloroethane	1	4.	-01	6/6n	BL 2002	
		1,1-Dichlorcethane	. LT	8	+00	6/6n	BLZ002	
		1,2-Dichloroethene	٢٦	6	+00	6/6n	BL 2002	
		1,2-Dichloroethane	LT	٠,	-01	6/6n	BL 2002	
		m-Xylene	ĽŢ	8	-01	6/80	BLZ002	
		Aldrin	٦	'n	-01	6/6n	BMA010	
		Arsenic	1	2.5	+000	6/6n	BMC018	
		Atrazine		m,	.01	6/6n	BMA010	
		Bicycloheptadiene	L	4.	01	6/8n	BL 2002	
		Benzene	LT	*	-01	6/60	BL 2002	
		Carbon Tetrachloride	LT	М.		6/6n	BLZ002	
		Cadmium		7.4		6/6n	BMD018	
		Methylene Chloride	LT	.∨	00+	6/6n	BL 2002	

0012

Results for Dibromochloropropane (DBCP) may appear in up to three analytical fractions. Results for Dicyclopentadiene (DCPD) may appear in up to two analytical fractions. Note:

Depth (ft)

Boring Number 9-10

0012

lask 7 , Site 3-4

Depth (ft)

Boring Number

9-10

0012

0--1

0013

Nemagor Spill Area

Sample Number	BL.2002 BL.2002 BL.2002 BMD018	BMB002 BMC019 BMB002 BMD019 BMB002	8M8002 8M8002 8M8002 8M8002 8M0019	BMD019 BLW017 BMB002 BMB002 RMB002	вмвоо2 вмвоо2 вмвоо2 вмвоо2 вкко19	BMB002 BMB002 BMB002 BMD019 BMB002	вмвоо2 вмвоо2 вмвоо2
Units	ua/a ua/a ua/a ua/a	6/6n 6/6n 6/6n 6/6n 6/6n	6/6n 6/6n 6/6n	6/6n 6/6n 6/6n 6/6n 6/6n	6/6n 6/6n 6/6n 6/6n	6/6n 6/6n 6/6n 6/6n 6/6n	6/6n 6/6n 6/6n
Results	LT 301 LT 501 LT 5. +00 2.3 +01	LT 301 LT 2.5 +00 LT 301 LT 7.4 -01 LT 601	LT 2. +00 LT 901 LT 301 LT 301 LT 6.5 +00	8.7 +00 LT 5.0 -03 LT 301 LT 1. +00 LT 3. +00	LT 1. +00 LT 401 LT 301 LT 501 LT 5.0 -02	LT 301 LT 701 LT 301 1.1 +01 LT 601	LT 501 LT 901 LT 601
Analytical Parameters	Tetrachloroethene Trichloroethene Ortho- & Para·Xylene Zinc	Aldrin Arsenic Atrazine Cadmium Hexachlorocyclopentadiene	Chlordane p-Chlorophenylmethyl Sulfide p-Chlorophenylmethyl Sulfoxide p Chlorophenylmethyl Sulfone Chromium	Copper Dibromochloropropane Dibromochloropropane Dicyclopentadiene Vapona	Diisopropylmethyl Phosphonate Dithiane Dieldrin Endrin Mercury	Isodrin Malathion 1,4-Oxathiane Lead Dichlorodiphenylethane	Dichlorodiphenyltrichloro- ethane Farathion 2-Chloro-1(2,4-Dichlorophenyl) Vinyldiethyl Phosphates
Sample	Soil	Soil					

Results for Dibromochloropropane (DBCP) may appear in up to three analytical fractions. Results for Dicyclopentadiene (DCPD) may appear in up to two analytical fractions. Note:

Depth (ft)

Boring Number

0..1 4-5

Sample [ype	Analytical Parameters	R e	Results	1	Units	Sample Number
Soil	Zinc		2.8	+0.1	6/6n	BMD019
Soil	1,1,1-Trichloroethane	11	4 4	-01	ua/a ua/a	BL 2003
	1,1-Dichloroethane	٦		+00	6/6n	BL 2003
	1,2-Dichloroethene	-1		+00	6/6n	BL 2003
	1,2-Dichloroethane	٢٦	٠,	-01	na/a	BL 2003
	m.Xylene	LT		-01	6/6n	BL.2003
	Aldrin	Ļ		-01	6/6n	BMB003
	Arsenic		2,5	00÷	na/a	BMC020
	Atrazine	٢٦		-01	6/6N	BMB00.3
	Bicycloheptadiene	٦	. 4	-01	na/a	81,2003
	Benzene	1	ĸ,	-01	6/6n	BL2003
	Carbon Tetrachloride	۲	'n	-01	6/6N	BL 2003
	Cadmium	L	7.4	-01	6/6n	BMD020
	Methylene Chloride	LI	2.	00+	6/6n	BL 2003
	Chloroform	Ļ	'n.	-01	6/6n	BL 2003
	Hexachlorocyclopentadiene	1	۶.	-01	na/a	BMB003
	Chlorobenzene	۲	1.	+00	na/a	BL 2003
	Chlordane	۲	2.	+00	na/a	BMB003
	p-Chlorophenylmethyl Sulfide	Ļ	6	-01	6/6n	BMB003
	p-Chlorophenylmethyl Sulfoxide	LT	'n.	-01	na/a	BMBOO3
	p-Chlorophenylmethyl Sulfone	LT	w.	-01	na/a	BMB003
			6.7	00+	6/6n	BMD020
	Copper		6.3	+00	6/6n	BMD020
	Dibromochloropropane	- 1	5,0	-03	6/5n	BLW018
	Dibromochloropropane	LI	, ,	+0:0	6/6n	BL.2003
	Dibromochloropropane	L	3	-01	a/en	BMB003
	Dicyclopentadiene	۲	7.	-01	6/6n	BL 2003
	Dicyclopentadiene	<u>ا</u>	1.	00+	na/a	BMBOO3
	Vapona	L	М.	+00	na/a	BMB003
	Diisopropylmethyl Phosphonate	-	1.	00+	6/6n	BMB003
	Dithiane	ב ב		7	6/6n	BMB003 RMB003
	Dieldrin	- -	ċ	- C	6 / 6 H	0000

Results for Dibromochloropropane (DBCP) may ampear in up to three analytical fractions. Results for Dicyclopentadiene (DCPD) may ampear in up to two analytical fractions. Note:

Ebasco Ser	Ebasco Services Incorporaled	aled	Rocky Mountain Arsenal Program	ogram		11/02/
Summary of	Summary of Analytical Re	Results	lask 7 , Site 3-4 Nemagon S	Nemagon Spill Area		
Boring Number	Depth (ft)	Sample Type	Analytical Parameters	Results	Units	Sample Number
0013	4 · 5	Soil	Dimethyldisulfide Fendrin Endrin Ethylbenzene Mercury Isodrin	LT 2. +01 LT 501 LT 5.0 -02 LT 5.0 -02 LT 301	6/6n 6/6n 6/6n 6/6n 6/6n 6/6n 1	BL 2003 BMB003 BL 2003 BKK020 BMB003
			Toluene Methylisobutyl Ketone Malathion 1,4…Oxathiane Lead	LT 301 LT 701 LT 701 LT 301 LT 8.4 +00	6/6n 0 6/6n 1 6/6n 1 6/6n 1	BLZ003 BLZ003 BMB003 BMB003 BMD020
			Dichlorodiphenylethane Dichlorodiphenyltrichloro- ethane Farathion 2-Chloro-1(2,4-Dichlorophenyl) Vinyldiethyl Phosphates Tetrachloroethene	LT 601 LT 501 LT 901 LT 601 LT 301	6/6n 6/6n 6/6n	BMB003 BMB003 BMB003 BLZ003
0013	9-10	Soil	Trichloroethene Ortho. & Para-Xylene . Zinc 1.1.1-Trichloroethane 1.1.2-Trichloroethane 1.1.0.00000000000000000000000000000000	LT 501 LT 5. +00 LT 2.7 +01 LT 401 LT 2. +00 LT 2. +00	6/6n (6/6n (6/6))))))))))))))))))))))))))))))	BL 2003 BL 2003 BMD020 BL 2004 BL 2004 BL 2004
			1,2-Dichloroethane 1,2-Dichloroethane m-Xylene Aldrin Arsenic Atrazine Bicycloheptadiene			BLZ004 BLZ004 BMB004 BMC021 BMB004 BLZ004

Results for Dibromochloropropane (DBCP) may appear in up to three analytical fractions. Results for Dicyclopentadiene (DCPD) may appear in up to two analytical fractions. Note:

BL 2004 BL 2004 BMT005 BL 2004

6/6n 6/6n 6/6n

3. -01 3. -01 6.6 -01 2. +00

Carbon Tetrachloride Methylene Chloride

Benzene Cadmium

Summany of Analytical Results Ebasco Services Incomporated

Boring Number

0013

BML 005 BMT005 BLZ004 BMB004 BMB004 BM1005 BMR004 BMB004 BL 2004 BL 2004 BL 2004 Sample Number **BMB004** BLW019 BMB004 BL 2004 **BMB004** BMB004 **BMB**004 BMB004 BL 2004 **BMB004** BLZ004 BMB004 BMB004 BMB004 BL 2004 6/6n 6/6n 6/6n β/6⊓ 6/6n na/a 6/6n 6/6n ø∕øn a/an ø/øn 6/6n 6/6n na/a 6/6n 6/6n 6/6n 6/60 ug/g 6/6n na/a na/a 6/6n 6/6n a/an na/a Units a/an +01 00+ 00+ -01 -01 -01 +00 +00 -01 -01 -03 00+ -01 00+ 00+ +09 -01 -01 -01 0. -01 Results 5.0 8.0 8.6 5.0 'n 9.0 è. ۲ p-Chlorophenylmethyl Sulfoxide Diisopropylmethyl Phosphonate p-Chlorophenylmethyl Sulfone p.Chlorophenylmethyl Sulfide Hexachlorocyclopentadiene Analytical Parameters Methylisobutyl Ketone Dibromochloropropane Dibromochloropropahe Dibromochloropropane Dicyclopentadiene Dicyclopentadiene Dimethyldisulfide Chlorobenzene Ethylbenzene Chloroform Malathion Chlordane Dithiane Chromium Dieldrin Isodrin Foluene Mercury Endrin Vapona Sample Type Soil Depth (ft) 9-10

BMB004 BMB004

ug/g ug/g

-01

6.6

11

2-Chlero-1(2,4-Dichlorophenyl)

Parathion

ethane

Vinyldiethyl Phosphates

BMT005

6/6n

+01

09/80 03/8

-01

. 20

Dichlorodiphenyltrichloro-

Dichlorodiphenylethane

1,4-Oxathiane

Lead

BMB004 BMB004 BMB004

Results for Dibromochloropropane (DBCP) may appear in up to three analytical fractions. Results for Dicyclopentadiene (DCPD) may appear in up to two analytical fractions. Note:

Summary of Analytical Results Ebasco Services Incorporated

Depth

Boring Number

0.001.3

Sample						Sample
	Analytical Parameters	8	Results	σ :	Urits	Number
	Tetrachloroethene Trichloroethene Ortho- & Para-Xylene Zinc	1 1 1 1	က ကြည်သို့ကိ	.01 .01 .01	6/6n 6/6n 6/6n 6/6n	BL.2004 BL.2004 BL.2004 BMT.005
	Aldrin Arsenic Atrazine Cadmium Hexachlorocyclopentadiene		9. 9. 9. 9. 9. 9. 9. 9. 9. 9. 9. 9. 9. 9	-01 +00 -01 -01	6/6n 6/6n 6/6n 6/6n	BLL002 BMC023 BLL002 BM1006
	Chlordane P-Chlorophenylmethyl Sulfide P-Chlorophenylmethyl Sulfoxide P-Chlorophenylmethyl Sulfone Chromium		5.7 × .0 × .0 × .0 × .0 × .0 × .0 × .0 ×	-01 +00 +00 -01 +00	6/6n 6/6n 6/6n 6/6n	BLL002 BLL002 BLL002 BLC002 BMT006
	Copper Dibromochloropropane Dibromochloropropane Dicyclopentadiene Vapona		ა დ	+00 -01 -03	6/6n 6/6n 6/6n 6/6n	BM1006 BLL002 BMF005 BLL002
	Diisopropylmethyl Phosphonate Dithiane Dieldrin Endrin Mercury		8 8 8 7 8 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	-01 +00 -01 -01	6/6n 6/6n 6/6n 6/6n	8LL002 BLL002 BLL002 BLL002 BML006
	Isodrin Malathion 1,4-Oxathiane Lead Dichlorodiphenylethane			-01 +00 +01 -01	6/6n 6/6n 6/6n 6/6n	BLL002 BLL002 BLL002 BMT006 BLL002
	Dichlorodiphenyltrichloro- ethane Parathion 2-Chloro-1(2,4-Dichlorophenyl) Vinyldiethyl Phosphates	L.1 L.1	٠. 4 س	-01 -01	6/6n 6/6n	BLL002 BLL002

Results for Dibromochloropropane (DBCF) may appear in up to three analytical fractions. Results for Dicyclopentadiene (DCPD) may appear in up to two analytical fractions. Note:

Boring Number

0014 0014

1

Nemagon Spill Area

Task 7 . Site 3.4

Depth (ft)	Sample	Analytical Parameters	Results	Units	Sample
01	Soil.	Zinc	6.0 +01	6/5n	BM 1006
4-5	Soi 1	1,1,1-Trichleroethane 1,1,2-Trichleroethane 1,1-Dichleroethane 1,2-Dichleroethane 1,2-Dichleroethane	LT 301 LT 301 LT 901 LT 301 LT 301	6/6n 6/6n 6/6n 6/6n	BME002 BME002 BME002 BME002 BME002
		m-Xylene Aldrin Arsenic Atrazine Bicycloheptadiene	LT 701 LT 301 LT 2.5 +00 LT 301 LT 301	6/6n 6/6n 6/6n	BME002 BLL003 BMC024 BLL003 BME002
		Benzene Carbon Tetrachloride Cadmium Methylene Chloride Chloroform	LT 301 LT 301 LT 6.6 -01 LT 701 LT 301	6/6n 6/6n 6/6n	BME002 BME002 BME007 BME002
		Hexachlorocyclopentadiene Chlorobenzene Chlordane p-Chlorophenylmethyl Sulfide p-Chlorophenylmethyl Sulfoxide	LT 301 LT 301 LT 601 LT 4. +00 LT 7. +00	6/6n 6/6n 6/6n 6/6n	BLL003 BRC002 BLL003 BLL003
		p-Chlorophenvimethyl Sulfone Chromium Copper Dibromochloropropane Dibromochloropropane	LT 601 6.5 +00 9.2 +00 LT 301 LT 401	6/6n 6/6n 6/6n 6/6n 6/6n	BLL003 BMT007 BMT007 BLL003 BME002
		Dibromochloropropane Dicyclopentadiene Dicyclopentadiene Vapona Diisopropylmethyl Phosphonate	LT 5.0 -03 LT 401 LT 301 LT 301 LT 301	6/6n 6/6n 6/6n 6/6n	BMF006 BLL003 BME002 BLL003

Dithiane Dieldrin

BLL003 BLL003

na/a na/a

+00

2.2

L' -

Results for Dibromochloropropane (DBCP) may appear in up to three analytical fractions. Results for Dicyclopentadiene (DCPD) may appear in up to two analytical fractions. Note:

Task 7 , Site 3-4

Nemagon Spill Area

Sample Number	BME002 BLL003 BME002 BML007 BLL003 BME002 BME002 BLL003 BMT007	BLL003 BLL003 BLL003 BLL003 BME002 BME002 BMT007	BME003 BME003 BME003 BME003 BME003 BLL004 BMN005 BLL004 BME003 BME003 BME003
Units	6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	6/6n 6/6n 6/6n 6/6n	6 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
Results	LT 801 LT 301 LT 5.0 -02 LT 301	LT 301 LT 601 LT 301 LT 301 LT 301 LT 301	LT 301
Analytical Parameters	Dimethyldisulfide Endrin Ethylberizene Mercury Isodrin Toluene Methylisobutyl Ketone Malathion 1,4-Oxathiane Lead	Dichlorodiphenylethane Dichlorodiphenyltrichloro- ethane Parathion 2-Chloro-1(2,4-Dichlorophenyl) Vinyldiethyl Phosphates Tetrachloroethene Trichloroethene Ortho- & Para-Xylene Zinc	1,1,1-Trichloroethane 1,1,2-Trichloroethane 1,1-Dichloroethane 1,2-Dichloroethane 1,2-Dichloroethane 1,2-Dichloroethane m-Xylene Aldrin Arsenic Atrazine Bicycloheptadiene Carbon Tetrachloride Cadmium Methylene Chloride
Sample Type	Soil		Soil
Depth (ft)	5 5		9-10
Boring Number	0014		0014

Results for Dibromochloropropane (DBCP) may appear in up to three analytical fractions. Results for Dicyclopentadiene (DCPD) may appear in up to two analytical fractions. Note:

Depth (ft)

Boring Number

9-10

0014

Sample	Analytical Parameters	η Θ	Results		Units	Sample Number	
Soil	Chloroform Hexachlorocyclopentadiene Chlorobenzene Chlordane p-Chlorophenylmethyl Sulfide	ין דין דין		-01 -01 -01 -01	6/6n 6/6n 6/6n 6/6n	BME003 BLL004 BME003 BLL004 BLL004	
	p-Chlorophenylmethyl Sulfoxide p-Chlorophenylmethyl Sulfone Chromium Copper		7. 6. 7. 8. 9.	+00 -01 +00 +00 +00	6/6n 6/6n 6/6n 6/6n	BLL004 BLL004 BMT008 BMT008 BLL004	
	Dibromochloropropane Dibromochloropropane Dicyclopentadiene Dicyclopentadiene Vapona	r. r	4 % 0	-01 -03 -01 -01	6/6n 6/6n 6/6n	BME003 BMF007 BLL004 BME003 BLL004	
	Diisopropylmethyl Phosphonate Dithiane Dieldrin Dimethyldisulfide Endrin		n n n n n n	-01 +00 -01 -01	6/6n 6/6n 6/6n 6/6n	BLL004 BLL004 BLL004 BME003 BLL006	
	Ethylbenzene Mercury Isodrin Toluene Methylisobutyl Ketone			-01 -01 -01	6/6n 6/6n 6/6n	BME003 BML008 BLL004 BME003 BME003	
	Malathion 1,4-Oxathiane Lead Dichlorodiphenylethane Dichlorodiphenyltrichloro- ethane		6.4.6. 6.4.3.	+00 +01 -01	6/6n 6/6n 6/6n	BLL.004 BLL.004 BMT008 BLL.004 BLL.004	
	Parathion 2-Chloro-1(2,4 Dichlorophenyl) Vinyldiethyl Phosphates	L L L L L L L L L L L L L L L L L L L	3.	-01	6/5n na/5	8LL004 BLL004	

Results for Dibromochlorepropane (DRCF) may appear in up to three analytical fractions. Results for Dicyclopentadiene (DCFD) may appear in up to two analytical fractions. Note:

Summary of Analytical Results Ebasco Services Incorporated

Boring Number

0014

0014

Sample Number	BMEOO3 BMEOO3 BMEOO3 BMTOO8	BME004 BME004 BME004 BME004	BME 004 BLL 005 BMN 006 BLL 005 BME 004	BME 004 BME 004 BMT 009 BME 004 BME 004	BLL005 BME004 BLL005 BLL005 BLL005
Units	6/6n 6/6n 6/6n	6/6n 6/6n 6/6n 6/6n 6/6n	6/6n 6/6n 6/6n 6/6n	6/6n 6/6n 6/6n 6/6n 6/6n	6/6n 6/6n 6/6n 6/6n 6/6n
Results	LT 301 LT 301 LT 301 1.7 +01	LT 301 LT 301 LT 901 LT 301	LT 701 LT 301 LT 2.5 +00 LT 301 LT 301	LT 301 LT 301 LT 6.6 -01 LT 701 LT 301	LT 301 LT 301 LT 601 LT 4. +00 LT 7. +00
Analytical Parameters	Tetrachloroethene Trichloroethene Ortho- & Fara-Xylene Zinc	1,1,1-Trichloroethane 1,1,2-Trichloroethane 1,1-Dichloroethane 1,2-Dichloroethane 1,2-Dichloroethane	m-Xylene Aldrin Arsenic Atrazine Bicycloheptadiene	Benzene Carbon Tetrachloride Cadmium Methylene Chloride Chloroform	Hexachlorocyclopentadiene Chlorobenzene Chlordane p-Chlorophenylmethyl Sulfide p-Chlorophenylmethyl Sulfoxide
Sample Type	5011	Soil			
Depth (ft)	9-10	14-15			

Results for Dibromochloropropane (DBCP) may appear in up to three analytical fractions. Results for Dicyclopentadiene (DCPD) may appear in up to two analytical fractions. Note:

BLL005 BME004

BMF008

na/a

-03

5.0

Dibromochloropropane

Dicyclopentadiene Dicyclopentadiene

Dibromochloropropane Dibromochloropropane

81,005 BMT009 **BM1009**

na/a

+00 -01 +00

5.2

-01

6/60 6/60 6/6n 09/9 ø∕øn

p-Chlorophenylmethyl Sulfone

Chromium

Copper

BLLC05 BME004 BLL005 BLL005

ug/a ug/a ug/a

1000

Diisopropylmethyl Phosphonate

Vapona

Nemagon Spill Area

Task 7 , Site 3-4

		p .	Analytical Parameters	Re	Results	damento na	Urits	Number
0014	14-15	Soi 1	Dithiane Dieldrin Dimethyldisulfide Endeln Ethylbenzene			+00 01 01 01	6/6n 6/6n 6/6n	BLL005 BLL005 BME004 BLL005
			Mercury Isodrin Toluene Methylisobutyl Ketone Malathion		ပြ တွင်းလုံးလုံးလုံ	-02 -01 -01 -01	6/6n 6/6n 6/6n 6/6n	BML009 BLL005 BME004 BME004 BLL005
			1,4-Oxathiane Lead Dichlorodiphenylethane Dichlorodiphenyltrichloro- ethane Parathion	,	6. 4. 6. 4. 6. 6. 6. 6. 6. 6. 6. 6. 6. 6. 6. 6. 6.	+00 +01 -01 -01	6/6n 6/6n 6/6n 6/6n 6/6n	8LL005 8MT009 8LL005 8LL005
			2-Chloro-1(2,4-Dichlorophenyl) Vinyldiethyl Phosphates Tetrachloroethene Trichloroethene Ortho- & Para-Xylene Zinc	LT		-01 -01 -01 +01	6/6n 6/6n 6/6n 6/6n	BLL005 BME004 BME004 BMT009
0014	19-20	Soil	1,1,1-Trichloroethane 1,1,2-Trichloroethane 1,1-Dichloroethane 1,2-Dichloroethane 1,2-Dichloroethane	111111111111111111111111111111111111111	.	-01 -01 -01	6/6n 6/6n 6/6n 6/6n	BME005 BME005 BME005 BME005
			m-Xylene Aldrin Arsenic Atrazine Bicycloheptadiene		8 8 8 9 7	-01 -01 +00 -01	6/6n 6/6n 6/6n	BME005 BLL006 BMN007 BLL006 BME005

Summary of Analytical Results Ebasco Services Incorporated

Depth (ft)

Boring Number

19-20

Sample	Analytical Parameters	Re	Results		Units	Sample
Soil	Carbon Tetrachloride: Cadmium Methylene Chloride Chloroform Hexachlorocyclopentadiene		0 0 0 0 0 0 0	-01 -01 -01 -01	0 0 0 0 0 0 0 0 0 0 0 0	BME005 BMT010 BM0005 RME005 BLL006
	Chlorobenzene Chlordane p-Chlorophenylmethyl Sulfide p-Chlorophenylmethyl Sulfoxide		w 0 4 V 0	-01 -01 +00 +00	6/6n 6/6n 6/6n	BME005 BLL006 BLL006 BLL006 BLL006
	Chromium Copper Dibromochloropropane Dibromochloropropane		5.2 4.9 5.0	+00 +00 -01 -01	6/6n 6/6n 6/6n 6/6n	BM1010 BM1010 BLL006 BME005 BMF009
	Dicyclopentadiene Dicyclopentadiene Vapona Diisopropylmethyl Phosphonate Dithiane	רוויים ל	4 W W W K	-01 -01 -01 +00	6/6n 6/6n 6/6n 6/6n	BLL006 BME005 BLL006 BLL006 BLL006
	Dieldrin Dimethyldisulfide Endrin Ethylbenzene Mercury	1111		-01 -01 -01 -01	8/8n 8/8n 8/8n 8/8n	BLL006 BME005 BLL006 BME005
	Isodrin Toluene Methylisobutyl Ketone Malathion 1,4-Oxathiane		ท่ะท่ะห่ง	-01 -01 -01 +00	6/6n 6/6n 6/6n	BLL006 BME005 BME005 BLL006
	Lead Dichlorodiphenylethane Dichlorodiphenyltrichloro- ethane		بان م. م	+01 -01 -01	6/8n n8/8n n8/8n	BMT010 8LL006 BLL006

Results for Dibromochloropropane (DBCP) may appear in up to three analytical fractions. Results for Dicyclopentadiene (DCPD) may appear in up to two analytical fractions. Note:

Boring Number

0014

0014

Rocky Mountain Arsenal Program Ebasso Services Incorporated

Sample Number	BLL006 BLL006 BME005 BME005 BME005	BME006 BME006 BME006 BME006 BME006	BME006 BLL007 BMN008 BLL007 BME006 BME006 BMT011 BME006	BLL007 BME006 BLL007 BLL007 BLL007 BLL007 BMT011 BLL007 BME0106
Units	6/6n 6/6n 6/6n 6/6n	6/6n 6/6n 6/6n 6/6n	6/6n 6/6n 6/6n 6/6n 6/6n	6/6n 6/6n 6/6n 6/6n 6/6n 6/6n 6/6n 6/6n
in	-01 -01 -01 -01 +01	-01 -01 -01		-01 -01 -01 -01 -01 -01 -01 -01 -01
Results	46. 56. 6. 6. 6. 6. 6. 6. 6. 6. 6. 6. 6. 6. 6	માં મેં મેં મેં મેં	, wyww . www. w	. w o 4 c o o 4 w 4 o o o o o o o o o o o o o o o
R.				
Analytical Parameters	Parathion 2-Chloro-1(2,4-Dichlorophenyl) Vinyldiethyl Phosphates Tetrachloroethene Trichloroethene Ortho- & Fara Xylene	1,1.1-Trichloroethane 1,1.2-Trichloroethane 1,1-Cichloroethane 1,2-Dichloroethene 1,2-Dichloroethane	m.Xylene Aldrin Arsenic Atrazine Bicyclohertadiene Benzene Carbon Tetrachloride Cadmium Methylene Chloride	Hexachlorocyclopentadiene Chlorobenzene Chlorophenylmethyl Sulfide p-Chlorophenylmethyl Sulfone p-Chlorophenylmethyl Sulfone Chromium Copper Dibromochloropropane Dibromochloropropane
Sample Type	Soi 1	soil		
Depth (ft)	19-20	29-30		

Results for Dibromochloropropane (DBCP) may appear in up to three analytical fractions. Results for Dicyclopentadiene (DCPD) may appear in up to two analytical fractions. Note:

Summary of Analytical Results Ebasco Services Incorporated

Boring Number	Depth (ft)	Sample	Analytical Parameters	Results	Units	Sample
0014	2930	Soil	Dicyclopentadiene Dicyclopentadiene Vapona Vapona Dilisopropylmethyl Phosphonate Dithiane Dieldrin Dimethyldisulfide Endrin Ethylbenzene Mercury Isodrin Toluene Methylisobutyl Ketone Malathion 1,4-Oxathiane Lead Dichlorodiphenylethane Dichlorodiphenyltrichloro- ethane Parathion 2-Chloro-1(2,4-Dichlorophenyl) Vinyldiethyl Phosphates Trtrachloroethene Irichloroethene Irichloroethene Irichloroethene Zinc	4 N N N N N N N N N N N N N N N N N N N		BLL007 BLL007 BLL007 BLL007 BLL007 BME006 BME006 BME006 BME006 BML007 BML007 BLL007 BLL007 BLL007 BLL007 BLL007 BLL007 BLL007 BLL007
0014	39-40	Soi 1	1,1.1-Trichloroethane 1,1.2-Trichloroethane 1,1-Dichloroethane 1,2-Dichloroethane 1,2-Dichloroethane m.xylene Aldrin	LT 301 LT 301 LT 301 LT 301 LT 301 LT 2.5 +00	6/6n 6/6n 6/6n 6/6n 6/6n	BME007 BME007 BME007 BME007 BME007 BME007 BLLC08 BMN009

Results for Dibromochloropropane (DBCP) may appear in up to three analytical fractions. Results for Dicyclopentadiene (DCPD) may appear in up to two analytical fractions. Note:

		Sample Number
		Umits
Nemagon Spill Area		Results
lask 7], Site 3⊹4		Analytical Parameters
Summary of Analytical Results	A CAMPANIANTE PARTIE AND A CAMPANIANTE COMPANIANTE COMPANIANTE COMPANIANTE COMPANIANTE COMPANIANTE COMPANIANTE	Sample Depth (ft) Type
Summary of	The second of the second secon	Boring Number

39--40

Sample Type	Analytical Parameters	<u>к</u>	Results	, c	Units	Sample Number	
5011	Atrazine Bicycloheptadiene Benzene Carbon Tetrachloride Cadmium		က်က်က်တွင် (၁၈	-01 -01 -01	6/6n 6/6n 6/6n 6/6n	BLL 008 BME 007 BME 007 BME 007	
	Methylene Chloride Chloroform Hexachlorocyclopentadiene Chlorobenzene Chlordane		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	+00 -01 -01 -01	6/6n 6/6n 6/6n 6/6n	BME007 BME007 BLL008 BME007 BLL008	
	p-Chlorophenylmethyl Sulfide p-Chlorophenylmethyl Sulfoxide p-Chlorophenylmethyl Sulfone Chromium Copper		4 6 5 7 6	+00 +00 +00 +00 +00	6/6n 6/6n 6/6n	BLL008 BLL008 BLL008 BMT012 BMT012	
	Use Officerior operation of the Dibromochloropropane Dibromochloropropane Dicyclopentadiene		. 4 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0.		6/6n 6/6n 6/6n	BME007 BMF011 BLL008 BME007	
	Vapona Diisopropylmethyl Phosphonate Dithiane Dieldrin Dimethyldisulfide		867.68	-01 +00 -01	6/6n 6/6n 6/6n 6/6n	BLL008 BLL008 BLL008 BLC008	
	Endrin Ethylbenzene Mercury Isodrin Toluene		, 60 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	-01 -01 -01	6/6n 6/6n 6/6n 6/6n	BLL008 BME007 BML012 BLL008 BME007	
	Methylisobutyl Ketone Malathion 1,4-Oxathiane Lead		ო ო ო	-01 -01 +00 +01	6/6n 6/6n 6/6n 6/6n	BME007 BLL008 BLL008 BMT012	

Summary of Analytical Results Ebasco Services Incorporated

Boring Number

0014

Depth (ft)	Sample	Analytical Parameters	Results	را را	Units	Sample Number
3940	Soil	Dichlorodiphenylethane Dichlorodiphenyltrichloro- ethane Farathion 2-Chloro-1(2,4-Dichlorophenyl) Vinyldiethyl Phosphates Tetrachloroethene Crichloroethene Cortho- & Fara-Xylene Zinc	LT 3. LT 3. LT 3. LT 3. LT 3.	.01 -01 -01 -01 -01 -01	6/6n 6/6n 6/6n 6/6n	BLL008 BLL008 BLL008 BLL008 BME007 BME007 BME007
0564	So i 1	1,1.1-Trichloroethane 1,1.2-Trichloroethane 1,1.2-Dichloroethane 1,2-Dichloroethane 1,2-Dichloroethane 1,2-Dichloroethane Aldrin Arsenic Atrazine Benzene Carbon Tetrachloride Cadmium Methylene Chloride Chloroevclopentadiene Chlorobenzene Chlorobenzene Chlorobenzene Chlorophenylmethyl Sulfide D-Chlorophenylmethyl Sulfide		5 - 011 - 01	00/00/00/00/00/00/00/00/00/00/00/00/00/	BME008 BME008 BME008 BME008 BMC022 BLL009 BME008 BME008 BME008 BME008 BME008 BME008 BME008 BME008 BME009
		p-Chlorophenylmethyl Sulfone Chromium Copper Dibromochloroprorane	LT 6. LT 5.2 LT 4.9 LT 3.	-01 2 +00 9 +00 -01	6/6n 6/6n 6/6n	BLL009 BMT013 BRL009

Results for Dibromochloropropane (DBCF) may appear in up to three analytical fractions. Results for Dicyclopentadiene (DCPD) may appear in up to two analytical fractions. Note:

Nemagon Spill Area

Sample Number	BME008 BMF012 BLL009 BME008 BLL009	BLL009 BLL009 BME008 BME008	BMECOS BMLC13 BLLC09 BMECOS BMECOS	BLL009 BLL009 BLL009 BLL009	BLL009 BLL009 BME008 BME008	BMT013 BMH002 BMH002 BMH002 BMH002
Units	6/5n 6/5n 6/6n 6/6n	6/6n 6/6n 6/6n 6/6n	6/6n 6/6n 6/6n 6/6n	6/6n 6/6n 6/6n 6/6n	6/6n 6/6n 6/6n 6/6n	0 00000 000000 000000
Results	LT 401 LT 5.0 -03 LT 401 LT 301 LT 301	LT 301 LT 7. +00 LT 301 LT 801 LT 301	LT 301 LT 5.0 -02 LT 301 LT 301	LT 301 LT 6. +00 LT 1.3 +01 LT 301 LT 601	LT 401 LT 301 LT 301 LT 301 LT 301	1.5 +01 LT 401 LT 601 LT 2. +00 LT 601 LT 601
Analytical Parameters	Dibromochloropropane Dibromochloropropane Dicyclopentadiene Dicyclopentadiene Vapona	Diisopropylmethyl Phosphonate Dithiane Dieldrin Dimethyldisulfide Endrin	Ethylbenzene Mercury Isodrin Toluene Methylisobutyl Ketone	Malathion 1,4-Oxathiane Lead Dichlorodiphenylethane Dichlorodiphenyltrichloro- ethane	Parathion . 2-Chloro-1(2,4-Dichlorophenyl) Vinyldiethyl Phosphates Tetrachloroethene Trichloroethene Ortho: & Para-Xylene	Zinc 1,1,1-Trichloroethane 1,1,2-Trichloroethane 1,1-Dichloroethane 1,2-Dichloroethene 1,2-Dichloroethane
Sample	Soil					Soil
Depth (ft)	05-67					2963
Boring Number	0014					0014

Results for Dibromochloropropane (DBCP) may appear in up to three analytical fractions. Results for Dicyclopentadiene (DCPD) may appear in up to two analytical fractions. Note:

Summary of Analytical Results Ebasco Services Incorporated

0014

Boring Number

Sample	BMHOO2 BMGOO2 BMNO10 BMGOO2 BMHOO2	BMH002 BMH002 BMT014 BMH002 BMH002	BMG002 BMH002 BMG002 BMG002 BMG002	BMG002 BMT014 BMT014 BMF013 BMG002 BMG002 BMG002 BMG002 BMG002 BMG002 BMG002	BMG002 BMG002 BMG002 BML014 RMG002 BML002 BMH002 BMH002
Units	5/5n 5/5n 6/6n 6/6n	6/6n 6/6n 6/6n	6/6n 6/6n 6/6n	6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	6/60 6/60 6/60 6/60 60
Results	LT 801 LT 301 LT 2.5 +00 LT 301 LT 401	LT 301 LT 301 LT 6.6 -01 LT 2. +00 LT 301	LT 601 LT 1. +00 LT 2. +00 LT 901 LT 301	LT 301 LT 5.2 +00 LT 6.9 +00 LT 5.0 -03 LT 301 LT 2. +00 LT 701 LT 701 LT 3. +00 LT 3. +00	LT 401 LT 201 LT 2. +01 LT 501 LT 401 LT 5.0 -02 LT 301 LT 301
Analytical Parameters	m-Xylene Aldrin Arsenic Atrazine Bicycloheptadiene	Benzene Carbon Tetrachloride Cadmium Methylene Chloride Chloroform	Hexachlorocyclopentadiene Chlorobenzene Chlordane p-Chlorophenylmethyl Sulfide p-Chlorophenylmethyl Sulfoxide	p-Chlorophenylmethyl Sulfone Chromium Copper Dibromochloropropane Dibromochloropropane Dibromochloropropane Dicyclopentadiene Dicyclopentadiene Vapona Diisopropylmethyl Phosphonate	Dithiane Die drin Dimethyldisulfide Endrin Ethylbenzene [*] Mercury Isodrin Toluene Methylisobutyl Ketone
Sample Type	Soil				
Depth (ft)	59-60				

Results for Dibromochloropropane (DBCP) may appear in up to three analytical fractions. Results for Dicyclopentadiene (DCPD) may appear in up to two analytical fractions. Note:

Task 7 , Site 3.4

Nemagon Spill Area

Sample	BMG002 BMG002 BMT014 BMG002 BMG002	BMG002 BMG002 BMH002 BMH002 BMH002	8MT014	BM1005 BMN020 BM1005 BMX008 BM1005	BM 1005 BM 1005 BM 1005 BM 1005 BM X008	BMX008 BMI005 BMK014 BMI005	BM1005 BM1005 BM1005 BM1005 BM0008
Units	6/6n 6/6n 6/6n 6/6n	6/6n 6/6n 6/6n 6/6n 6/6n	ĕ/6n	6/6n 6/6n 6/6n 6/6n	6/6n 6/6n 6/6n 6/6n	6/6n 6/6n 6/6n 6/6n	5/5n 5/5n 5/6n 6/6n
Results	LT 701 LT 301 LT 1.3 +01 LT 601 LT 501	LT 901 LT 601 LT 301 LT 501	1.5 +01	LT 301 LT 2.5 +00 LT 301 LT 7.4 -01 LT 601	LT 2. +00 LT 9. +01 LT 301 LT 301 1.4 +01	8.0 +00 LT 301 LT 5.0 -03 LT 1. +00 LT 3. +00	LT 1, +00 LT 4, -01 LT 3, -01 LT 5, -01 LT 5,0 -02
Analytical Farameters	Malathion 1,4-Gxathiane Lead Dichlorodibhenylethane Dichlorodibhenyltrichloro- ethane	Parathion 2-Chloro-1(2,4-Dichlorophenyl) Vinyldiethyl Phosphates Tetrachloroethene Trichloroethene Ortho- & Para-Xylene	Zinc	Aldrin Arsenic Atrazine Cadmium Hexachlorocyclopentadiene	Chlordane p.Chlorophenylmethyl Sulfide p.Chlorophenylmethyl Sulfoxide p.Chlorophenylmethyl Sulfone Chromium	Copper Dibromochloropropane Dibromochloropropane Dicyclopentadiene Vapona	Diisopropylmethyl Phosphonate Dithiane Dieldrin Endrin Mercury
Sample	Soil			Soil			
Depth (ft)	29-60			0-1			
Boring Number	0014			\$100			

Results for Dibromochloropropane (DBCP) may arrear in up to three analytical fractions. Results for Dicyclopentadiene (DCPD) may appear in up to two analytical fractions. Note:

Summary of Analytical Results Ebasco Services Incorporated

0015

Boring Number

Sample	BM1005 BM1005 BM1005 BM1005 BM1005 BM1005	BM1005	BMJ003 BMJ003 BMJ003 BMJ003 BMJ003	BMJ003 BMI006 BMN021 BMI006 BMJ003	BMJ003 BMJ003 BMJ005 BMJ003 BMJ003	BM1006 BM1003 BM1006 BM1006 BM1006 BM1005 BM1005
Units	5/60 5/60 6/60 6/60	ø/øn	0/6n 6/6n 6/6n	6/6n 6/6n 6/6n	6/6n 6/6n 6/6n	6/6n 6/6n 6/6n 6/6n
S	-01 -01 -01 -01 -01		-01 -01 +00 +00	-01 -01 -01		-01 -01 -01 -01 -01 -01
Results	6 5 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	. 4	44666	8. 5. 5. 5. 5. 5. 5. 5. 5. 5. 5. 5. 5. 5.	w w v v v v v v v v v v v v v v v v v v	6.12
Re						
Analytical Farameters	Isodrin Malathion 1.4-Oxathiane Lead Dichlorodibhenylethane ethane	2-Chloro-1(2,4-Dichlorophenyl) Vinyldiethyl Phosphates Zinc	1,1.1-Trichloroethane 1,1.2-Trichloroethane 1,1-Dichloroethane 1,2-Dichloroethene . 1,2-Dichloroethane	m-Xylene Aldrin Arsenic Atrazine Bicycloheptadiene	Benzene Carbon Tetrachloride Cadmium Methylene Chloride Chloroform	Hexachlorocyclopentadiene Chlorobenzene Chlorophenylmethyl Sulfide p-Chlorophenylmethyl Sulfore p-Chlorophenylmethyl Sulfone Chromium
Sample Type	Soi 1	:	Soil			
Depth (ft)	0 - 1		ر- ا ا			

Results for Dibromochloropropane (DBCP) may appear in up to three analytical fractions. Results for Dicyclopentadiene (DCPD) may appear in up to two analytical fractions. Note:

Task 7 , Site 3-4

Nemagon Spill Area

Boring Number	Depth (ft)	Sample	Analytical Parameters	S S	Results	Units	Sample
0015	ን ፡	Soil	Dibromochloropropane Dibromochloropropane Dibromochloropropane Dicyclopentadiene		36 2. +6 5.0 -6 1. +6	-01 ug/g +00 ug/g -03 ug/g +00 ug/g -01 ug/g	BM1006 BM3003 BMK015 BM1006 BM3003
			Vapona Diisopropylmethyl Phosphonate Dithiane Dieldrin Dimethyldisulfide	בבבבב	3. +00 1. +00 401 301 2. +01	+00 ug/g +00 ug/g -01 ug/g +01 ug/g	BM1006 BM1006 BM1006 BM1006 BM3003
			Endrin Ethylbenzene Mercury Isodrin Toluene	רו וו וו	. 4. 6. 8. 8. 9. 9. 9. 9. 9. 9. 9. 9. 9. 9. 9. 9. 9.	-01 ug/g -01 ug/g -02 ug/g -01 ug/g	BM1006 BM3003 BMM009 BM1006 BM3003
			Methylisobutyl Ketone Malathion 1,4-Oxathiane Lead Dichlorodiphenylethane	 		-01 ug/g -01 ug/g -01 ug/g +00 ug/g -01 ug/g	BMJ003 BMI006 BMI006 BMU005 BMI006
			Dichlorodiphenyltrichloro- ethane Parathion 2-Chloro-1(2,4-Dichlorophenyl)	ון ד	φ φ α	-01 ug/g -01 ug/g	BM1006 BM1006
			Vinyldiethyl Phosphates Tetrachloroethene Trichloroethene Ortho- & Para-Xylene	ב נו	3. 5. 7. 1. 1. 1.	-01 ug/9 -01 ug/9 +00 ug/a +01 ug/9	BMJ003 BMJ003 BMJ005
0015	910	Soil	1,1,1-Trichloroethane 1,1,2-Trichloroethane 1,1-Dichloroethane 1,2-Dichloroethane 1,2-Dichloroethane		44.	01 ug/g 01 ug/g +00 ug/g +00 ug/g 01 ug/g	BMJ004 BMJ004 BMJ004 BMJ004 BMJ004

Results for Dibromochloropropane (DBCP) may appear in up to three analytical fractions. Results for Dicyclopentadiene (DCPD) may appear in up to two analytical fractions. Note:

Summary of Analytical Results Ebasco Servicés Incorporated

Boring Number

Sample Number	BMJ004 BMI007 BMN022 BMI007 BMJ004	BMJ004 BMJ004 BMU006 BMJ004 BMJ004	BM1007 BM3004 BM1007 BM1007 BM1007	BM1007 BMU006 BMU006 BM1007 BMJ004	BMK016 BM1007 BM1004 BM1007	BM1007 BM1007 BM1004 BM1007 BM1007	6MM010 8M1007 8MJ004 8MJ004
Units	6/6n 6/6n 6/6n 6/6n	6/6n 6/6n 6/6n 6/6n	6/6n 6/6n 6/6n 6/6n 6/6n	6/6n 6/6n 6/6n	6/6n 6/6n 6/6n 6/6n	6/6n 6/6n 6/6n	5/6n 6/6n 6/6n
Results	LT 801 LT 301 LT 2.5 +00 LT 301 LT 401	LT 3, -01 LT 3, -01 LT 7.4 -01 LT 2, +00 LT 3, -01	LT 601 LT 1. +00 LT 2. +00 LT 901 LT 301	LT 301 1.7 +01 9.9 +00 LT 301 LT 2. +00	LT 5.0 -03 LT 1. +00 LT 701 LT 3. +00 LT 1. +00	LT 401 LT 301 LT 2. +01 LT 501 L1 401	LT 5.0 -02 LT 301 LT 301 LT 701
Analytical Faremeters	m-Xylene Aldrin Arsenic Atrazine Bicycloheptadiene	Benzene Carbon Tetrachloride Cadmium Methylene Chloride Chloroform	Hexachlorocyclopentadiene Chlorobenzene Chlordane p-Chlorophenylmethyl Sulfide p-Chlorophenylmethyl Sulfide	p-Chlorophenylmethyl Sulfone Chromium Copper Dibromochloropropane Dibromochloropropane	Dibromochloropropane Dicyclopentadiene Dicyclopentadiene Vapona Diisopropylmethyl Phosphonate	Dithiane Dieldrin Dimethyldisulfide Endrin Ethylbenzene	Mercury Isodrin Toluene Methylisobutyl Ketone
Sample Type	Soil						
Depth (ft)	910						

Results for Dibromochloropropane (DGCP) may appear in up to three analytical fractions. Results for Dicyclopentadione (DCCD) may appear in up to two analytical fractions. Note:

Summary of Analytical Results Ebasco Services Incorporated

Boring Number

0015

Nemagon Spill Area

Depth (ft)	Sample Type	Analytical Parameters	Results	Units	Sample Number
910	Soil	Malathion 1,4-Oxathiane Lead Dichlorodiphenylethane Dichlorodiphenyltrichloro- ethane	LT 701 LT 301 LT 601 LT 501	1 ug/g 1 ug/g 1 ug/g 1 ug/g	BM1007 BM1007 BM1006 BM1007
		Parathion 2-Chloro-1(2,4-Dichlorophenyl) Vinyldiethyl Phosphates Tetrachloroethene Trichloroethene Ortho: & Para-Xylene	LT 901 LT 601 LT 301 LT 501 LT 5. +00	1 us/s 1 us/s 1 us/s 1 us/s 1 us/s	BM1007 BM1007 BM1004 BM1004 BM1004
14-15	Soil	1,1,1-Trichloroethane 1,1,2-Trichloroethane 1,1-Dichloroethane 1,2-Dichloroethene 1,2-Dichloroethane	LT 401 LT 401 LT 2. +00 LT 2. +00 LT 601		BMJ005 BMJ005 BMJ005 BMJ005
		m-Xylene Aldrin Arsenic Atrazine Bicycloheptadiene	LT 801 LT 301 LT 2.5 +00 LT 301 LT 401	1 ug/g 1 ug/g 0 ug/g 1 ug/g	BMJ005 BM6009 BMU023 BMG009 BMJ005
		Benzene Carbon Tetrachloride Cadmium Methylene Chloride Chloroform	LT 301 LT 301 LT 7.4 -01 LT 2. +00 LT 301	11 ug/g 11 ug/g 11 ug/g 10 ug/g	BMJ005 BMJ005 BMJ007 BMJ005 BMJ005
		Hexachlorocyclopentadiene Chlorobenzene Chlordane p-Chlorophenylmethyl Sulfide	LT 601 LT 1. +00 LT 2. +00 LT 901 L1 301	-01 ug/g +00 ug/a +00 ug/g -01 ug/g -01 ug/g	BMG009 BMJ005 BMG009 BMG009 BMG009

Results for Dibromochloropropane (DBCP) may appear in up to three analytical fractions. Results for Dicyclopentadiene (DCPP) may appear in up to two analytical fractions. Note:

Summary of Analytical Results Ebasco Services Incorporated

Sample	BMG009 BMU007 BMG009 BMG009	BMK017 BMG009 BMG009 BMG009 BMG009 BMG009	BM3005 BM4009 BM1005 BM6009 BMC009 BMC009 BMC009 BMC009 BMC009 BMC009 BMC009	BM.1006
Units	6/6n 6/6n 6/6n 6/6n	6/6n 6/6n 6/6n 6/6n		6/6n
Results	34 -01 1.9 +01 1.2 +01 301 2. +00	5.0 -03 701 701 1. +00 1. +00 401 501	D 4 %	401
የ የ	וי ו			LT
Analytical Parameters	p-Chlorophenylmethyl Sulfone Chromium Copper Dibromochloropropane Dibromochloropropane	Dibromochloropropane Dicyclopentadiene Dicyclopentadiene Vapona Dilsopropylmethyl Phosphonate Dithiane Dichiane Dimethyldisulfide Fiderin	Ethylbenzene Mercury Isodrin Toluene Methylisobutyl Ketone Malathion 1,4-Oxathiane Lead Dichlorodiphenylethane Dichlorodiphenyltrichloro- ethane Parathion 2-Chloro-1(2,4-Dichlorophenyl) Vinyldiethyl Phosphates letrachloroethene Trichloroethene Ortho- & Para-Xylene Zinc	1,1,1-Trichloroethane
Sample Type	5011			Soi1
Depth (ft)	14-15			19-20
Boring Number	0015			0015

Results for Dibromochloropropane (DBCP) may agreem in up to three analytical fractions. Results for Dicyclopentadiene (DCPD) may appear in up to two analytical fractions. Note:

Depth (ft)

Boring Number 19-20

f		
-		
٦		
600		
•		
<		

Sample Type	Analytical Parameters	κ e	Results	_	Units	Sample Number
Soi 1	1,1,2-Trichloroethane 1,1-Dichloroethane 1,2-Dichloroethene 1,2-Dichloroethane m-Xylene		3600.5	-01 +00 +00 -01	6/6n 6/6n 6/6n 6/6n	8M,1006 8M,1006 8M,1006 8M,1006 8M,1006
	Aldrin Arsenic Atrazine Bicycloheptadiene Benzene	וווווו	8.5.5 8.5.5 8.5.5	-01 -01 -01 -01	6/6n 6/6n 6/6n 6/6n	BMG010 BMN024 BMG010 BMJ006 BMJ006
	Carbon Tetrachloride Cadmium Methylene Chloride Chloroform Hexachlorocyclopentadiene		8.7.7.8. 6.8.9.6	-01 +00 -01 -01	6/6n 6/6n 6/6n 6/6n	BMJ006 BMU008 BMJ006 BMJ005 BMG010
	Chlorobenzene Chlordane p-Chlorophenylmethyl Sulfide p-Chlorophenylmethyl Sulfoxide p-Chlorophenylmethyl Sulfone		4.9.9.5.	+00 +00 -01 -01	6/6n 6/6n 6/6n 6/6n	BMJ006 BMG010 BMG010 BMG010
	Chromium Copper Dibromochloropropane Dibromochloropropane		6.5 4.7 3. 5.0	+00 +00 -01 +00	6/6n 6/6n 6/6n 6/6n	BMU008 BMU008 BMG010 BMJ006 BMK018
	Dicyclopentadiene Dicyclopentadiene Varona Dijsopropylmethyl Phosphonate		4	+00 +00 +00 +00	6/6n 6/6n 6/6n	BMG010 BMJ006 BMG010 BMG010 BMG010
	Dieldrin Dimethyldisulfide Endrin Ethylbenzene		W S W 4	.01 +01 -01	6/6n 6/6n 6/6n	BMG010 BMJ006 BMG010 BMJ006

Boring Number

0015

Anea	
Spi11	
Nemagain	

í			
Sample Number	8MM012 8M5010 8M1006 8M6010 8M6010 8M6010 8M6010 8M6010	BMJ006 BMJ006 BMJ006 BMU008	8MG003 8MN011 8MG003 8MG003 8MG003 8MG003 8MG003 8MT015 8MT015 8MG003 8MG003 8MG003 8MG003
Urits	5/6000000000000000000000000000000000000	6/6n 6/6n 6/6n	6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6
Results	LT 5.0 -02 LT 301 LT 701 LT 701 LT 8.4 +00 LT 601 LT 501 LT 501 LT 601 LT 501	LT 301 LT 501 LT 5. +00 2.4 +01	LT 301 LT 2.5 +00 LT 301 LT 6.6 -01 LT 201 LT 301 LT 301 LT 5.2 +00 LT 4.9 +00 LT 5.2 +00 LT 5.0 -03
Analytical Parameters	Mercury Isodrin Toluene Methylisobutyl Ketone Methylisobutyl Ketone Malathion 1,4-Oxathiane Lead Dichlorodiphenylethane Dichlorodiphenyltrichloro- ethane Farathion 2-Chloro-1(2,4-Dichlorophenyl)	vinyidiethyi rhosphates Tetrachloroethene Trichloroethene Ortho- & Pana-Xylene Zinc	Aldrin Arsenic Atrazine Cadmium Hexachlorocyclopentadiene Chlorophenylmethyl Sulfide p-Chlorophenylmethyl Sulfide p-Chlorophenylmethyl Sulfone Chromium Copper Dibromochloropropane Dibromochloropropane Dibromochloropropane Dibromochloropropane Dibromochloropropane Disyclopentadiene Vapona
Sample Type	Soil		Soi1
Depth (ft)	19-20		1 -0

Results for Dibromochloropropane (DBCP) may appear in up to three analytical fractions. Results for Dicyclopentadiene (DCPD) may appear in up to two analytical fractions. Note:

0016

Boring Number

Task 7 , Site 3-4

Nemagon Spill Area

Sample Number	вм6003 вм6003 вм6003 вм6003 вм6003	BMG003 BMG003 BMG003 BMG003 BMG003 BMG003	BMH003 BMH003 BMH003 BMH003 BMH003 BMG004 BMH003 BMG004 BMH003
Units N	6/6n 6/6n 6/6n 6/6n	6/6n 6/6n 6/6n 6/6n 6/6n	
Results	LT 401 LT 301 LT 501 LT 5.0 -02 LT 301	LT 701 LT 301 LT 1.3 +01 LT 601 LT 501 LT 901 LT 601	LT 401 LT 2. +00 LT 2. +00 LT 3. +01 LT 301 LT 301 LT 301 LT 5. +00 LT 301 LT 5. +00 LT 5. +00 LT 5. +00 LT 7. +00
Analytical Parameters	Dithiane Dieldrin Endrin Mercury Isodrin	Malathion 1,4-Oxathiane Lead Dichlorodiphenylethane Dichlorodiphenyltrichloro- ethane Parathion 2-Chloro-1(2,4-Dichlorophenyl) Vinyldiethyl Phosphates Zinc	1,1,1-Trichloroethane 1,1,2-Trichloroethane 1,1-Dichloroethane 1,2-Dichloroethane 1,2-Dichloroethane 1,2-Dichloroethane M-Xylene Aldrin Arsenic Atrazine Bicycloheptadiene Bicycloheptadiene Carbon Tetrachloride Cadmium Methylene Chloride Chloroform Hexachlorocyclopentadiene Chlorobenzene Chlorobenzene Chlorobenzene Chloropherylmethyl Sulfide
Sample	Soil		Soi1
Depth (ft)	0-1		4 1 10

0016

Results for Dibromochloropropane (DBCP) may arrear in up to three analytical fractions. Results for Dicyclopentadiene (DCFD) may appear in up to two analytical fractions. Note:

Summary of Analytical Results Ebasco Services Incorporated

ALTER
Spill
Nemadon

Boring Number	Depth (ft)	Sample Type	Analytical Parameters	Results	lts	Units	Sample	
0016	4 - 5	Soi1	p-Chlorophenylmethyl Sulfoxide p-Chlorophenylmethyl Sulfone Chromium Copper Dibromochloropropane		301 301 5.2 +00 4.9 +00 301	6/6n 6/6n 6/6n 6/6n	BMG004 BMG004 BMT016 BMT016 BMG004	
			Dibromochloropropane Dibromochloropropane Dicyclopentadiene Dicyclopentadiene	LT 2 LT 3 LT 3	2. +00 5.0 -03 1. +00 701 3. +00	6/6n 6/6n 6/6n	BMH003 BMK006 BMG004 BMH003 BMG004	
			Diisopropylmethyl Phosphonate Dithiane Dieldrin Dimethyldisulfide	LT 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1. +00 401 301 2. +01 501	6/6n 6/6n 6/6n 6/6n	BMG004 BMG004 BMG004 BMH003 BMG004	•
			Ethylbenzene Mercury Isodrin Toluene [,] Methylisobutyl Ketone	1.1 1.1 1.1 1.1 1.3 1.3 1.3 1.3 1.3 1.3	401 5.0 -02 301 301 701	6/6n 6/6n 6/6n	BML016 BML016 BMG004 BMH003 BMH003	
			Malathion 1,4-Cxathiane Lead Dichlorodiphenylethane Dichlorodiphenyltrichloro- ethane	LT 11 11 11 11 11 11 11 11 11 11 11 11 11	301 1.3 +01 601 501	6/6n 6/6n 6/6n	8MG004 8MG004 8MT016 8MG004 8MG004	
			Parathion 2-Chloro-1(2,4-Dichlorophenyl) Vinyldiethyl Phosphates Tetrachloroethene Trichloroethene	LT LT LT 6.9	901 601 301 501	6/6n 6/6n 6/6n 6/6n	BMGD04 BMGD04 BMHD03 BMHD03 BMHD03	
710	0	 (0	Zinc		1.8 +01	6/6n	BMT016 RMHOOZ	
0016	9-10	Sell	i,i,i~ richioroethane	*	4(I)	5/6n	51'I'I'.U'4	

Results for Dibromochloropropane (DGCP) may appear in up to three analytical fractions. Results for Dicyclopentadiene (DCPD) may appear in up to two analytical fractions. Note:

Depth

Boring Number

0016

Nemagon Spill Area

epth (ft)	Sample Type	Analytical Parameters	Results	Units	Sample Number
9-10	Soi 1	1,1,2-Trichloroethane 1,1-Dichloroethane 1,2-Dichloroethene 1,2-Dichloroethane m.xylene	LT 401 LT 2. +00 LT 2. +00 LT 601 LT 801	6/6n 6/6n 6/6n 6/6n	BMH004 BMH004 BMH004 BMH004 BMH004
		Aldrin Arsenic Atrazine Bicycloheptadiene Benzene	LT 301 LT 2.5 +00 LT 301 LT 401 LT 301	6/6n 6/6n 6/6n 6/6n	BMC005 BMN013 BMC005 BMH004 BMH004
		Carbon Tetrachloride Cadmium Methylene Chloride Chloroform Hexachlorocyclopentadiene	1, 1, 3, -01 1, 6, 6, -01 1, 2, +00 1, 3, -01 1, 6, -01	6/6n 6/6n 6/6n	BMT017 BMT017 BMH004 BMG005
		Chlorobenzene Chlordane p-Chlorophenylmethyl Sulfide p-Chlorophenylmethyl Sulfoxide p-Chlorophenylmethyl Sulfone	LT 1. +00 LT 2. +00 LT 901 LT 301 LT 301	6/6n 6/6n 6/6n 6/6n	BMH004 BMG005 BMG005 BMG005 BMG005
		Chromium Copper Dibromochloropropane Dibromochloropropane	LT 5.2 +00 8.4 +00 LT 301 LT 2. +00 LT 5.0 -03	6/6n 6/6n 6/6n 6/6n (BMT017 BMT017 BMG005 BMH004 BMK007
		Dicyclopentadiene Dicyclopentadiene Vapona Biisopropylmethyl Phosphonate	LT 1. +00 LT 701 LT 3. +00 LT 1. +00 LT 401	6/6n (6/6n (7/6n)	8M6005 8MH004 8M6005 8M6005 8M6005
		Dieldrin Dimethyldisulfide Endrin Ethylbenzene	LT 301 LT 2. +01 LT 501 LT 401	6/6n 1 6/6n 1 6/6n 1	8MG005 8MH004 8MG005 8MH004

Results for Dibromochloropropane (DBCP) may appear in up to three analytical fractions. Results for Dicyclopentadiene (DCPD) may appear in up to two analytical fractions. Note:

1			
Sample Number	BMC005 BMH004 BMH004 BMG005 BMG005 BMG005 BMG005 BMG005	BMH004 BMH004 BMT017	BMH005 BMH005 BMH005 BMH005 BMG006 BMN014 BMG006 BMH005 BMH005 BMH005 BMH005 BMH005 BMH005
Units		6/6n 6/6n	
Results	LT 5.0 -02 LT 301 LT 701 LT 701 LT 701 LT 601 LT 601 LT 601 LT 601	, www.	LT 401 LT 2. +00 LT 2. +00 LT 2. +00 LT 301 LT 601 LT 601
Analytical Parameters	Mercury Isodrin Toluene Methylisobutyl Ketone Malathion 1,4-Oxathiane Lead Dichlorodiphenylethane Dichlorodiphenyltrichloro- ethane Farathion 2-Chloro-1(2,4-Dichlorophenyl) Vinyldiethyl Phosphates Tetrachlorocthane	Trichloroethene Ortho- & Para-Xylene Zinc	1.1.1-Trichloroethane 1.1.2-Trichloroethane 1.2-Dichloroethane 1.2-Dichloroethane 1.2-Dichloroethane M-Xylene Aldrin Arsenic Atrazine Bicycloheptadiene Bicycloheptadiene Carbon Tetrachloride Cadmium Methylene Chloride Chloroform Hexachlorocyclopentadiene
Sample	Soil		Soi 1
Depth (ft)	9-10		14-15
Boring Number	0016		9100

Results for Dibromochloropropane (DBCP) may appear in up to three analytical fractions. Results for Dicyclopentadiene (DCPt) may appear in up to two analytical fractions. Note:

Depth (ft)

Boring Number

14-15

0016

Nemagon Spill Area

lask 7 , Site 3-4

Sample Type	Analytical Parameters	ъ.	Results	i	Units	Sample
Soil	Chlorobenzene Chlordane p-Chlorophenylmethyl Sulfide p-Chlorophenylmethyl Sulfoxide	ברנים	+ + + + + + + + + + + + + + + + + + + +	+00 +00 -01 -01	6/6n 6/6n 6/6n	BMH005 BMG006 BMG006 BMG006 BMG006
	Chromium Copper Dibromachlorapropane Dibromachlorapropane	L1 L1 L1	5.23	+00 +00 -01 +00	6/6n 6/6n 6/6n 6/6n	BMT018 BMT018 BMH005 BMK008
	Dicyclopentadiene Dicyclopentadiene Vapona Diisepropylmethyl Phosphonate	, , , , , ,	1. 4	+00 -01 +00 +00	6/6n 6/6n 6/6n 6/6n 6/6n	BMG006 BMH005 BMG006 BMG006 BMG006
	•		٥	-01 -01 -01 -01	6/6n	BMG006 BMH005 BMG006 BMH005 BMC018 BMG006 BMG006
	Methylisobutyl Ketone Malathion 1,4-Oxathiane Lead Dichlorodiphenylethane		м	-01 -01 -01	6/6n 6/6n 6/6n	BMH005 BM6006 BM6006 BMT018 BMT018
	Dichlorodiphenyltrichloro- ethane Parathion 2-Chloro-1(2,4-Dichlorophenyl) Vinyldiethyl Phosphates Tetrachloroethene	רו וו	က် တွင် ကိုက်	-01 -01 -01	6/6n 6/6n 6/6n 6/6n	BMG006 BMG006 BMG006 BMH005

Results for Dibromochloropropane (DBCP) may appear in up to these analytical fractions. Results for Dicyclopentadiene (DCPD) may appear in up to two analytical fractions. Note:

Boring Number

9100

9100

Task 7 , Site 3-4 Nemagon Sk

Nemagon Spill Area

Soil 1.1.1—Trichloroethane 1.1.2—Trichloroethane 1.2—Dichloroethane 1.2—Dichloropentadiene 2 cadmium 1 Hexachlorocyclopentadiene 2 chlorophenylmethyl Sulfone 2 chlorophenylmethyl Sulfone 2 chlorophenylmethyl Sulfone 2 chloromochloropropane 2 Dibromochloropropane 3 Dibromochloropropane 5 Dibromochloropropane

Results for Dibromochloropropane (DBCP) may appear in up to three analytical fractions. Results for Dicyclopentadiene (DCPD) may appear in up to two analytical fractions. Note:

Rocky Mountain Arsenal Program

Summary of Analytical Results Ebasco Services Incorporated

Nemagon Spill Area

i			
Sample Number	8MG007 8MH006 8MH006 8ML019 8MG007 8MH006 8MH006 8MG007	8MT019 8MG007 8MG007 8MG007 8MG006 8MH006 8MH006	BMHOO7 BMHOO7 BMHOO7 BMHOO7 BMGOO8 BMGOO8 BMGOO8 BMHOO7 BMHOO7 BMHOO7
Units	5 6 6 6 6 7 6 7 6 7 6 7 6 7 6 7 7 7 7 7	6/6n 6/6n 6/6n 6/6n	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
Results	LT 301 LT 5. +01 LT 501 LT 501 LT 301 LT 301 LT 701 LT 701	LT 1.3 +01 LT 601 LT 901 LT 601 LT 601 LT 5. +00 LT 5. +00	LT 401 LT 2. +00 LT 2. +00 LT 2. +00 LT 801 LT 301 LT 301 LT 301 LT 301 LT 301 LT 301 LT 301
Analytical Parameters	Dieldrin Dimethyldisulfide Endrin Ethylbenzene Mercury Isodrin Toluene Malathion 1,4-Oxathiane	Lead Dichlorodiphenylethane Dichlorodiphenyltrichloro- ethane Parathion 2-Chloro-1(2,4-Dichlorophenyl) Vinyldiethyl Phosphates Tetrachloroethene Trichloroethene Ortho- & Para Xylene Zinc	1,1,1-Trichloroethane 1,1,2-Trichloroethane 1,1-Dichloroethane 1,2-Dichloroethane 1,2-Dichloroethane m-Xylene Aldrin Arsenic Atrazine Bicycloheptadiene Berzene Carbon Tetrachloride Cadmium
Sample Type	5011		50 i 1
Depth (ft)	19-20		29-30
Boring Number	0016		0016

Results for Dibromochloropropane (DBCP) may appear in up to three analytical fractions. Results for Dicyclopentadiene (DCPD) may appear in up to two analytical fractions. Note:

Nemagon Spill Area

Task 7 , Site 3-4

Summary of Analytical Results Ebasco Services Incorporated

0016

Boring Number

le er	07 07 07 07 08 08 08	088 110 07	108 108 108 107	108 107 120 108 107	107 108 108 120 108	108 108 108
Sample Number	8MH007 8MG008 8MH007 8MG008 8MG008 8MG008 8MG008	BMG008 BMH007 BMK010 BMG008 BMH007	8MG008 8MG008 8MG008 8MG008 8MG008	BMG008 BMH007 RML020 BMG008 BMH007	BMH007 BMG008 BMG008 BMT020 BMG008	8MG008 8MG008 8MG008
Units	6/6n 6/6n 6/6n 6/6n 6/6n 6/6n	6/6n 6/6n 6/6n	6/6n 6/6n 6/6n	6/6n 6/6n 6/6n 6/6n	6/6n 6/6n 6/6n 6/6n	6/6n 6/6n 6/6n
Ø	+000 +000 +000 +000 +000 +000 +000		+00 +00 -01 -01	-01 -01 -02 -01	-01 -01 +01	-01
Results		3.0 7.	4 k	. 4 ფ. გ. ი ი	7. 3. 1.3	6.9
Ŗ.						F - F
Analytical Parameters	Methylene Chloride Chloroform Hexachlorocyclopentadiene Chlorobenzene Chlorophenylmethyl Sulfide p-Chlorophenylmethyl Sulfoxide p-Chlorophenylmethyl Sulfore Chromium Copper	Dibromochloropropane Dibromochloropropane Dibromochloropropane Dicyclopentadiene	Vapona Diisopropylmethyl Phosphonate Dithiane Dieldrin Dimethyldisulfide	Endrin Ethylbenzene Mercury Isodrin Toluene	Methylisobutyl Ketone Malathion 1,4-Oxathiane Lead Dichlorodiphenylethane	Dichlorodiphenyltrichloro- ethane Parathion 2-Chloro-1(2.4-Dichlorophenyl)
Sample Type	8011			·		
Depth (ft)	2930					

Results for Dibromochloropropane (DBCP) may appear in up to three analytical fractions. Results for Dicyclobentadiene (DCPD) may appear in up to two analytical fractions. Note:

Nemagon Spill Area Rocky Mountain Arsenal Program lask 7 , Site 3-4 Summary of Analytical Results Ebasco Services Incorporated

Depth (ft)

Boring Number

29-30

UC16

0 - 1

Sample Type	Analytical Farameters	Res	Results	Units	Sample Number	
Soil	Tetrachloroethene Trichloroethene Ortho- & Para-Xylene Zinc	L L L L L L L L L L L L L L L L L L L	301 501 5. +00 1.5 +01	6/6n 6/6n 6/6n 6/6n	вмноо7 вмноо7 вмноо7 вмто20	
Soil	Aldrin Arsenic Atrazine Cadmium Hexachlorocyclopentadiene		rv 4	6/6n 6/6n 6/6n	BM1002 BMN017 BM1002 BMX005 BM1002	
	Chlordane -Chlorophenylmethyl Sulfide -Chlorophenylmethyl Sulfoxide -Chlorophenylmethyl Sulfone Chromium		2. +00 901 301 301 6.5 +00	6/6n 6/6n 6/6n	BM1002 BM1002 BM1002 BMX005	
	Copper Dibromochloropropane Dibromochloropropane Dicyclopentadiene Vapona	 - - - - - -	6.5 +00 301 5.0 -03 1. +00 3. +00	6/6n 6/6n 6/6n 6/6n 6/6n	BMX005 BMI002 BMK011 BMI002 BMI002	
	Diisopropylmethyl Phosphonate Dithiane Dieldrin Endrin Mercury	 	1. +00 401 301 501	6/6n 6/6n 6/6n 6/6n	BM1002 BM1002 BM1002 BM1002	
	Isodrin Malathion 1,4-Oxathiane Lead Dichlorodiphenylethane		301 701 301 8.4 +00 601	6/6n 6/6n 6/6n	6M1002 6M1002 6M1002 8MX005 6M1002	
	Dichlorodiphenyltrichloro- ethane Parathion 2-chloro-1f2,4-[Lichlorophenyl) Vinyldiethyl Phosphates	רן רן	501 901 601	6/6n 6/6n	BM1002 BM1002 BM1002	

Results for Dibromochloropropane (DBCP) may appear in up to three analytical fractions. Results for Dicyclopentadiene (DCPD) may appear in up to two analytical fractions. Note:

Summary of Analytical Results Ebasco Services Incorporated

0017 0017

Boring Number

Sample Number	BMX005	BMH008 BMH008 BMH008	6MH008 BM1003 6MN018 6M1003 BMH008	BMH008 BMH008 BMX006 BMH008	BM1003 BM1008 BM1003 BM1003	BM1003 BMX006 BMX006 BMH008 BM1003	BMK012 GMH008 BMI003 BMI003	BM1003 BM1003
Units	⇔/ån	6/6n 6/6n 6/6n	6/6n 6/6n 6/6n	6/6n 6/6n 6/6n 6/6n	6/6n 6/6n 6/6n 6/6n 6/6n	6/6n 6/6n 6/6n 6/6n 6/6n	6/6n 6/6n 6/6n 6/6n	6/6n
Results	2.5 +01	4400	LT 801 LT 301 LT 2.5 +00 LT 301 LT 401	LT 301 LT 301 LT 7.4 -01 LT 2. +00 LT 301	LT 601 LT 1. +00 LT 2. +00 LT 901 LT 301	LT 301 LT 6.5 +00 5.8 +00 LT 2. +00 LT 301	LT 5.0 -03 LT 701 LT 1. +00 LT 3. +00 LT 1. +00	LT 401 LT 301
Analytical Parameters	Zinc	1.1,1-Trichloroethane 1,1.2-Trichloroethane 1,1-Dichloroethane 1,2-Uichloroethene	1.2-Ulchloroethane m-Xylene Aldrin Arsenic Atrazine Bicycloheptadiene	Benzene Carbon Tetrachloride Cadmium Methylene Chloride Chloroform	Hexachlorocyclopentadiene Chlorobenzene Chlordane p-Chlorophenylmethyl Sulfide p-Chlorophenylmethyl Sulfide	p-Chlorophenylmethyl Sulfone Chromium Copper Dibromochloropropane Dibromochloropropane	Dibromochloropropane Dicyclopentadiene Dicyclopentadiene Vapona Diisopropylmethyl Phosphonate	Dithiane Dieldrin
Sample Type	Soil	Soil						
Depth (ft)	01	4-5						

Note: Results for Dibromochloropropane (DBCP) may appear in up to three analytical fractions. Results for Dicyclopentadiene (DCPD) may appear in up to two analytical fractions.

Task 7 , Site 3-4

Nemagon Spill Area

philamental day of the colonia is therefore the description of a semistration of the	A SECTION AND A SECTION AND ADDRESS OF THE PARTY AND ADDRESS OF THE PAR		A THE PARTY OF THE			the states is the states and the states of t	1
Boring Number	Depth (ft)	Sample Type	Analytical Parameters	Results	(Injts	Sample Number	
0017	4-5	Soil	Dimethyldisulfide Endrin Ethylbenzene Mercury	LT 2. +01 LT 501 LT 401 LT 5.0 -02	6/6n 1	BMH008 BM1003 BMH008 BMM006 BMI003	
			Toluene Methylisobutyl Ketone Malathion 1,4-Oxathiane Lead			BMH008 BMH008 BMI003 BMX006	
			Dichlorodiphenylethane Dichlorodiphenyltrichloro- ethane Parathion 2-Chloro-1(2,4-Dichlorophenyl) Vinyldiethyl Phosphates Tetrachloroethene	LT 601 LT 501 LT 901 LT 601	1	BM1003 BM1003 BM1003 BM1003	
0017	9-10	Soi 1	Trichloroethene Ortho- & Para-Xylene Zinc 1,1,1-Trichloroethane 1,1-Dichloroethane 1,2-Dichloroethane 1,2-Dichloroethane 1,2-Dichloroethane	LT 501 LT 5. +00 LT 601 LT 401 LT 2. +00 LT 2. +00 LT 601	11	BMH008 BMH008 BMX006 BMJ002 BMJ002 BMJ002 BMJ002	
			m-Xylene Aldrin Arsenic Atrazine Bicycloheptadiene Benzene Carbon Tetrachloride Cadmium Methylene Chloride	LT 801 LT 301 LT 2.5 +00 LT 301 LT 301 LT 301 LT 301 LT 301	11	BMJ002 BM1004 BMN019 BMJ004 BMJ002 BMJ002 BMJ002 BMX007	

Results for Dibromochloropropane (DBCP) may appear in up to three analytical fractions. Results for Dicyclopentadiene (DCPD) may appear in up to two analytical fractions. Note:

Summary of Analytical Results Ebasco Services Incorporated

Depth (ft)

Boring Number

9-10

Sample lype	Analytical Parameters	Б. Г	Results	ø	Units	Sample Number	
Soil	Chloroform Hexachlorocyclopentadiene Chlorobenzene Chlordane p-Chlorophenylmethyl Sulfide		6 6 H 6 6	-01 -01 +00 +000	6/6n 6/6n 6/6n	8MJ002 8MJ004 8MJ002 8MJ004 8MJ004	
	p-Chlorophenylmethyl Sulfoxide p-Chlorophenylmethyl Sulfone Chromium Copper Dibromochloropropane	נולל	6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	-01 -01 +00 +00	6/67 6/67 6/67	BM1004 BM1004 BMX007 BMX007 BM1004	
	Dibromochloropropane Dibromochloropropane Dicyclopentadiene Dicyclopentadiene Vapona		2. 5.0 1. 7.	+00 +03 +00 -01 +00	6/6n 6/6n 6/6n	BMX013 BMX013 BM1004 BMJ002 BMI004	
	Diisopropylmethyl Phosphonate Dithiane Dieldrin Dimethyldisulfide Endrin		. 4 %	+00 +001 +01 +01 +01 +01 +01 +01 +01 +01	6/6n 6/6n 6/6n	BM1004 BM1004 BM1002 BM1002	
	Ethylbenzene Mercury Isodrin Toluene Methylisobutyl Ketone	לללל	48.0 8.0 7.	-01 -02 -01 -01	6/6n 6/6n 6/6n	BMJ002 BMI007 BMJ004 BMJ002	
	Malathion 1,4-Oxathiane Lead Dichlorodiphenylethane Cichlorodiphenyltrichloro- ethane	1111	7. 8. 8. 5. 5. 5. 5. 5. 5. 5. 5. 5. 5. 5. 5. 5.	-01 +00 -01	6/6n 6/6n 6/6n 6/6n 6/6n	BM1004 BM1004 BMX007 BM1004 BM1004	
	Parathion 2-Chloro-1(2.4-Dichlorophenyl) Vinyldiethyl Phosphates	L T	o, 0	-01	6/6n	BM1004 BM1004	

Results for Dibromochloropropane (DCPD) may appear in up to three analytical fractions. Results for Dicyclopentadiene (DCPD) may appear in up to two analytical fractions. Note:

Depth (ft)

Boring Number

9-10

0017

0-1

0018

Task 7 , Site 3-4

Sample Number	BMJ002 BMJ002 BMJ002 BMX007	BM1008 BMS005 BM1008 BM1009 BM1008	BM1008 BM1008 BM1008 BM1008 BMU009	BMU009 BMI008 BMK019 BMI008 BMIU08	BM1008 BM1008 BM1008 BM1008 BMM013	BM1008 BM1008 BM1009 BM1009	8M1008 8M1008 8M1008
Units	6/6n 6/6n 6/6n	6/6n 6/6n 6/6n 6/6n	6/6n 6/6n 6/6n 6/6n	6/6n 6/6n 6/6n 6/6n	6/6n 6/6n 6/6n 6/6n	6/6n 6/6n 6/6n 6/6n	6/6n 6/6n
Results	LT 301 LT 501 LT 5. +00 2.7 +01	LT 301 LT 5.0 +00 LT 301 LT 7.4 -01 LT 601	LT 2. +00 LT 901 LT 301 LT 301 9.0 +00	LT 301 LT 5.0 -03 LT 1. +00 LT 3. +00	LT 1. +00 LT 401 LT 301 LT 501 LT 5.0 -02	LT 301 LT 701 LT 301 LT 8.4 +00 LT 601	LT 501 LT 9. ·01 LT 601
e Analytical Parameters	Tetrachloroethene Trichloroethene Ortho- & Para-Xylene Zinc	Aldrin Arsenic Atrazine Cadmium Hexachlorocyclopentadiene	Chlordane p-Chlorophenylmethyl Sulfide p-Chlorophenylmethyl Sulfoxide p-Chlorophenylmethyl Sulfone Chromium	Copper Dibromochloropropane Dibromochloropropane Dicyclopentadiene Vapona	Diisopropylmethyl Phosphonate Dithiane Dieldrin Endrin Mercury	Isodrin Malathion 1,4-Oxathiane Lead Dichlorodiphenylethane	Dichlorodiphenyltrichloro- ethane Parathion 2-Chloro-1(2,4-Dichlorophenyl) Vinyldiethyl Phosphates
Sample Type	Soil	Soil					

Results for Dibromochloropropane (DBCP) may appear in up to three analytical fractions. Results for Dicyclopentadiene (DCPD) may appear in up to two analytical fractions. Note:

Boring Number

0018

Ebasco Services Incorporated

1								
Sample Number	8MUDD9	BMJ007 BMJ007 BMJ007 BMJ007	BMJ007 BMI009 BMS006 BMI009	BMJ007 BMJ007 BMJ007 BMJ007	BM1009 BM1007 BM1009 BM1009	BM1009 BMU010 BM1009 BM1009	BMK020 BM1009 BM1007 BM1009	BMIO09 BMIO09
Units	6/ön	6/6n 6/6n 6/6n 6/6n	6/6n 6/6n 6/6n 6/6n	6/6n 6/6n 6/6n 6/6n	6/6n 6/6n 6/6n	6/6n 6/6n 6/6n 6/6n	6/6n 6/6n 6/6n	na/a na/a
ø	, +01	-01 +00 +00 -01	-01 -01 -01 -01	-01 -01 -01 -00 -01	-01 +00 +00 -01	-01 +00 +00 -01 +00	+00 +00 -01 +00 +00	-01
Results	2.6	44000	დ გ. გ. გ. ე. ე. გ.		6 + 0 6 ×	8.0 8.7 8.7	5.0 7. 3.	ą w
œ						וור ו		L -
Analytical Parameters	Zinc	1,1,1-Trichloroethane 1,1,2-Trichloroethane 1,1-Dichloroethane 1,2-Dichloroethane 1,2-Dichloroethane	m-Xylene Aldrin Arsenic Atrazine Bicycloheptadiene	Benzene Carbon Tetrachloride Cadmium Methylene Chloride Chloroform	Hexachlorocyclopentadiene Chlorobenzene Chlordane p-Chlorophenylmethyl Sulfide p-Chlorophenylmethyl Sulfoxide	p-Chlorophenylmethyl Sulfone Chromium Copper Dibromochloropropane	Dibromochloropropane Dicyclopentadiene Dicyclopentadiene Vapona Diisopropylmethyl Phosphonate	Dithiane Dieldrin
Sample Type	Soil	Soil						
Depth (ft)	0-1	4 70						

Results for Dibromochloropropane (DRCP) may appear in up to three analytical fractions. Results for Dicyclopentadiene (DCPD) may appear in up to two analytical fractions. Note:

Ebasco Services Incomporated

Rocky Mountain Arsenal Program

Nemagor Spill Area

Task 7 , Site 3-4

Sample Number	BMJ007 BMI009 BMJ007 BMM014 BMI009	BMJ007 BMJ007 BMI009 BMJ010	BM1009 BM1009 BM1009 BM1007 BMJ007 BMJ007	BMJ008 BMJ008 BMJ008 BMJ008 BMJ008 BMJ010 BMS007 BMI010 BMJ008 BMJ008 BMJ008 BMJ008
Sam NCB	BMJ BMJ BMM BMM	BMJ BMJ BMI BMU	8M1 8M1 8M1 8M3 8M3 8M3	
Units	\$\delta\con\con\con\con\con\con\con\con\con\con	6/6n 6/6n 6/6n 6/6n	6/6n 6/6n 6/6n 6/6n 6/6n	
ď	+01 -01 -01 -02	-01 -01 -01 +00	-01 -01 -01 -01 -01 +00	-011 -011 -011 -011 -011 -011 -011 -011
Results	25. 50. 10. 10.	8.7.7.8 8.4.7.	יט י	44996 80004 60079
ř			י דר דר דר	בורו בוניי וניונ
Analytical Farameters	Dimethyldisulfide Endrin Ethylbenzene Mercury Isodrin	Toluene Methylisobutyl Ketone Malathion 1.4-Oxathiane Lead	Dichlorodiphenylethane Dichlorodiphenyltrichloro- ethane Parathion 2-Chloro-1(2,4-Dichlorophenyl) Vinyldiethyl Phosphates Tetrachloroethene Trichloroethene Ortho- & Para-Xylene Zinc	1,1,1-Trichloroethane 1,1,2-Trichloroethane 1,1-Dichloroethane 1,2-Dichloroethane 1,2-Dichloroethane m-Xylene Aldrin Arsenic Atrazine Bicycloheptadiene Benzene Carbon Tetrachloride Cadmium Methylene Chloride
Sample Type	Soi1			Soil
Depth (ft)	6 5			9-10
Boring Number	0018			0018

Results for Dibromochloropropane (DBCP) may appear in up to three analytical fractions. Results for Dicyclopentadiene (DCPD) may appear in up to two analytical fractions. Note:

Summary of Analytical Results Ebasco Services Incorporated

Depth (ft)

Boring Number

9-10

Sample Type	Analytical Parameters	ъ. В	Results	10	Units	Sample	
Soi.1	Chloroform Hexachlorocyclopentadiene Chlorobenzene Chloroane		66.49	-01 -01 +00 +00	6/6n 6/6n 6/6n	6MJ008 6M1010 6MJ008 6MJ010 6MI010	
	p-Chlorophenylmethyl Sulfone p-Chlorophenylmethyl Sulfone Chromium Copper Dibromochloropropane	L LT LT	8 1 1 1 3	-01 -01 +01 +01 -01	6/6n 6/6n 6/6n	8M1010 8M1010 8MU011 8MU011	•
	Dibromochloropropane Dibromochloropropane Dicyclopentadiene Uicyclopentadiene Vapona		2. 5.0 7.	+00 +03 +00 +00 +00	6/6n 6/6n 6/6n 6/6n	EMJ008 BMK021 BMJ010 BMJ008 BMJ010	
	Diisopropylmethyl Phosphonate Dithiane Dieldrin Dimethyldisulfide	, וללודל	44802	+00 -01 -01 +01	6/6n 6/6n 6/6n 6/6n	BM1010 BM1010 BM1010 BMJ008 BM1010	
	Ethylbenzene Mercury Isodrin Toluene Methylisobutyl Ketone		48.0 0.8 7.	-01 -01 -01 -01	6/6n 6/6n 6/6n 6/6n	BMJ008 BMM015 BMJ010 BMJ008 BMJ008	
	Malathion 1,4-Oxathiane Lead Dichlorodiphenylethane Dichlorodiphenyltrichloro… ethane		7. 8.4. 5.	-01 -01 -01 -01	6/6n 6/6n 6/6n 6/6n	BMIO10 BMIO10 RMUO11 BMIO10	
	Parathion 2-Chloro-1(2,4-Dichlorophenyl) Vinyldiethyl Phosphates	- L	ō. •	-01	8/6n na/a	BM1010 BM1010	

Results for Dibromochloropropane (DGCP) may appear in up to three analytical fractions. Results for Dicyclopentadiene (DCPD) may appear in up to two analytical fractions. Note:

0018

Borina Number

0019

Task 7 , Site 3-4

Nemagon Spill Area

Sample Number	BMJ008 BMJ008 BMJ003 BMU011	8MP002 8MS008 8MP002 8MV012 8MP002	BMP002 BMP002 BMP002 BMP1012	BMU012 BMP002 BMP005 BMP002 BMP002	ВМР002 ВМР002 ВМР002 ВММ016	BMP002 BMP002 BMP002 BMU012 BMP002	BMP002 BMP002 BMP002
Units	6/6n 6/6n 6/6n	6/6n 6/6n 6/6n 6/6n	6/6n 6/6n 6/6n 6/6n	6/6n 6/6n 6/6n 6/6n	6/6n 6/6n 6/6n 6/6n	6/6n 6/6n 6/6n 6/6n	6/6n 6/6n
Results	LT 301 LT 501 LT 5. +00 4.2 +01	LT 301 LT 5.0 +00 LT 301 LT 7.4 -01 LT 301	LT .601 LT 4. +00 LT 7. +00 LT 601 1.4 +01	1.3 +01 LT 301 LT 5.0 -03 LT 401 LT 301	LT 301 LT 7. +00 LT 301 LT 301 LT 5.0 -02	LT 301 LT 301 LT 6. +00 LT 8.4 +00 LT 301	LT 6. ~01 LT 4. ~01 LT 3. ~01
Analytical Parameters	Tetrachloroethene Trichloroethene Ortho- & Para-Xylene Zinc	Aldrin Arsenic Atrazine Cadmium Hexachlorocyclopentadiene	Chlordane pChlorophenylmethyl Sulfide pChlorophenylmethyl Sulfoxide pChlorophenylmethyl Sulfone Chromium	Copper Dibromochloropropane Dibromochloropropane Dicyclopentadiene Vapona	Diisopropylmethyl Phosphonate Dithiane Nieldrin Endrin Mercury	Isodrin Malathion 1,4-Oxathiane Lead Dichlorodiphenylethane	Dichlorodiphenyltrichloro- ethane Farathion 2-Chlorophenyl)
Sample Type	Soil	Soil					
Depth (ft)	9-10	0-1					

Results for Dibromochloropropane (DBCP) may appear in up to three analytical fractions. Results for Dicyclopentadiene (DCPD) may appear in up to two analytical fractions. Note:

Task 7 , Site 3.4

0013 0019

4-5 0 - 1

Depth (ft)

Boring Number

Sample Type	Analytical Parameters	자	Results	u)	Units	Sample Number
Soil	Zinc		4.7	+01	6/6n	BMU012
Soil	1.1.1-Trichlopoethane	-	M,	ļ	70/0	RMOODS
1	1.2	- i-) M	7 5	10/c	BMODIO 2
	1.1-Dichloroethane	- L	Ċ	i -	10/0F	BM00002
	1,2-Dichloroethene	- -	'n	-01	ug/a	BM0002
	1,2-Dichloroethane		'n	-01	ug/g	BM0002
	8-X×1eppe	-	7	<u>.</u>	0/01	RMODO
	Aldrin	· -	, M		6/65	BMPOOX
	Arsenic	. <u> </u>	5.0		e/en	BMS009
	Atrazine	<u>-</u>	ķ		6/60	BMP003
	Bicycloheptadiene	LT	κ,		6/6n	BM0002
	Benzene	-	M)	Ę	130/0	RMOD02
	Carbon Tetrachloride	. <u>-</u>	, w	5 -	ua/a	BM0002
	Cadmium	·	7.4	-01	ug/a	BMU013
	Methylene Chloride	<u> </u>		-01	na/a	BM0002
		۲	~	-01	6/6n	BM0002
	Hexachlorocyclopentadiene	<u></u> -	Ŋ	-01	na/a	BMP003
	Chlorobenzene	<u>-</u>	'n	-01	p/en	BM0002
	Chlordane	L	6.	-01	6/60	BMP003
	p-Chlorophenylmethyl Sulfide	٦	4.	+00	6/ön	BMP003
	p-Chlorophenylmethyl Sulfoxide	L	۲.	+ DO	6/6n	BMF00.3
	p-Chlorophenylmethyl Sulfone	<u> </u>	9	-01	na/a	BMP003
		רו	6.5	00+	ng/a	BMU013
	Copper	1	4.7	+00	6/6n	BMU013
	Dibromochloropropane	-1	4.	-01	6/6n	BM0002
	. Dibromochloropropane	٢٦	ъ.	-01	6/6n	BMP003
	Dibromochloropropane	1	5.C	-03	₽/en	BMR006
	Dicyclopentadiene		m	-01	ug/a	BM0002
	Dicyclopentadiene	LT	4.	·O·	na/a	BMP003
	Vapona	٦	۳,	-01	6/6n	BMP003
	Diisopropylmethyl Phosphonate	LT	'n	-01	6/6n	BMP003
	Dithiane	LT	7.	+00	6/60	BMP003
	Dieldrin	LT	10	-01	na/a	BMP003

Results for Dibromochloropropane (DBCP) may appear in up to three analytical fractions. Results for Dicyclopentadiene (DCPP) may appear in up to two analytical fractions. Note:

Nemagon Spill Area

Task 7 , Site 3-4

Sample Number	6M0002 BMP003 BM0002 BMM017 BMP003	BM0002 BM0002 BMP003 BMP003 BMU013	BMP003 BMP003 BMP003 BMO002	8MP002 8MP004 8MS010 8MP004 8MP004 8MP004	BMP004 BMP004 BMP004 BMP0014 BMP0014 BMR007 BMR007
Units	6/6n 6/6n 6/6n	6/6n 6/6n 6/6n 6/6n	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	6/6n 6/6n 6/6n 6/6n
Results	LT 801 LT 301 LT 301 LT 5.0 -02 LT 301	LT 301 LT 301 LT 301 LT 6. +00 LT 8.4 +00	LT 301 LT 601 LT 301 LT 301		LT 601 LT 7. +00 LT 601 LT 601 1.6 +01 1.2 +01 LT 301 LT 5.0 -03 LT 601
Analytical Parameters	Dimethyldisulfide Endrin Ethylbenzene Mercury Isodrin	Toluene Methylisobutyl Ketone Malathion 1,4-Oxathiane Lead	Dichlorodiphenylethane Dichlorodiphenyltrichloro- ethane Parathion 2-Chloro-1(2,4-Dichlorophenyl) Vinyldiethyl Phosphates Tetrachloroethene	ortho- & Para-Xylene Zinc Aldrin Arsenic Atrazine Cadmium Hexachlorocyclopentadiene	Chlordane p-Chlorophenylmethyl Sulfide p-Chlorophenylmethyl Sulfoxide p-Chlorophenylmethyl Sulfone Chromium Copper Cibromochloropropane Dibromochloropropane Dicyclopentadiene
Sample Type	Soil			Soil	
Depth (ft)	2 - 3			0-1	
Boring Number	0019			0020	

Results for Dibromochloropropane (DBCP) may appear in up to three analytical fractions. Results for Dicyclopentadiene (DCPD) may appear in up to two analytical fractions. Note:

lask 7 , Site 3-4

Summary of Analytical Results Ebaseo Services Incorporated

Sample Number	BMP004 BMP004 BMP004 BMP004 BMP004 BMP004 BMP004 BMP004 BMP004	BMP004 BMP004 BMU014	8M0003 8M0003 8M0003 8M0003 8MP005 8MS011 8MP005 8M0003 8M0003 8M0003 8M0003
Units	6/60n 0/60n 0/60n 0/60n 0/60n	6/6n 6/6n	
Results	LT 301 LT 7. +000 LT 301 LT 301 LT 301 LT 301 LT 301 LT 6. +00 LT 5. 0 -02 LT 6. +00 LT 6. +00	LT 401 LT 301 4.6 +01	LT 301 LT 301 LT 301 LT 301 LT 301 LT 301 LT 301 LT 301 LT 301 LT 301
Analytical Parameters	Vapona Diisopropylmethyl Phosphonate Dithiane Dieldrin Endrin Mercury Isodrin Malathion 1.4-Oxathiane Lead Dichlorodiphenylethane Dichlorodiphenyltrichloro- ethane	Parathion 2-Chloro-1(2,4-Dichlorophenyl) Vinyldiethyl Phosphates Zinc	1,1,1-Trichloroethane 1,1,2-Trichloroethane 1,1-Dichloroethane 1,2-Dichloroethane 1,2-Dichloroethane m-Xylene Aldrin Arsenic Atrazine Bicycloheptadiene Bicycloheptadiene Carbon Tetrachloride Cadmium Methylene Chloride Chloroform Hexachlorocyclopentadiene
Sample Type	50il		Soil
Depth (ft)	0 - 1		4 S - 4
Boring Number	0020		0050

Results for Dibromochloropropane (DBCP) may appear in up to three analytical fractions. Results for Dicyclopentadiene (DGPD) may appear in up to two analytical fractions. Note:

0050

Boring Number

Task 7 , Site 3-4

Depth (ft)	Sample Type	Analytical Parameters	Results	1	Units	Sample	
	Soil	Chlorobenzene Chlorodane p-Chlorophenylmethyl Sulfide p-Chlorophenylmethyl Sulfoxide p-Chlorophenylmethyl Sulfone	LT 3.	-01 -01 +00 +00	6/6n 6/6n	8MP003 8MP005 8MP005 8MP005	
		Chromium Copper Dibromochloropropane Dibromochloropropane	2.1 1.5 LT 4. LT 3.	+01 +01 -01 -01	6/6n 6/6n 6/6n 6/6n	BMU015 BMU015 BMO003 BMP005 BMR008	
		Dicyclopentadiene Dicyclopentadiene Vapona Dilsopropylmethyl Phosphonate	LT LT	-01 -01 -01 -01	5/5n 5/5n 6/5n 6/5n	BMP003 BMP005 BMP005 BMP005 BMP005	
		Dieldrin Dimethyldisulfide Endrin Ethylbenzene Mercury	L L L L L L L L L L L L L L L L L L L	-01 -01 -02	5/5n 5/5n 6/5n 6/5n	8MP005 8M0003 8MP005 8M0003	
		Isodrin Toluene Methylisobutyl Ketone Malathion 1,4-Oxathiane	L L L L L L L L L L L L L L L L L L L	-01 -01 -01 +00	5/6n 6/6n 6/6n 6/6n	8MP005 8M0003 8M0003 8MP005 8MP005	
		Lead Dichlorodiphenylethane Dichlorodiphenyltrichloro-	LT 8.4 LT 3. LT 6.	+00 -01 -01	6/6n 6/6n	BMU015 BMP005 BMP005	
		ethame Parathion 2-Chloro-1(2,4-Dichlorophenyl) Vinyldiethyl Phosphates	LT 4. LT 3.	-01	6/6n	BMP005 BMP005	
		Tetrachloruethene Trichloroethene	LT 3. LT 3.	-01	6/6n 6/6n	BM0003 BM0003	

Results for Dibromochloropropane (DBCP) may appear in up to three analytical fractions. Results for Dicyclopentadiene (DCPD) may appear in up to two analytical fractions. Note:

lask 7 . Site 3-4

Summary of Analytical Results Ebasco Services Incorporated

Sample Number	BM0003 BMU015	BMP006	BM0004
Units	6/6n 6/6n		6/bn
Results	LT 301 5.2 +01	LT 301 LT 301 LT 301 LT 301 LT 501 LT 501 LT 501 LT 601 LT 701 LT 7.	LT 3, -01
Analytical Parameters	Ortho- & Para-Xylene Zinc	Aldrin Arsenic Atrazine Cadmium Hexachlorocyclopentadiene Chlorophenylmethyl Sulfide D-Chlorophenylmethyl Sulfore Chromium Copper Chromium Chromium Copper Chr	1.1.1 Trichloroethane
Sample	Soil	5011	Soil
Depth (ft)	4 - 5	0-1	95
Boring Number	0050	0021	0021

Results for Dibromochloropropane (DBCP) may appear in up to three analytical fractions. Results for Dicyclopentadiene (DCPD) may appear in up to two analytical fractions. Note:

Boring Number

0021

lask 7 , Site 3.4

ple Der	3M0004 3M0004 3M0004 3M0004 3M0004 BMF007 BMS013 BMC07 BMC07	BM0004 BM0004 BM0004 BM0004 BMP007 BMP007 BMP007 BMP007	BMU017 BMU017 BMP007 BMR010 BMP007 BMP007 BMP007 BMP007 BMP007 BMP007
Sample Number	BM0004 BM0004 BM0004 BM0004 BMF007 BMS013 BMF007 BMF007 BM0004	8M9 8M0 8M0 8M8 8M8 9M8 9M8	8 M M M M M M M M M M M M M M M M M M M
Units	6/67 6/67 6/67 6/67 6/67 6/67	6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	6/611 6/611
ď.	-01 -01 -01 -01 -01 -01 -01		+01 +01 +01 +01 +01 +00 +00 +00 +00 +00
Results		87.88 8.94.9 4	11.14.00 84.00.00 88.00.00 20.00 0
R.	ווווו ווווו		ייייי ייייי דיייי
Analytical Parameters	1.1,2-Trichloroethane 1,1-Dichloroethane 1,2-Dichloroethane 1,2-Dichloroethane m-Xylene Aldrin Arsenic Atrazine Bicycloheptadiene Benzene	Carbon Tetrachloride Cadmium Methylene Chloride Chloroform Hexachlorocyclopentadiene Chlorobenzene Chlorobhenylmethyl Sulfide p-Chlorophenylmethyl Sulfoxide p-Chlorophenylmethyl Sulfoxide	Chromium Copper Dibromochloropropane Dibromochloropropane Dicyclopentadiene Dicyclopentadiene Vapona Disopropylmethyl Phosphonate Dithiane Dieldrin Dieldrin Ethylbenzene
Sample	Soil		
liepth (ft)	4 - 5		

Results for Dibromochloropropane (DBCP) may appear in up to three analytical fractions. Results for Dicyclopentadiene (DCPD) may appear in up to two analytical fractions. Note:

Rocky Mountain Arsenal Program

Task 7 , Site 3-4

Summary of Analytical Results Ebasco Services Incorporated

Boring Number

0021

Nemagon Spill Area

Sample Number	BMW005 BMP007 BM0004 BM0004	BMP00.7 BMU0.1.7 BMP0.0.7 BMP0.0.7 BMP0.0.7	BM0004 BM0004 BM0004 BMU017	BMP008 BMS014 BMP008 BMP008 BMP008 BMP008 BMP008 BMP008	BMU018 BMP008 BMP011 BMP008 BMP008
Units	6/6n 6/6n 6/6n 6/6n	6/6n 6/6n 6/6n 6/6n	6/6n 6/6n 6/6n	6 6 6 6 6 7 6 7 6 7 6 7 6 7 6 7 6 7	6/6n 6/6n 6/6n 6/6n 6/6n
Results	LT 5.0 -02 LT 301 LT 301 LT 301	0 8 8 9 4 8 4 4 9 9	LT 301 LT 301 LT 301 4.7 +01	LT 301 LT 5.0 +00 LT 301 LT 7.4 -01 LT 601 LT 601 LT 601 LT 7. +00 LT 7. +00 LT 601	LT 4.7 +00 LT 301 LT 5.0 -03 LT 401 LT 301
Analytical Parameters	Mercury Isodrin Toluene Methylisobutyl ketone Malathion	1,4-Oxathiane Lead Dichlorodiphenylethane Dichlorodiphenyltrichloro- ethane Parathion 2-Chloro-1(2,4-Dichlorophenyl) Vinyldiethyl Phosphates	Trichloroethene Trichloroethene Ortho- & Para-Xylene Zinc	Aldrin Arsenic Atrazine Cadmium Hexachlorocyclopentadiene Chlordane p-Chlorophenylmethyl Sulfide p-Chlorophenylmethyl Sulfoxide Chlorophenylmethyl Sulfoxide	Copper Dibromochloropropane Dibromochloropropane Dicyclopentadiene Vapona Dilsopropylmethyl Phosphonate
Sample	Soil			Soil	
Depth (ft)	5-4			0-1	

Note: Results for Dibromochloropropane (DBCP) may appear in up to three analytical fractions. Results for Dicyclopentadiene (DCPP) may appear in up to two analytical fractions.

Boring Number

0022

Task 7 , Site 3-4

Sample	BMP008 BMP008 BMP008 BMW006 BMP008	ВМРООВ ВМРООВ ВМГООЗ ВМРООВ ВМРООВ	ВМРОО8 ВМРОО8 ВМОО18	BMODDS BMODDS BMODDS BMODDS BMODDS	BM0005 BMP009 BMS015 BMP009 BM0005	BMODDS BMUD19 BMODDS BMODDS	BMP009 BM0005 BMP009 BMP009
S Units N	0/67 0/67 0/67	6/60 6/60 6/60 6/60	0/6n 0/6n 0/6n	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	6/6n 6/6n 6/6n	6/6n	6/6n 6/6n 6/6n
Results	LT 7. +000 LT 301 LT 301 LT 5.0 -02 LT 301	LT 301 LT 6. +00 LT 8.4 +00 LT 301 LT 601	LT 401 LT 301 2.8 +01	LT 301 LT 301 LT 901 LT 301 LT 301	LT 701 LT 301 LT 5.0 +00 LT 301 LT 301	LT 301 LT 301 LT 7.4 -01 LT 701 LT 301	LT 301 LT 301 LT 601 LT 4. +00
Analytical Parameters	Dithiane Dieldrin Endrin Mercury Isodrin	Malathion 1,4-Oxathiane Lead Dichlorodiphenylethane Dichlorodiphenyltrichloro- ethane	Parathion 2-Chloro-1(2,4-Dichlorophenyl) Vinyldiethyl Phosphates Zinc	1.1.1-Trichloroethane 1.1.2-Trichloroethane 1.1-Dichloroethane 1.2-Dichloroethene 1.2-Dichloroethene	m-Xylene Aldrin Arsenic Atrazine Bicycloheptadiene	Benzene Carbon Tetrachloride Cadmium Methylene Chloride Chloroform	Hexachlorocyclopentadiene Chlorobenzene Chlordane p-Chlorophenylmethyl Sulfide
Sample Type	Soil			Soil			
Depth (ft)	0-1			4 2			

Results for Dibromochloropropane (DBCP) may appear in up to three analytical fractions. Results for Dicyclopentadiene (DCPD) may appear in up to two analytical fractions. Note:

Task 7 , Site 3-4

Nemagon Spill Area

Sample Number	BMP009 BMP009 BMU019 BMU005 BMR012 BMR012 BMP009 BMP009	BMP009 BMP009 BM0005 BMP009 BM0005 BMM007 BMP009 BM0005	8MP009 8MU019 8MP009 8MP009 8MP009 8MP009	BM0005 BM0005 BM0005 BMU019
Units	6/6n	5 6 6 6 6 6 6 6 7 6 7 6 7 6 7 6 7 6 7 6	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	6/6n 6/6n 6/6n 6/6n
Results	LT 7. +00 LT 601 1.1 +01 6.6 +00 LT 401 LT 5.0 -03 LT 301 LT 301 LT 301 LT 301	LT 301 LT 301 LT 301 LT 301 LT 301 LT 301 LT 301 LT 301 LT 301	LT 301 LT 6. +00 LT 8.4 +00 LT 301 LT 601 LT 401 LT 301	LT 301 LT 301 LT 301 3.1 +01 LT 301
Analytical Parameters	p-Chlorophenylmethyl Sulfoxide p-Chlorophenylmethyl Sulfone Chromium Copper Dibromochloropropane Dibromochloropropane Dibromochloropropane Dicyclopentadiene Dicyclopentadiene Vapona	Diisopropylmethyl Phosphonate Dithiane Dieldrin Dimethyldisulfide Endrin Ethylbenzene Mercury Isodrin Toluene	Malathion 1,4-Oxathiane Lead Lead Dichlorodiphenylethane Dichlorodiphenyltrichloro- ethane Parathion 2-Chloro-1(2,4-Dichlorophenyl)	Vinyldiethyl Phosphates Tetrachloroethene Trichloroethene Ortho- & Para-Xylene Zinc
Sample Type	Soil			Soi1
Depth (ft)	5:5			0-1
Boring Number	0022			0023

Results for Dibromochloropropane (DBCP) may appear in up to three analytical fractions. Results for Dicyclopentadiene (DCPD) may appear in up to two analytical fractions. Note:

Task Z , Site 3-4

Nemagon Spill Area

Sample Number	BMS016 BMP010 BMU020 BMP010 BMP010	BMP010 BMP010 BMP010 BMU020	BMR013 BMR013 BMP010 BMP010 BMP010 BMP010 BMP010 BMP010 BMP010 BMP010 BMP010 BMP010	BM0006 BM0006 BM0006 BM0006
Units	6/6n 6/6n 6/6n 6/6n	6/6n 6/6n 6/6n 6/6n 6/6n	6/6n 6/6n 6/6n 6/6n 6/6n 6/6n	0/50 0/50 0/50 0/50
Results	LT 5.0 +00 LT 301 LT 7.4 -01 LT 301 LT 601	LT 4. +00 LT 7. +00 LT 601 9.9 +00 6.0 +00	LT 301 LT 5.0 -03 LT 301 LT 301 LT 301 LT 301 LT 301 LT 5.0 -02 LT 5.0 -01 LT 5.0	LT 301 LT 301 LT 901 LT 301
Analytical Parameters	Arsenic Atrazine Cadmium Hexachlorocyclopentadiene Chlordane	p-Chlorophenylmethyl Sulfide p-Chlorophenylmethyl Sulfoxide p-Chlorophenylmethyl Sulfone Chromium Copper	Dibromochloropropane Dibromochloropropane Dicyclopentadiene Vapona Disspropylmethyl Phosphonate Dieldrin Endrin Mercury Isodrin Malathion 1,4-Oxathiane Lead Dichlorodiphenylethane Dichlorodiphenyltrichloro- ethane Parathion 2-Chloro-1(2,4-Dichlorophenyl) Vinyldiethyl Phosphates Zinc	1,1,1-Trichloroethane 1,1,2-Trichloroethane 1,1-Dichloroethane 1,2-Dichloroethene
Sample	Soil			Soil
Depth (ft)	0-1			4-5
Boring Number	0023			0023

Results for Dibromochloropropane (DRCP) may appear in up to three analytical fractions. Results for Dicyclopentadiene (DCPD) may appear in up to two analytical fractions. Note:

Depth (ft)

Boring Number

6-5

nagon Spill Area	
Spill /	rea
เลสูดท	i 1 1 /
N	Nemagen

Sample Number	8M0006 8M7011 8M7011 8M7017 8M0006 8M0006 8M0006	8M0006 BM0006 BMP011 BM0006 BMP011	BMP011 BMX011 BMX011 BMX011 BM0006 BMR014 BM0006 BMP011	BMP011 BMP011 BMP011 BM0006 BMP011 BM0009 BMW009 BMP011 BM0006
Units		6/6n 6/6n 6/6n	5/50 5/50 5/50 5/50 5/50 5/50 5/50 5/50	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
Results	LT 301 LT 301 LT 301 LT 301 LT 301 LT 301 LT 301	LT 701 LT 301 LT 301 LT 601 LT 6. +00	LT 7. +00 LT 601 ET 6.5 +00 8.4 +00 8.4 +00 LT 401 LT 301 LT 5.0 -03 LT 5.0 -03 LT 5.0 -03 LT 5.0 -03	LT 301 LT 301 LT 801 LT 801 LT 301 LT 301 LT 5.0 -02 LT 301 LT 301
Analytical Parameters	1.2-bichloroethane m-xylene Aldrin Aldrin Arsenic Atrazine Bicycloheptadiene Benzene Carbon Tetrachloride	Methylene Chioride Chloreform Hexachlorecyclopentadiene Chlorebenzene Chloredane p-Chlorophenylmethyl Sulfide	p-Chlorophenylmethyl Sulfoxide p-Chlorophenylmethyl Sulfone Chromium Copper Dibromochloropropane Dibromochloropropane Dibromochloropropane Dibromochloropropane Dicyclopentadiene Vapona	Diisopropylmethyl Phosphonate Dithiane Dieldrin Dimethyldisulfide Endrin Ethylbenzene Mercury Isodrin
Sample	Soil			

Results for Dibromochloropropane (DBCP) may appear in up to three and fical fractions. Results for Dicyclopentadiene (DCPD) may appear in up to two analytical fractions. Note:

Sample Number	8MP0111 8MP011 8MP011 8MP011 8MP011 8MP011 8M0006 8M0006	BMX011 BMX011 BMX010 BMX020 BMX020 BMX010 BMX010 BMX020 BMX020 BMX020 BMX020 BMX020 BMX020 BMX020 BMX020	BMG010 BMG010 BMG010 BMW018
Units	6/6n 6/6n 6/6n 6/6n 6/6n	5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	6/6n 6/6n 6/6n 6/6n
Results	LT 301 LT 6. +00 LT 301 LT 601 LT 701 LT 301 LT 301		LT 5.0 -02
Analytical Farameters		Aldrin Arsenic Atrazine Cadmium Hexachlorocyclopentadiene Chlordane P-Chlorophenylmethyl Sulfide P-Chlorophenylmethyl Sulfone Chromium Copper Chorophenylmethyl Sulfone Dibromochloropropane	Diisopropylmethyl Phosphonate Dithiane Dieldrin Endrin Mercury
Sample	Soil	Soil	
Depth (ft)	4 - 5	0-1	
Boring Number	0023	0024	

Note: Results for Dibromochloropropane (UBCP) may appear in up to three analytical fractions. Results for Dicyclopentadiene (DCPD) may appear in up to two analytical fractions.

Summary of Analytical Results Ebasco Services Incorporated

Borina Number

0024

0	
-	
`	
, ·	
÷	
,	
5	

Sample	BM9010 BM6010 BMX020 BMX020 BM0010 BM0010 BM0010	BMZ003 BMZ003 BMZ003 BMZ003 BMZ003 BMY002 BMY002 BMY002	BMZ003 BMZ003 BMZ003 BMZ003 BMZ003 BMY002 BMY002 BMY002 BMY002 BMY002
Units			
Results	LT 301 LT 301 LT 301 LT 601 LT 501 LT 601 LT 601	រេ	
Analytical Parameters	Isodrin Malathion 1,4-Oxathiane 1,4-Oxathiane Lead Dichlorodiphenylethane Dichlorodiphenyltrichloro- ethane Farathion 2-Chloro-1(2,4-Dichlorophenyl) Vinyldiethyl Phosphates Zinc	1,1,1-Trichloroethane 1,1,2-Trichloroethane 1,1-Dichloroethane 1,2-Dichloroethane 1,2-Dichloroethane m-Xylene Aldrin Arsenic	Bicycloheptadiene Benzene Carbon Tetrachloride Cadmium Methylene Chloride Chloroform Hexachlorocyclopentadiene Chlorobenzene Chlorophenylmethyl Sulfide p-Chlorophenylmethyl Sulfone Chromium Copper
Sample	Soil	Soil	
Depth (ft)	0 - 1	১ - ১	

Results for Dibromochloropropane (DBCP) may appear in up to three analytical fractions. Results for Dicyclopentadiene (DCPD) may appear in up to two analytical fractions. Note:

8	
`	
_	
•	
\Box	
_	
`	
-	
_	

Sample	BMY002 BMZ003 BNA008 BMY002 BMZ003	BMY002 BMY002 BMY002 BMY002 BMZ003	BMY002 BMZ003 BMW019 BMY002 BMZ003	BMZ003 BMY002 BNR005 BMY002 BMY002 BMY002 BMZ003 BMZ003 BMZ003	BMY003 BMY009 BMY003 BNR006 BMY003
Units	6/6n 6/6n 6/6n 6/6n	8/8n 8/8n 8/8n	6/6n 6/6n 6/6n	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	6/6n 6/6n 6/6n 6/6n
t: s	301 2. +00 5.0 -03 1. +00 701	+000 +000 -011 -011 +011	501 401 7.0 -02 301	701 701 2. 4 +01 601 501 601 501 501 5. +00	301 2.5 +00 3. ·01 7.4 ·01 6. ·01
Results	LT 3. LT 2. LT 1. LT 1.	LT 3. LT 4. LT 3.	LT 6. LT 7. LT 3. LT 3.	L L L L L L L L L L L L L L L L L L L	LT 3. LT 3. LT 7.
Analytical Parameters	Dibromochloropropane Dibromochloropropane Dibromochloropropane Dicyclopentadiene Dicyclopentadiene	Vapona Diisopropylmethyl Phosphonate Dithiane Dieldrin Dimethyldisulfide	Endrin Ethylbenzene Mercury Isodrin Toluene	Methylisobutyl Ketone Malathion 1.4-Oxathiane Lead Dichlorodiphenylethane Dichlorodiphenyltrichloro- ethane Parathion 2-Chloro-1(2,4-Dichlorophenyl) Vinyldiethyl Phosphates Tetrachloroethene Irichloroethene Ortho- & Para Xylene Zinc	Aldrin Arsenic Atrazine Cadmium Hexachlorocyclopentadiene
Sample Type	Soil'				Soil
Depth (ft)	4 - 5				0-1
Boring Number	0024				0025

Summary of Analytical Results Ebasco Services Incorporated

Rocky Mountain Arsenal Program

Task 7 , Site 3-4

Nemagon Spill Area

Boring Number	Depth (ft)	Sample	Analytical Parameters	Results	, o	Units	Sample Number	
0025	0-1	Soil	Chlordane P-Chlorophenylmethyl Sulfide P-Chlorophenylmethyl Sulfoxide P-Chlorophenylmethyl Sulfone Chromium	LT 2. LT 3. LT 3.	+00 -01 -01 +01	6/6n 6/6n	BMY003 BMY003 BMY003 BMY003	
			Copper Dibromochloropropane Dibromochloropropane Dicyclopentadiene Vapona	1.9 LT 3. LT 5.0 LT 1.	+01 -01 -03 +00 +00	6/6n 6/6n 6/6n 6/6n	BNR006 BMY003 BNA009 BMY003	
			Diisopropylmethyl Phosphonate Dithiane Dieldrin Endrin Mercury	LT 1. LT 4. LT 3. LT 5.0	+00 -01 -01	6/6n 6/6n 6/6n 6/6n	BMY003 BMY003 BMY003 BMY003 BMM020	
			Isodrin Malathion 1,4-Oxathiane Lead Dichlorodiphenylethane Dichlorodiphenyltrichloro- ethane		-01 -01 -01 -01	6/6n 6/6n 6/6n 6/6n	BMY003 BMY003 BMY006 BMY003	
0025	5-5	Soi 1	2-Chloro-1(2,4-Dichlorophenyl) Vinyldiethyl Phosphates Zinc 1,1,1-Trichloroethane 1,1,2-Trichloroethane 1,1-Dichloroethane 1,2-Dichloroethane 1,2-Dichloroethane 1,2-Dichloroethane	LT 6. LT 7. LT 7.	-01 -01 -01 -01 -00	6/60 6/60 6/60 6/60 60 60 60 60 60 60 60 60 60 60 60 60 6	BMY003 BMY003 BNR006 BMZ004 BMZ004 BMZ004	
			m-Xylene Aldrin Arsenic	LT 8. LT 3.	-01 -01 +00	6/6n 6/6n 6/6n	BMZ004 BMZ004 BMY004 BMV010	

Note: Results for Dickelone and American Police (DCPD) may appear in up to two analytical fractions.

0025

Boring Number

lask 7 , Site 3-4

Sample	BMYOO4 BMZOO4 BMZOO4 BMZOO4 BNROO7	BMZ004 BMZ004 BMZ004 BMZ006	BMY004 BMY004 BMY007 BNR007	BMY004 BMZ004 BNA010 BMY004 BMZ004	BMY004 BMY004 BMY004 BMY004 BMZ004	BMY004 BMZ004 BN0005 BMY004 BMZ004	BMZ004 BMY004 BMY004 BNR007
Units	6/6n 6/6n 6/6n 6/6n	6/6n 6/6n 6/6n	6/6n 6/6n 6/6n 6/6n	6/6n 6/6n 6/6n	6/6n 6/6n 6/6n 6/6n	6/6n 6/6n 6/6n 6/6n	6/6n 6/6n 6/6n
ın İ	-01 -01 -01 -01	-01 -01 +00 +00	-01 -01 +01 +01	-01 +00 -03 +00	+00 +00 -01 -01 +01	-01 -01 -02 -01	-01 -01 -01
Results	84.887. 0 4.	i w o + 0	9. 3. 1.6	3. 2. 5.0 1.	8 t 4 k 9	0.40 m. n.	7. 7. 3.
ъ.			L T T T T				1. 1.1 1.4
Analytical Farameters	Atrazine Bicycloheptadiene Benzene Carbon Tetrachloride Cadmium	nechylene chiolide Chloroform Hexachlorocyclopentadiene Chlorobenzene Chlordane	p-Chlorophenylmethyl Sulfide p-Chlorophenylmethyl Sulfoxide p-Chlorophenylmethyl Sulfone Chromium Copper	Dibromochloropropane Dibromochloropropane Dibromochloropropane Dicyclopentadiene Dicyclopentadiene	Vapona Diisopropylmethyl Phosphonate Dithiane Dieldrin Dimethyldisulfide	Endrin Ethylbenzene Mercury Isodrin Toluene	Methylisobutyl Ketone Malathion 1,4-Oxathiane Lead
Sample	Soil						
Depth (ft)	4 ~ 5						

Results for Dibromochloropropane (DB(P) may appear in up to three analytical fractions. Results for Dicyclopentadiene (DCPD) may appear in up to two analytical fractions. Note:

Ebasco Services Incorporated

Boring Number

0025

0026

Task 7 , Site 3-4

Nemagon Spill Area

Sample ts Units Number	-01 ug/g BMY004 -01 ug/g BMY004 -01 ug/g BMZ004 -01 ug/g BMZ004 +00 ug/g BMZ004 +00 ug/g BMZ004 +00 ug/g BMZ004	-01 ug/g BMY005 5 +00 ug/g BMY0011 4 -01 ug/g BMY005 +00 ug/g BMY005 -01 ug/g BMY005 -01 ug/g BMY005 -01 ug/g BMY005 0 +01 ug/g BMY005 1 +00 ug/g BMY005 +00 ug/g BMY005 +00 ug/g BMY005 -01 ug/g BMY005
Results	LT LT LT 6.9. 5.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.	
Analytical Parameters	Dichlorodiphenylethane Dichlorodiphenyltrichloro- ethane Parathion 2-Chloro-1(2,4-Dichlorophenyl) Vinyldiethyl Phosphates Tetrachloroethene Trichloroethene Ortho- & Para-Xylene Zinc	Aldrin Arsenic Atrazine Cadmium Hexachlorocyclopentadiene Chlordane D-Chlorophenylmethyl Sulfide D-Chlorophenylmethyl Sulforde Chromium Copper Dibromochloropropane Dibromochloropropane Dibromochloropropane Dibromochloropropane Dibromochloropropane Dibromochloropropane Dibromochloropropane Dibromochloropropane Dibromochloropropane Disopropylmethyl Phosphorate Diagorury Isodrin Malathion Isodrin Malathion Isodrin
Sample Type	Soil	Soil
Depth (ft)	4 7.	0-1

Results for Dibromochloropropane (DBCP) may appear in up to three analytical fractions. Results for Dicyclopentadiene (DCPD) may appear in up to two analytical fractions. Note:

Task 7 , Site 3-4

Nemagaon Spill Area

Boring Number	Depth (ft)	Sample Type	Analytical Parameters	Results	Units	Sample Number
0026	0-1	Soil	Dichlorodiphenylethane Dichlorodiphenyltrichloro- ethane Parathion 2-Chloro-1(2,4-Dichlorophenyl) Vinyldiethyl Phosphates Zinc	LT 601 LT 501 LT 901 LT 601	6/6n 6/6n 6/6n 6/6n	BMY005 BMY005 BMY005 BMY005
9200	4 - 5	Soil	1,1,1-Trichloroethane 1,1,2-Trichloroethane 1,1-Dichloroethane 1,2-Dichloroethane 1,2-Dichloroethane	LT 401 LT 2. +00 LT 2. +00 LT 2. +00 LT 601	6/6n 6/6n 6/6n 6/6n	BMZ005 BMZ005 BMZ005 BMZ005 BMZ005
			m-Xylene Aldrin Arsenic Atrazine Bicycloheptadiene	LT 801 LT 301 LT 2.5 +00 LT 301 LT 401	6/6n 6/6n 6/6n 6/6n 6/6n	BMZ005 BMY006 BMY0012 BMY006 BMZ005
			Benzene Carbon Tetrachloride Cadmium Methylene Chloride Chloroform	LT 301 LT 301 LT 7.4 -01 LT 2. +00 LT 301	6/6n 6/6n 6/6n 6/6n	BMZ005 BMZ005 BNR009 BMZ005
			Hexachlorocyclopentadiene Chlorobenzene Chlordane p-Chlorophenylmethyl Sulfide p-Chlorophenylmethyl Sulfoxide	LT 601 LT 1. +00 LT 2. +00 LT 901 LT 301	6/6n 6/6n 6/6n 6/6n	BMY006 BMZ005 BMY006 BMY006
			p-Chlorophenylmethyl Sulfone Chromium Copper Dibromochloropropane	LT 301 1.3 +01 1.3 +01 1.3 +01 LT 301 LT 2. +00	6/6n (6/6n (BMY006 BNR009 BNR009 BMY006
			Dibromochlorepropane	LT 5.0 -03	s 119/a	BNA012

Results for Dibromachloropropane (DBCP) may appear in up to three analytical fractions. Results for Dicyclopentadiene (DCPD) may appear in up to two analytical fractions. Note:

Task 7 , Site 3-4

Summary of Analytical Results Ebasco Services Incorporated

Boring Number

0026

0		
Ē		
4		
_		
,		
=		
<u>)</u>		
このロニレニ		
2		

Depth (ft)	Sample Type	Analytical Parameters	R.	Results	1	Units	Sample	
4 - 5	Soi 1	Dicyclopentadiene Dicyclopentadiene Vapona Diisopropylmethyl Phosphonate		4 7 7	+00 +00 +00 +00	6/6n 6/6n 6/6n 6/6n	BMY006 BMZ005 BMY006 BMY006 BMY006	
		Dieldrin Dimethyldisulfide Endrin Ethylbenzene Mercury		ນ 2. 5. 0. ດ	-01 +01 -01	6/6n 6/6n 6/6n 6/6n	BMY006 BMZ005 BMY006 BMZ005 BN3007	
		Isodrin Toluene Methylisobutyl Ketone Malathion 1,4-Oxathiane Lead Dichlorodiphenylethane Dichlorodiphenyltrichloro- ethane Parathion 2-Chloro-1(2,4-Dichlorophenyl) Vinyldiethyl Phosphates	######################################	887.58 400 60	-01 -01 -01 -01 -01 -01	5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	BMY006 BMZ005 BMY006 BMY006 BMY006 BMY006 BMY006 BMY006	
0-1	Soil	Tetrachloroethene Trichloroethene Ortho- & Para-Xylene Zinc Aldrin Arsenic Atrazine Cadmium Hexachlorocyclopentadiene Chlorophenylmethyl Sulfide p-Chlorophenylmethyl Sulfide			-01 -01 -01 -01 -01 -01	5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	BMZ005 BMZ005 BMZ005 BMZ009 BMY007 BMY007 BMY007 BMY007 BMY007	

Results for Dibromochloropropane (DBCP) may appear in up to three analytical fractions. Results for Dicyclopentadiene (DCPD) may appear in up to two analytical fractions. Note:

Ebasco Services Incorporated

Rocky Mountain Arsenal Program

Task 7 , Site 3-4

Area	
Sp []]	
Nemadon	

	Boring Number	Depth (ft)	Sample Type	Analytical Parameters	Results	Units	Sample Number
I	72010	0-1	Soil	p-Chlorophenylmethyl Sulfone Chromium Copper Dibromochloropropane	LT 301 LT 6.5 +00 9.3 +00 LT 301 LT 5.0 -03	6/6n 6/6n 6/6n	BMYOO7 RNRO1O BNRO1O BMYOO7 BNAO13
				Dicyclopentadiene Vapona Diisopropylmethyl Phosphonate Dithiane	LT 1. +00 LT 3. +00 LT 1. +00 LT 401 LT 301	6/6n 6/6n 6/6n 6/6n	BMY007 BMY007 BMY007 BMY007
	. •			Endrin Mercury Isodrin Malathion 1,4-Oxathiane	LT 501 LT 5.0 -02 LT 301 LT 701 LT 301	6/6n 6/6n 6/6n 6/6n 6/6n	BMY007 BNQ008 BMY007 BMY007 BMY007
				Lead Dichlorodiphenylethane Dichlorodiphenyltrichloro- ethane Parathion 2-Chloro-1(2,4-Dichlorophenyl) Vinyldiethyl Prosphates	LT 8.4 +00 LT 601 LT 501 LT 901 LT 601	6/6n 6/6n 6/6n	BNR010 BMY007 BMY007 BMY007
	0027	57	Soil	Zinc 1,1.1-Trichloroethane 1,1.2-Trichloroethane 1,1-Dichloroethane 1,2-Dichloroethene 1,2-Dichloroethene	2.2 +01 LT 401 LT 401 LT 2. +00 LT 2. +00 LT 601	6 6/60 6 60 6 7	BNR010 BNZ006 BNZ006 BNZ006 BNZ006 BNZ006
				m-Xylene Aldrin Arsenic Atrazine Bicycloheptadiene	LT 801 LT 301 LT 2.5 +00 LT 301 LT 401	6/6n 6/6n 6/6n 6/6n	BMZ006 BMY008 BMV014 BMY008 BMZ006

Results for Dibromochloropropane (DBCF) may appear in up to three analytical fractions. Results for Dicyclopentadiene (DCFD) may appear in up to two analytical fractions. Note:

Task 7 , Site 3-4

Summary of Analytical Results Ebasco Services Incorporated

0027

Boring Number

Sample Number	BM2006 BM2006 BNR011 BM2006 BM2006	BMY008 BMZ006 BMY008 BMY008	BMY008 BNR011 BNR011 BMY008 BMZ006	BNA014 BMY008 BMZ006 BMY008 BMY008	BMY008 BMZ006 BMZ006 BMZ006	BN0009 BMY008 BMZ006 BMZ006 BMY008	BMYOO8 BNRO11 BMYOO8 BMYOO8
Uhits	6/6n 6/6n 6/6n	6/6n 6/6n 6/6n 6/6n	6/6n 6/6n 6/6n 6/6n	6/67 6/67 6/67 6/67	6/6n 6/6n 6/6n 6/6n	6/6n 6/6n 6/6n	6/6n 6/6n 6/6n
Results	601 301 LT 7.4 -01 LT 2. +00 LT 301	LT 601 LT 1. +00 LT 2. +00 LT 901 LT 301	LT 301 1.2 +01 1.2 +01 LT 301 LT 2. +00	L1 5.0 -03 L1 1. +00 L1 701 L1 3. +00 L1 1. +00	LT 401 LT 301 LT 2. +01 LT 501 LT 401	LT 5.0 -02 LT 301 LT 301 LT 701	LT 301 LT 8.4 +00 LT 601 LT 501
Analytical Parameters	Benzene Carbon Tetrachloride Cadmium Methylene Chloride Chloroform	Hexachlorocyclopentadiene Chlorobenzene Chlordane p-Chlorophenylmethyl Sulfide p-Chlorophenylmethyl Sulfoxide	p-Chlorophenylmethyl Sulfone Chromium Copper Dibromochloropropane Dibromochloropropane	Dibromochloropropane Dicyclopentadiene Dicyclopentadiene Vapona Diisopropylmethyl Phosphonate	Dithiane Dieldrin Dimethyldisulfide Endrin Ethylbenzene	Mercury Isodrin Toluene Methylisobutyl Ketone Malathion	1.4-Oxathiane Lead Dichlorodiphenylethane Dichlorodiphenyltrichloro- ethane
Sample Type	Soil						
Depth (ft)	ት ት						

Results for Dibromochloropropage (DBCP) may appear in up to three analytical fractions. Results for Dicyclopentadiene (DCPD) may appear in up to two analytical fractions. Note:

Ebasco ser	Ebasco Services Incomponated	ated	Rocky Mountain Arsenal Program	ogram		11/0
Summary of	Summary of Analytical Results	sults	Task 7, Site 3.4 Nemagon S	Nemagon Spill Area		
Boring Number	Depth (ft)	Sample Type	Analytical Parameters	Results	Units	Sample Number
0027	4 – 5	Soil	Parathion 2-chloro-1(2,4-Dichlorophenyl) Vivoldiathyl Phosphata	LT 601	6/6n 6/6n	BMY008 BMY008
			Tetrachloroethene	401	6/6n	BM2006
			Irichloroethene	<u>ب</u>	6/60	8MZ006
			Ortho- & Para-Xylene		6/6n	8MZ006
			Zinc	4.0 +01	ɓ/bn	BNR011

Site 3-4	
Blanks Associated with Task 7,	Nemayon Spill Area

Type	Analytical Parameters	Results	Uņits	Sample
Blank	Cadmium	Lf 6.6 -01	6/6n	AM6001
Blank	Chromium	9.4 +00	6/6n	AMG001
Blank	Copper		6/6n	AM6001
Blank	Lead		6/6n	AMG001
Blank	Zinc	3.6 +01	n3/3	AM6001
Blarık	Arsenic	LT 5.0 +00	6/60	AMMOOT
Blank	Mencury	LT 5.0 -02	6/6n	AMN001
81ank	Bicycloheptadiene	LT 301	6/6n	AMUD01
Blank	Carbon Tetrachloride	LT 301	6/6n	AMU001
Blank	Chloroform		6/6n	AMUD01
Blank	Methylene Chloride	LT 701	6/6n	AMUGG1
Blank	Chlorobenzene	LT 301	6/6n	AMUDO 1
Blank	Benzene	LI 301	6/6n	AMU001
Blank	Dibromochloropropane		6/6n	AMU001
81ank	Dicyclopentadiene	LT 3, ~01	6/6n	AMUDO1
Blank	Dimethyldisulfide	LT 801	6/80	AMU001
Blank	Ethylbenzene	ĸ,	6/6n	AMU001
Blank	Toluene	W.	6/6n	AMU001
81ank	Methylisobutyl Ketone		6/6n	AMU001
Blank	Tetrachloroethene	LT 301	6/6n	AMUDOT
Blank	Trichloroethene	LT 301	6/6N	AMUDU1
Blank	Irans-1,2-Dichloroethene	LT 301	6/6n	AMU001
Blank	Ortho- & Para-Xylene	м,	6/6n	AMU00:1
Blank	1,1-Dichloroethane		6/6n	AMU001
Blank	1,1,1-Trichloroethane		na/a	AMUGG1
Blank	1,1,2-Trichloroethane		6/6n	AMUGO1
Blank	1,2-Dichloroethane		6/6n	AMU001
Blank	m-Xylene	7.	6/6n	AMU001
Blank	Aldrin	٠,	6/6n	AMV001
Blank	Atrazine		6/6n	AMVOOT
8 Larık	Chlordane	LT 601	6/60	AMV001
Blank	Hexachlorocyclopentadiene	L1 301	6/60	AMV001
Blarik	p-Chlorophenylmethyl Sulfide	L1 4. +00	6/6n	AMV001
Blank.	p-Chlorophenylmethyl Sulfoxide	LT 7. +UU	റ/ദ	AMVOOT

and a constant of the constant	Sample Number	AMV001	AMV001	AMV001	AMVOU1	AMV001	AMV001	AMV001	AMV001	AMV001	AMV001	AMV001	AMV001		AMV001	AMV001	AMX001	ANE CO 1	ANG001	ANGOOL	ANG001	ANG CO 1	ANG001	ANG001	ANG001	AN6001	ANGOO1	ANGU01	ANGOU1	ANCOG1	ANISO01	ANGCO1
	Units	6/6n	na/a	e/en	6/6H	6/6n	6/6n	6/6n	6/6n	6/6n	6/6n	6/60	6/6n		6/6n	6/6n	6/6n	6/6n	6/6n	6/6n	6/øn	6/6n	6/6n	ø∕øn	6/6n	6/6n	6/6n	6/6n	6/6n	6/60	6/6n	6/60
3-4	t s	-01	01	-01	7 5	+00	-01	-01	-01	-01	00+	-01	-01		-01	-01	-0.5	-02	-01	-01	-01	-01	-01	-01	-01	-01	-01	-01	- 01	-01	-01	01
site	Results	6.	Ŋ	4.	vi vi	; ·	8	ĸ,	ъ,	Ŋ	ė.	Ŋ	٠,		4.	w.	1.4	1.4	ĸ,	₩,	ĸ,	7.	8	δ,	4.	ņ	ထံ	3.	Ŋ	N)	κÿ .	ю.
, 7, ea	¥	Ļ	LT	_ :		Ξ.	۲	LJ	٦	Ξ.	۲	ן י	L		L	_	٦	L	LT	LT	LT	۲.	٦	L.T	ΓŢ		LT	١٦	Lĭ	LI	Ξ.	<u>-</u> -
Blanks Associated with Task 7 Nemagon Spill Area	Analytical Parameters	p-Chlorophenylmethyl Sulfone	Dibromochloropropane	Dicyclopentadiene	Vabona Diisoprobylmethyl Phosphonate	Dithiane	Dieldrin	Endrin	Isodrin	Malathion	1,4-Oxathiane	Dichlorodiphenylethane	Dichlorodiphenyltrichloro-	ethane	Parathion	2-Chloro-1(2,4-Dichlorophenyl) Vinyldiethyl Phosphates	Dibromochloropropane	Dibromochloropropane	Bicycloheptadiene	Carbon Tetrachloride	Chloroform	Methylene Chloride	Chlorobenzene	Benzene	Dibromochloropropane	Dicyclopentadiene	Dimethyldisulfide	Ethy1benzene	Toluene	Methylisobutyl ketone	letrachloroethene	Trichloroethene
Summary of Analytical Results	Туре	Blarık	Blank	Blank of 1911	Blank Blank	Blank	Blank	81ank	Blank	Blank	B.l.ank	Blank Blank	Blank		Blank	Blank	Blank	Blank	B1ank	B1ank	81ank	Blank	Blank	Blank	Blank	. Blank	81ank	Blank.	Blank	81ank	Blank	Blank

Ebasco Services Incorporated

Rocky Mountain Arsenal Program

Blanks Associated with Task 7, Site 3-4 Nemagon Spill Area Summary of Analytical Results

Type	Analytical Parameters	8	Results	Units	Sample
Blank Blank Blank Blank	Trans-1,2-Dichloroethene Ortho- & Para-Xylene 1,1-Dichloroethane 1,1,1-Trichloroethane		301 301 901 301	6/6n 6/6n 6/6n	ANGUO1 ANGUO1 ANGUO1 ANGUO1 ANGUO1
81ank 81ank 81ank 81ank 81ank	1,2-Dichloroethane m-Xylene Aldrin Atrazine Chlordane		3, -01 7, -01 3, -01 3, -01 6, -01	6/6n 6/6n 6/6n 6/6n	ANGOO1 ANGOO1 ANHOO1 ANHOO1
Blank Blank Blank Blank Blank	Hexachlorocyclopentadiene p-Chlorophenylmethyl Sulfide p-Chlorophenylmethyl Sulfoxide p-Chlorophenylmethyl Sulfone Dibromochloropropane	, , , , , , , , , , , , , , , , , , ,	301 4. +00 7. +00 601 301	6/6n 6/6n 6/6n	ANHOO1 ANHOO1 ANHOO1 ANHOO1 ANHOO1
Blank Blank Blank Blank Blank	Dicyclopentadiene Vapona Diisopropylmethyl Phosphonate Dithiane Vieldrin		401 301 301 7. +00 301	6/6n 6/6n 6/6n 6/6n	ANHOO1 ANHOO1 ANHOO1 ANHOO1
Blank Blank Blank Blank Blank	Endrin Isodrin Malathion 1,4-Oxathiane Dichlorodiphenylethane		301 301 301 5. +00 301	6/6n 6/6n 6/6n	ANHOO1 ANHOO1 ANHOO1 ANHOO1 ANHOO1
Blank Blank Blank Blank Blank	Dichlorodiphenyltrichloro-ethane Parathion 2-Chloro-1(2,4-Dichlorophenyl) Vinyldiethyl Phosphates Bicycloheptadiene Carbon Tetrachloride		601 401 301 301	6/6n 6/6n 6/6n 6/6n	ANHOO1 ANHOO1 ANHOO1 ANWOO1
Blank Blank	Chloroform Methylene Chloride	₽ } 	301	6/6n 6/6n	ANWOO1.

Summary of Ar	Analytical Results	Blanks Associated with Fask 7, Nemagon Spill Area		site	5. £	e promo e de la composición del composición de la composición de la composición de la composición del composición de la	er de
	Type	Analytical Farameters	œ	Results	נו S	Units	Sample Number
	Blank	Chlorobenzene	LT	'n	-01	6/6n	ANMO01
	Blank	Benzene	1	М,	- 01	6/6n	ANWOO1
	Bla nk	Dibromochloropropane	1	4.	-01	6/6n	ANWOO1
	Blank	Dicyclopentadiene		ĸ,	-01	6/6n	ANMO01
	Blank	Dimethyldisulfide	۲	ω,	-01	6/6n	ANMOOL
	Blank	Ethylbenzene	٢٦	ĸ,	-01	6/6n	ANWOO1
	Blank	Toluene	٦	ĸ,	-01	6/6n	ANMO01
	Blank	Methylisobutyl Ketone	L	'n.	-01	6/6n	ANWO01
	Blank	Tetrachloroethene	٦	ĸ,	-01	6/6n	ANWOO1
	Blank	Trichloroethene	ו יו	m,	-01	6/6n	ANMODI
	Blank	Trans-1,2-Dichloroethene	۲	m,	-01	rs/sn	ANWOO1
	Blank	Ortho- & Para-Xylene	L	ĸ,	-01	6/6n	ANMOOT
	Blank	1,1-Dichloroethane	۲	٥,	-01	6/6n	ANMO01
	Blank	1,1,1-Trichloroethane	_	'n	-01	6/60	ANMOO1
	Blank	1,1,2-Trichloroethane	۲	8	-01	6/6n	ANMOOT
	Blank	1,2-Dichloroethane		δ,	-01	6/6n	ANMO01
	Blank	m-Xylene	۲	7.	-01	6/60	ANMOOT
	Blank	Aldrin	-	ĸ,	-01	6/6n	ANX001
	Blank	Atrazine	<u>-</u> -	w.	-01	6/80	ANXOOT
	Blank	Chlondane	_	٥.	-01	6/6n	ANXO01
	Blank	Hexachlorocyclopentadiene	-1	ю,	-01	6/6n	ANX001
	Blank	p-Chlorophenylmethyl Sulfide	LI	4.	00+	6/6n	ANXOUT
	81ank	p-Chlorophenylmethyl Sulfoxide	L.T	7.	+00	6/60	ANX001
	Blank	p-Chlorophenylmethyl Sulfone	Ļ	٠,	-01	6/6n	ANX001
	Blank		1	w,	-01	6/6n	ANX001
	Blank	Dicyclopentadiene	LI	. 4	-01	6/6n	ANX001
	Blank	Vaporia	٦	'n	-01	6/6n	ANX001
	Blank	Diisopropylmethyl Phosphonate		'n	-01	6/6n	ANXO01
	Blank	Dithiane	1	7.	+00	6/6n	ANX001
	Blank	Dieldrin	1	'n	-01	6/6n	ANXO01
	Blank	Endrin	⊢	w,	-01	a/an	ANXOO1
	Blank	Isodrin	_	m,	-01	6/6n	ANXOOI
	Blank	Malathion	⊢	m,	-01	6/6n	ANX001

Ebasco Services Incorporated

Rocky Mountain Arsenal Program

Summary of Analytical Results

Blanks Associated with Task 7, Site 3-4 Nemagon Spill Area

Type	Analytical Parameters	Results	Units	Sample Number
an solven gend o maternal and water statements	Companyament and companyament to the companyament and the companyament a	And the state of t		
Blank	1,4~Oxathiane		6/6n	ANX001
Blank	Dichlorodiphenylethane		6/6n	ANX001
81ank	Dichlorodiphenyltrichloro-	LT 601	6/6n	ANX001
	ethane		•	
81ank	Parathion	LT 401	_	ANXOUT
Blank	2-Chloro-1(2,4-Dichlorophenyl) Vinyldiethýl Phosphates		6/6n	ANXOU1
81ank	Dibromochloropropane	5.0	6/6n	ANY001
Blank	Mencury	. LT 5.0 -02	6/6n	A0A001
Blank	Cadmium	LT 6.6 -01	6/6n	A08001
Blank	Chromium	7.8 +00	6/6n	A0B001
81ank	Copper	8.5 +00	6/6n	A08001
Blank	Lead	LT 1.3 +01	6/6n	AOBD01
Blank	Zinc	3.1 +01	6/6n	A08001
Blank	Arsenic		6/6n	A0C001
81ank	Bicycloheptadiene	LT 301	6/6n	A0G001
Blank	Carbon Tetrachloride	LT 301	6/6n	A06001
Blank	Chloroform		6/6n	A06001
Blank	Methylene Chloride	LT 701	6/6n	A06001
Blank	Chlorobenzene		6/8n	AOGD01
Blank	Benzene	8	6/6n	A06001
Blank	Dibromochloropropane	LT 401	o/en	AOGD01
Blank.	Dicyclopentadiene	'n	6/6n	A06001
Blank	Dimethyldisulfide	LT 801	6/6n	A06001
Blank	Ethylbenzene		6/6n	A06001
Blank	Toluene		6/6n	A06001
Blank	Methylisobutyl Ketone	LT 301	6/6n	AOGUO1
Blank	Tetrachloroethene		6/6n	A06001
Blank	Trichloroethene		6/6n	A0G001
Blank Blank	Trans-1,2-Dichloroethene	LT 301	6/6n	A0G001
Blank .	Ortho- & Para-Xylene	κ'n	6/6n	A06001
Blank	1,1-Dichloroethane	Lf 901	6/6n	A06001
81ank	1,1.1-Trichloroethane		6/6n	A0GUD1
Blank	1.1,2-Trichloroethane	LT 301	6/6n	A:3G:00.1

1,2-Dichloroethane	Arial Vilea Farameters 1,2-Dichloroethane m xylene Aldrin Atrazine Chlorophenylmethyl Sulfide p-Chlorophenylmethyl Sulfide p-Chlorophenylmethyl Sulfore Dishomochloropropane Dishopona Dithiane Dichlorodiphenylethane Li 4-Oxathiane Dichlorodiphenyltrichloro- ethane Parathion 1,4-Oxathiane Dichlorodiphenyltrichloro- ethane Parathion 2-Chloro-1(2,4-Dichlorophenyl) Vinyldiethyl Phosphates Edicyclopeptadiene Carbon Tetrachloride Carbon Tetrachloride Carbon Tetrachloride Chlorobenzene Bicyclopeptadiene Carbon Tetrachloride Chlorobenzene Benzene Bibromochloropropane Li 3. Benzene Chlorophorophane Li 3. Bibromochloropropane Li 3. Bibromochlorophane Li 4. Bibromochlorophane Li 5. Bibromochlorophane Li 6. Li 3. Bibromochlorophane Li 6. Li 3. Bibromochlorophane Li 6. Li 3. Bibromochlorophane Li 6. Li 6. Li 6. Li 6. Li 6. Li 6. Li 7. Li 6. Li 6. Li 6. Li 6. Li 7. Li 6. Li 7. Li 6. Li 6. Li 7. Li 6. Li 7. Li 6. Li 6. Li 7. Li 6. Li 6. Li 7. Li 6. Li 6. Li 7. Li 7. Li 7. Li 7. Li 6. Li 7. Li 6. Li 7. Li 6. Li 7. Li 7. Li 7. Li 8. Li 7. Li 8. Li 7. Li 8. Li 7. Li 8. Li 8. Li 7. Li 8. Li 7. Li 7. Li 7. Li 8. Li 8. Li 7. Li 7. Li 7. Li 8.	+		0			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Sample
1,2-Dichloroethane	1,2-Dichloroethane m xylene Atrazine Atrazine Chlorophenylmethyl Sulfide P-Chlorophenylmethyl Sulfide Dibromochloropropane Disportopentadiene Dithiane Dithiane Dichlorodiphenylethane Dichlorodiphenyltrichloro- ethane Parathion 1,4-Oxathiane Dichlorodiphenyltrichloro- ethane Parathion 2-Chlorophagiene Carbon Tetrachloride	Type	Analytical Parameters	Ÿ	esu1	ത	Units	Number
1,2-Dichloroethane	1,2-Dichloroethane m Xylene m Xylene Altrazine Chlordane Chlordane Chlorophenylmethyl Sulfide D-Chlorophenylmethyl Sulfide D-Chlorophenylmethyl Sulfide D-Chlorophenylmethyl Sulfone Dibromochloropropane Disopropylmethyl Phosphonate LT 3. Disopropylmethyl Phosphonate LT 3. Disportopylmethyl Phosphonate LT 3. Dishlane Dithlane Lt 4.0xathiane Lt 4.0xathiane Lt 4.0xathiane Lt 4.0xathiane Lt 4.0xathiane Lt 4.0xathiane Lt 5. Dichlorodiphenyltrichloro- Ethane Parathion Lt 4. Carbon Tetrachloride LT 3. Vinyldiethyl Phosphates LT 3. Carbon Tetrachloride LT 3. Carbon Tetrachloride LT 3. Chlorobenzene Benzene Lt 3. Chlorobenzene Lt 3. Chlorobenzene Lt 3. Chloropomentadiene LT 3. Chloropomentadiene LT 3. Dicyclopentadiene LT 3. Chloropomentadiene LT 4. Chloropomentadiene LT 3. Chloropomentadiene LT 3. Chloropomentadiene LT 4. Chloropomentadiene LT	C-114 company of the contract	CONTRACTOR OF THE PROPERTY OF				-	
## Aylene ## Atrazine ## Atrazine ## Chiordane ## Chiordane ## Chiorophenylmethyl Sulfide ## Dibromochloropenentadiene ## Chiorophenylmethyl Sulfore ## Dibromochloropenentadiene ## District	Atrazine Chlorophenylmethyl Sulfide D-Chlorophenylmethyl Sulfore D-Chlorophenylmethyl Phosphonate LT 3. Dithiane Dithiane Dithiane Dichlorodiphenylethane LT 3. Dichlorodiphenylethane LT 3. Dichlorodiphenylethane LT 4. Dichlorodiphenylethane LT 4. Dichlorodiphenylethane LT 4. Dichlorodiphenylethane LT 3. Dichlorodiphenylethane LT 4. Serathion Carbon Tetrachloride Carbon Tetrachloride Chloroform Methylene Chloride Chloropenzene Benzene Chloropenzene LT 3. Bibromochloropropane LT 3. Dicyclopentadiene LT 3. Dicyclopentadiene LT 3. Dicyclopentadiene LT 4. S. Dicyclopentadiene LT 4. S. Dicyclopentadiene LT 3. Dicyclopentadiene LT 4. S. Dicyclopentadiene LT 4. Dicyclope	81ank	1,2-Dichloroethane		m	-01	6/6n	A06001
Atrazine Chiordane Chiordane Chiordane Chiordane Chiorophenylmethyl Sulfide D-Chlorophenylmethyl Sulfide D-Chlorophenylmethyl Sulfoxide D-Chlorophenylmethyl Sulfoxide D-Chlorophenylmethyl Sulfoxide D-Chlorophenylmethyl Sulfoxide D-Chlorophenylmethyl Sulfoxed D-Chlorophenylmethyl Phosphonate D-Chlorophenylmethyl Phosphonate D-Chlorophenylmethyl Phosphonate D-Chlorophenylmethyl Phosphates D-Chlorophenylmethyl D-D-Chlorophenyl D-Chlorophenylmethyl D-D-Chlorophenyl D-Chlorophenylmethyl D-D-Chlorophenyl D-Chlorophenylmethyl D-D-Chlorophenyl D-Chlorophenylmethylidide D-D-Chlorophenylmethylidide D-D-Chlorophenylmethylidide D-D-D-Chlorophenylmethylidide D-D-D-D-D-D-D-D-D-D-D-D-D-D-D-D-D-D-D-	Atrazine Chlordane Hexachlorocyclopentadiene LT 3. Chlorophenylmethyl Sulfoxide D-Chlorophenylmethyl Sulfoxide D-Chlorophenylmethyl Sulfoxide D-Chlorophenylmethyl Sulfoxide LT 7. Disponsorlorophene Disponsorlorophene LT 3. Disponsoylmethyl Phosphonate LT 3. Dithiane Disponsoylmethyl Phosphonate LT 3. Dithiane Dichlorodiphenylethane LT 3. L4-0xathiane Bacthion L4-0xathiane LT 3. Dichlorodiphenyltrichloro- LT 3. Dichlorodiphenyltrichloro- LT 3. Dichlorodiphenyltrichloro- LT 3. Dichloroform Methylene Chloride Chloroform Methylene Chloride LT 3. Chloroform Methylene Chloride LT 3. Chloroform Methylene Chloride LT 3. Chloropenzene LT 3. Benzene Dicklorophane LT 3. Chlorophane LT 3.	Blank	m Xylene	۲٦	7.	10-	6/6n	AOCOO1
Atrazine Chlordane Haxechloroxiopentadiene Haxechloroxiopentadiene D-Chlorophenylmethyl Sulfide D-Chlorophenylmethyl Sulfoxide D-Chlorophenylmethyl Sulfoxide D-Chlorophenylmethyl Sulfoxide Dibromochloropene Dibromochloropene Discolopentadiene Ul	Atrazine Chlordane Hexachlorocyclopentadiene Lif 6. Hexachlorophenylmethyl Sulfoxide D-Chlorophenylmethyl Sulfoxide Lif 7. D-Chlorophenylmethyl Sulfoxide Lif 7. Dibromochloropropene Lif 3. Disopropylmethyl Phosphonate Lif 3. Dithiane Dislarin Endrin Lif 4-0xathiane Lif 4-0xathiane Lif 4-0xathiane Lif 5. Dichlorodiphenyltrichloro- Lif 3. Lif 4-0xathiane Lif 6. Dichlorodiphenyltrichloro- Lif 6. Ethane Parathion Lif 4. Sinyldiethyl Phosphates Lif 3. Chloroform Methylene Chloride Lif 6. Chloroform Methylene Chloride Lif 7. Chloroform Methylene Chloride Lif 3. Chloroform Methylene Chloride Lif 3. Chloroform Methylene Chloride Lif 3. Lif 6. Lif 3. Lif 6. Lif 6. Lif 7. Lif 7. Lif 6. Lif	Blank	Aldrin	LI	δ.	-01	6/6n	AOH001
Chierdane (hierarchic control openitadiene (hierarchic control openitadi	Chlordane Hexachlorocyclopentadiene Life. P-Chlorophenylmethyl Sulfide Dibromochloropropane Dibromochloropropane Life. Dibromochloropropane Life. Vapona Disopropylmethyl Phosphonate Life. Life. Napona Dithiane Dithiane Dithiane Dithiane Dichlorodiphenyltrichloro- Ethane Life. Dichlorodiphenyltrichloro- Ethane Parathion Life. Dichloro-1(2,4-Dichlorophenyl) Life. Carbon Tetrachloride Chloroform Methylene Chloride Chloroform Methylene Chloride Chloroform Methylene Chloride Chloropentadiene Life.	B. ank	Atrazine	_	Ν,	-01	6/60	AOHODI
Hexachlorocyclopentadiene Chlorophenylmethyl Sulfide D-Chlorophenylmethyl Sulfide D-Chlorophenylmethyl Sulforide D-Chlorophenylmethyl Sulforide Dicyclopentadiene Disporopylmethyl Phosphonate Cl	Hexachlorocyclopentadiene Hexachlorophenylmethyl Sulfide D-Chlorophenylmethyl Sulfide D-Chlorophenylmethyl Sulfone Dibromochloropropene Discopropylmethyl Sulfone LT 7. Discopropylmethyl Phosphonate LT 7. Dithiane Dithiane Dieldrin Endrin Isodrin Malathion LT 3. 1,4-0xathiane Dichlorodiphenylethane LT 3. LT 3. LY -0xathiane Dichlorodiphenylethane Dichlorodiphenyltrichloro- Ethane Parathion 2-Chloro-1(2,4-Dichlorophenyl) LT 3. Vinyldiethyl Phosphates Bicycloheptadiene Carbon Tetrachloride Chloroform Methylene Chloride Chlorobenzene Bicyclopentadiene Chloropenarene LT 3. Benzene Bicyclopentadiene Chloropenarene LT 3. Carbon Tetrachloride LT 3. Chloropenarene LT 3. Bibromochloropropane LT 3. Bibromochloropropane LT 4. Chloropentadiene LT 4. Chloropentadiene LT 4. Chloropentadiene LT 5. Bibromochloropropane LT 7. Chimethyldisulfide			· }-	, ,	1 6	0 / 5	10000
Hexachlorooverlopentadiene Definion phenylmethyl Sulfore Definion phenylmethyl Sulfore Dibromochloropenene Discolopentadiene LT 301 ug/g LT 4-0xathiane Dichlorodiphenylethane LT 301 ug/g Dichlorodiphenylethane LT 301 ug/g Dichlorodiphenyltrichloro LT 301 ug/g Dichlorodiphenyltrichloro LT 301 ug/g Carbon Tetrachloride LT 301 ug/g Carbon Tetrachloride Carbon Tetrachloride Carbon Tetrachloride Carbon Tetrachloride LT 301 ug/g Carbon Tetrachloride LT 401 ug/g Carbon Tetrachloride LT 501 ug/g Carbon Tetrachloride LT 601 ug/g Carbon Tetrachloride LT 701 ug/g Carbon Tetrachloride LT 801 ug/g Carbon Tetrachloride LT 901 ug/g Carbon	Hexachlorocyclopentadiene D-Chlorophenylmethyl Sulfode D-Chlorophenylmethyl Sulfone Dicyclopentadiene UT 3. Disopropylmethyl Phosphonate UT 3. Dispropylmethyl Phosphonate UT 3. Dithiane Dithiane Dithiane Dithiane Dithiane Dichlorodiphenylethane UT 3. Ly 4-0xathiane Dichlorodiphenylethane Ly 4-0xathiane Dichlorodiphenylethane Ly 4-0xathiane Dichlorodiphenylethane Dichlorodiphenylethane Ly 4-0xathiane Dichloroform Methylene Chloride Carbon Tetrachloride Chloroform Methylene Chloride Chloropentadiene Ly 4-0xathiane Ly 4-0xat	51 ank	Chiordane		ė:	70:	6 / 611 6 / 611	TOOLON
p-Chlorophenylmethyl Sulfade p-Chlorophenylmethyl Sulfoxide p-Chlorophenylmethyl Sulfoxide Dicyclopentadiene Dicyclopentadiene LT 5. +00 ug/g Dicyclopentadiene LT 501 ug/g Disporopylmethyl Phosphonate LT 7. +00 ug/g Disporopylmethyl Phosphonate LT 301 ug/g Disporopylmethyl Phosphonate LT 301 ug/g Disporopylmethyl Phosphonate LT 301 ug/g Dichlorodiphenyltrichloro- LT 301 ug/g Dichlorodiphenyltrichloro- LT 501 ug/g ethane Dichlorodiphenyltrichloro- LT 6. +00 ug/g Dichlorodiphenyltrichloro- Carbon Tetrachloride Carbon Tetrachloride Carbon Tetrachloride Chloroform Methylene Chloride Chloropentadiene Chloropentadie	p-Chlorophenylmethyl Sulfide p-Chlorophenylmethyl Sulfore p-Chlorophenylmethyl Sulfore Dibromochloropropane Discolopentadiene Vapona Discolopentadiene Discolopentadiene 1.4-Oxathiane Dichlorodiphenylethane Dichlorodiphenylethane Dichlorodiphenyltrichloro- ethane Parathion 1.4-Oxathiane Dichlorodiphenyltrichloro- thorodiphenyltrichloro- cthane Parathion 2-Chloro-1(2,4-Dichlorophenyl) Vinyldiethyl Phosphates Bicycloheptadiene Carbon Tetrachloride Carbon Tetrachloride Chloroform Methylene Chloride Chloropropane LT 3. Benzene Benzene Chloropenzene Chloropropane LT 3. Bicyclohentadiene LT 3. Chloropenzene Chloropenzene Bicyclohentadiene LT 3. Chloropenzene Chloropenzene Chloropenzene Chloropenzene Chloropenzene Chloropenzene LT 4. 2. Chloropenzene Chloropenzene Chloropenzene Chloropenzene LT 3. Chloropenzene Chlorope	8 lark	Hexachlorocyclopentadiene		δ,	-01	ಣ/6n	AUHUU1
p-Chlorophenylmethyl Sulfoxide LT 7. +00 ug/g p-Chlorophenylmethyl Sulfone Dicyclopentadiene Dicyclopentadiene LT 301 ug/g Dispromochloropropane LT 301 ug/g Dispromochlorophonate LT 301 ug/g Dichloropylmethyl Phosphonate LT 301 ug/g Dichlorodiphenylethane LT 301 ug/g Endrin L301 ug/g Dichlorodiphenylethane LT 301 ug/g Dichlorodiphenylethane LT 301 ug/g Dichlorodiphenylethane LT 301 ug/g Dichlorodiphenylethane LT 301 ug/g Endrin Dichlorodiphenylethane LT 301 ug/g Carbon Tetrachlorophenyl) LT 301 ug/g Carbon Tetrachlorophenyl) LT 301 ug/g Carbon Tetrachloride LT 301 ug/g Chloroform Methylene Chloride Chloropenzene LT 301 ug/g Chloropenzene	p-Chlorophenylmethyl Sulfone LT 7. p-Chlorophenylmethyl Sulfone LT 5. Dibromochloropropane LT 5. Dicyclopentadiene LT 3. Disporopylmethyl Phosphonate LT 3. Dieldrin Endrin LT 7. Dieldrin LT 3. Dieldrin LT 6. Dieldrin LT 7. Dieldrin LT 7. Dieldrin LT 7. Dieldrin LT 7. Dieldrin LT 8. LT 6. Dichlorodiphenylethane LT 6. Dichlorodiphenyltrichloro- LT 6. Ethane Parathion LT 3. LT 4. Socholorodiphenyltrichloro- LT 6. Ethane Parathion LT 3. LT 4. Schlorolopetadiene LT 8. Carbon Tetrachloride LT 3. Chloroform Methylene Chloride LT 3. Chlorobenzene LT 6. Banzene LT 7. Benzene LT 8. Bicyclopentadiene LT 8. Bicyclopentadiene LT 8. Bicyclopentadiene LT 8.	Blank		_	, 4	00+	6/6n	A0H001
D-Chlorophenylmethyl Sulfone Dibromochloropropane Disyclopentadiene Ulf 401 ug/g Disyclopentadiene Ulf 401 ug/g Ulisopropylmethyl Phosphonate Ulf 301 ug/g Dithiane Dithiane Dithiane District	D-Chlorophenylmethyl Sulfone Disvolopentadiene Vapona Disspropylmethyl Phosphonate LT 3. Dithiane Dithiane LT 7. Dieldrin Isodrin Malathion 1,4-Oxathiane Dichlorodiphenylethane Dichlorodiphenyltrichloro- Ethane Parathion 2-Chloro-1(2,4-Dichlorophenyl) Vinyldiethyl Phosphates Bicycloheptadiene Carbon Tetrachloride Chloroform Methylene Chloride Chlorobenzene Benzene Benzene Benzene Bicyclopentadiene LT 3. Chlorobenzene Benzene Bicycloheptadiene LT 3. Vinyldiethyl Phosphates LT 4. 2-Chloroform Methylene Chloride LT 3. Chlorobenzene Benzene Bicyclopentadiene LT 3. Chlorophorophane LT 3. LT 4. S. Chlorophorophane LT 3. Chlorophorophane LT 3. Chlorophorophane LT 3. Chlorophorophane LT 3. LT 4. S. Chlorophorophane LT 4. S. Chlorophorophane LT 3. LT 4. S. Chlorophorophane LT 3. Chlorophorophane LT 3. LT 4. S. Chlorophorophane LT 3. Chlorophorophane LT 3. LT 4. S. Chlorophorophane LT 3. Chlorophorophane LT 3. LT 4. S. Chlorophorophane LT 4. S. Chlorophorophane LT 4. S. Chlorophorophane LT 3. LT 4. S. Chlorophorophane LT 4. S. Chlorophorophane LT 3. Chlorophorophane LT 3. Chlorophorophane LT 4. S. Chlorophorophane LT 3. Chlorophorophane LT 3. Chlorophorophane LT 4. S. Chlorophorophane LT 5. Chlorophorophane LT 6. LT 7. Chlorophorophane LT 7. S. Chlorophorophane LT 7. S. Chlorophorophane LT 7. S. Chlorophorophane LT 7. S. Chloropho	Blank		LT	7.	+00	6/6n	AOHOO1
Dibromochloropropane Dicyclopentadiene L1 401 Vapona Dithiane Dithiane Dithiane Dithiane Dithiane Discycloperation L2 401 L3 -01 L4 -03 L4	Dibromochloropropane Disopropylmethyl Phosphonate Vapona Dithiane Dithiane Dieldrin Isodrin Malathion 1,4-0xathiane Dichlorodiphenyltrichloro- Ethane Parathion 2-Chloro-1(2,4-Dichlorophenyl) Vinyldiethyl Phosphates Bicycloheptadiene Chloroform Methylere Chloride Chloropena LT 3. Benzene Dicyclopentadiene LT 3. Uimethyldisulfide LT 3.	R Jark			9	-01	6/67	A0H001
Disyclopentadiene LI 301 ug/g Vapona Dithiane Dithiane LI 301 ug/g LI 301 ug/g Dieldrin Endrin Endrin I,4-Oxathiane LI 301 ug/g LI 301 ug/g LI 301 ug/g LI 301 ug/g LI 4-Oxathiane LI 401 ug/g LI 501 ug/g LI 6. +00 ug/g Dichlorodiphenyltrichloro- LI 6. +00 ug/g LI 7 301 ug/g LI 9-01 ug/g LI 1 301 ug/g LI 2-Chloro-I(2,4-Dichlorophenyl) LI 301 ug/g LI 301 ug/g Carbon Tetrachloride LI 301 ug/g Chlorobenzene Endrin LI 301 ug/g Chlorobenzene LI 301 ug/g Chlorobenzene LI 301 ug/g Chlorobenzene LI 301 ug/g Chloropentadiene LI 301 ug/g	Dispense of the proposed of th	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2		<u>-</u>	· ~		0 / 0 : .	AOHOO1
Vapona Vapona Dithiane Discrept addiene LT 301 ug/g Dichlorodiphenyltrichloro- LT 401 ug/g Parathion LT 401 ug/g Carbon Tetrachloride LT 301 ug/g LT 301 ug/g LT 401 ug/g LT 301 ug/g LT 401 ug/g Carbon Tetrachloride LT 301 ug/g Carbon Tetrachloride LT 301 ug/g Chlorobenzene Methylene Chloride LT 301 ug/g LT 301 ug/g Chlorobenzene LT 301 ug/g LT 301 ug/g LT 301 ug/g Chlorobenzene LT 301 ug/g LT 301 ug/g Dicyclopentadiene LT 301 ug/g	Dithiane Dispersopylmethyl Phosphonate LT 3. Dispersopylmethyl Phosphonate LT 7. Dieldrin Endrin Isodrin Malathion Lt 4-0xathiane Dichlorodiphenylethane Dichlorodiphenylethane LT 3. Dichlorodiphenylethane LT 3. Dichlorodiphenylethane LT 4. 2-Chloro-1(2,4-Dichlorophenyl) LT 3. Sinyldiethyl Phosphates LT 3. Carbon Tetrachloride Chloroform Methylene Chloride Chlorobenzene Benzene LT 3. Benzene LT 3. Benzene LT 3. Benzene LT 3. Dibromochloropropane LT 3.					1 5	n (100104
Vapona Dithiane Dithiane Dithiane Dieldrin Endrin Sacrim Balathion 1,4-0xathiane Dichlorodiphenyltrichloro- Ethane Parathion 2-Chloro-1(2,4-Dichlorophenyl) Vinyldiethyl Phosphates Bicycloheptadiene Chloroform Methylene Chloride Chloropentadiene Benzene Benzene Benzene Benzene Benzene Bicyclopentadiene Chloropentadiene Chlor	Vapona Viapona Dithiane Dithiane Dieldrin Endrin Isodrin Isodrin Malathion 1,4-Oxathiane Dichlorodiphenylethane Ethane Parathion 2-Chloro-1(2,4-Dichlorophenyl) Vinyldiethyl Phosphates Bicycloheptadiene Carbon Tetrachloride Chloroform Methylene Chloride Chlorobenzene Benzene Bicyclopentadiene Chloropane LT 3. Chlorobenzene Benzene Dichloropane LT 3. Chloropane LT 3. Chloropenatadiene LT 3. Chloropenatadiene LT 3. LT 4. Chloropenatadiene LT 3. Chloropenatadiene LT 3. LT 4. LT 5. LT 6. LT 6. LT 6. LT 6. LT 6. LT 7. Chloropenatadiene LT 7. LT 6. LT 7. LT 7. LT 6. LT 7. LT 7	S Leank	Ulcyclopericaciene	٠ .		70-	5 / Sn	AUDUL
Dithiane Dithiane Dithiane Dithiane Dieldrin Endrin LT 3. +00 usys LT 301 usys Dichlorodiphenylethane LT 301 usys Dichlorodiphenyltrichloro- Ethane Parathion LT 401 usys Dichlorodiphenyltrichloro- Ethane Parathion LT 401 usys Carbon Tetrachlorophenyl) LT 401 usys Carbon Tetrachloride Chloroform Methylere Chloride Chlorobenzene Benzene Benzene Bicyclopentadiene LT 301 usys Chloropentadiene LT 301 usys Chloropenzene LT 301 usys LT 401 usys Dicyclopentadiene LT 501 usys Dicyclopentadiene LT 601 usys LT 701 usys LT 7	Dithiane Dithiane Dithiane Dieldrin Endrin Isodrin Malathion I,4-Oxathiane Dichlorodiphenylethane Dichlorodiphenyltrichloro- Ethane Parathion 2-Chloro-1(2,4-Dichlorophenyl) Vinyldiethyl Phosphates Bicycloheptadiene Carbon Tetrachloride Chlorobenzene Chlorobenzene Chlorobenzene Chloropentadiene UI 3. Benzene Chloropentadiene UI 3. Chlorobenzene Chloropentadiene UI 3. Chloropentadiene UI 3. Benzene Chloropentadiene UI 3. Ui yclopentadiene UI 3. Ui yclopentadiene UI 3.	Blank	Vapona	Γ. Τ	m'	-01	6/6n	AOHO01
Dithiane Dithiane Dieldrin Endrin Endrin Isodrin Malathion 1,4-0xathiane Dichlorodiphenylethane Dichlorodiphenyltrichloro- Ethane Parathion 2-Chloro-1(2,4-Dichlorophenyl) Vinyldiethyl Phosphates Bicycloheptadiene Chlorobenzene Chlorobenzene Chlorobenzene Chloropenae Benzene Benzene Benzene UT 301 ug/g ug/g ug/g Ug/g Ug/g Ug/g Ug/g Ug/g	Dithiane Dieldrin Endrin Isodrin Malathion 1,4-0xathiane Dichlorodiphenylethane Parathion 2-Chloro-1(2,4-Dichlorophenyl) Vinyldiethyl Phosphates Bicycloheptadiene Carbon Tetrachloride Chloroform Methylene Chloride Chlorobenzene Benzene Bicyclopentadiene Chloropenane Chloropen	Blank	Diisopropylmethyl Phosphonate	_	٠ <u>.</u>	-01	6/6n	AOHO01
Dieldrin	Endrin Endrin Isodrin Isodrin Interpretation 1,4-0xathiane Dichlorodiphenylethane Parathion 2-Chloro-1(2,4-Dichlorophenyl) Vinyldiethyl Phosphates Bicycloheptadiene Carbon Tetrachloride Chloroform Methylene Chloride Chlorobenzene Benzene Bicyclopentadiene Chloropename LT 3. Chlorobenzene Benzene Bicyclopentadiene LT 3. Chlorobenzene LT 3. Chlorobenzene LT 3. Chloropename LT 3. Chloropename LT 3. Chloropename LT 3. Dibromochloropropane LT 3. Chloropentadiene LT 3.	Blank	Dithiane	LT	7.	+00	6/6n	A0H001
Endrin Isodrin Malathion LT 301 ug/g LT 301 ug/g Lt-Oxathiane LT 301 ug/g Lt-Oxathiane LT 301 ug/g Lt-Oxathiane Dichlorodiphenylethane LT 301 ug/g ethane Parathion 2-Chloro-1(2,4-Dichlorophenyl) LT 401 ug/g 2-Chloro-1(2,4-Dichlorophenyl) LT 301 ug/g Vinyldiethyl Phosphates Bicycloheptadiene Chloride Chloroform Methylene Chloride LT 301 ug/g Chlorobenzene LT 301 ug/g Chlorobenzene LT 301 ug/g LD ug/g Chlorophoptadiene LT 301 ug/g LD ug/g Chlorophoptadiene LT 301 ug/g LD vylopentadiene LT 301 ug/g Dicyclopentadiene LT 301 ug/g Dicyclopentadiene LT 301 ug/g Dicyclopentadiene LT 301 ug/g Dicyclopentadiene LT 801 ug/g	Endrin Isodrin Malathion 1,4-0xathiane Dichlorodiphenylethane Parathion 2-Chloro-1(2,4-Dichlorophenyl) Vinyldiethyl Phosphates Bicycloheptadiene Carbon Tetrachloride Chloroform Methylene Chloride Chlorobenzene Benzene Bicyclopentadiene Chloropenane C	Blank	Dieldrin	1	м М	-01	ug/g	AOH001
Isodrin Malathion LT 301 ug/g LtOxathiane Dichlorodiphenylethane LT 5. +00 ug/g Dichlorodiphenyltrichloro- LT 6. +00 ug/g Ethane Parathion 2-Chloro-1(2,4-Dichlorophenyl) LT 401 ug/g Vinyldiethyl Phosphates Bicycloheptadiene Chloroform Methylene Chloride Chlorobenzene Chloropenane LT 301 ug/g LT 401 ug/g LT 501 ug/g LT 501 ug/g LT 501 ug/g LT 6. +00 ug/g LT 6. +00 ug/g LT 701 ug/g	Isodrin Malathion 1,4-Oxathiane Dichlorodiphenyltrichloro- Expansion 2-Chloro-1(2,4-Dichlorophenyl) Vinyldiethyl Phosphates Bicycloheptadiene Carbon Tetrachloride Chloroform Methylene Chloride Chlorobenzene Benzene Bicyclopentadiene Chloropenare Chlo	81ank	Endrin	L.1	3.	-01	6/6n	A0H001
Malathion 1,4-Oxathiane LT 6. +00 ug/g Dichlorodiphenylethane LT 301 ug/g ethane Parathion 2-Chloro-1(2,4-Dichlorophenyl) Vinyldiethyl Phosphates Bicycloheptadiene Carbon Tetrachloride Chloroform Methylene Chloride Chlorobenzene Benzene LT 301 ug/g LJ 301 ug/g LJ 301 ug/g LJ 301 ug/g Chloroform Methylene Chloride LT 301 ug/g LJ 301 ug/g	1,4-0xathiane Dichlorodiphenylethane LT 6. Dichlorodiphenyltrichloro- ethane Parathion 2-Chloro-1(2,4-Dichlorophenyl) Vinyldiethyl Phosphates Bicycloheptadiene Chloroform Methylene Chloride Chlorobenzene Chlorobenzene Chloropenane LT 3. Chlorobenzene Chloropenane LT 3. Dibromochloropropane LT 3. Chloropenane LT 3. Dibromochloropropane LT 3. Chloropenane LT 3. Chloropenane LT 3. Chloropenane LT 3.	B.Lank	Isodrin	۲	8	-01	6/6n	AOH001
1,4-Oxathiane Dichlorodiphenylethane Dichlorodiphenylethane LT 301 Ug/g ethane Parathion 2-Chloro-1(2,4-Dichlorophenyl) LT 301 Ug/g 2-Chloro-1(2,4-Dichlorophenyl) LT 301 Ug/g Vinyldiethyl Phosphates Bicycloheptadiene Chloroform Methylene Chloride Chloroform Methylene Chloride Chloropenzene LT 301 Ug/g Chlorobenzene LT 301 Ug/g Uibromochloropropane LT 801 Ug/g	1,4-Oxathiane Dichlorodiphenylethane LT 6. Dichlorodiphenyltrichloro- Ethane Parathion 2-Chloro-1(2,4-Dichlorophenyl) LT 7. Vinyldiethyl Phosphates Bicycloheptadiene Carbon Tetrachloride Chloroform Methylene Chloride Chlorobenzene Benzene Benzene LT 3. Chlorobenzene LT 3. Chloropentadiene LT 3. Chloropentadiene LT 3. LT 4. S. Chloropentadiene LT 3. LT 3. LT 4. S. Chloropentadiene LT 3. Dibromochloropropane LT 3. LT 3. LT 3. Dibromochloropropane LT 3. LT 3. Dibromochloropropane LT 3.	Blank	Malathion	LT	m	-01	6/6n	ACHD01
Dichlorodiphenylethane Dichlorodiphenyltrichloro- ethane Parathion 2-Chloro-1(2,4-Dichlorophenyl) Vinyldiethyl Phosphates Bicycloheptadiene Chloroform Methylene Chloride Chlorobenzene Chloropenzene	Dichlorodiphenylethane Dichlorodiphenyltrichloro- ethane Parathion 2-Chloro-1(2,4-Dichlorophenyl) LT 4. 2-Chloro-1(2,4-Dichlorophenyl) LT 3. Vinyldiethyl Phosphates Bicycloheptadiene Carbon Tetrachloride Chloroform Methylene Chloride Chlorobenzene Benzene Benzene Bibromochloropropane LT 3. Chloropentadiene LT 3. Chloropentadiene LT 3. Dicyclopentadiene LT 3.	Acres (B	1 6 = 0 vathiene	-	4	00+	119/9	AOHO01
Dichlorodiphenyltrichloro- LT 601 ug/g ethane Parathion 2-Chloro-1(2,4-Dichlorophenyl) LT 301 ug/g Vinyldiethyl Phosphates Bicycloheptadiene Carbon Tetrachloride Chloroform Methylene Chloride Chlorobenzene Chloropenzene LT 301 ug/g Chlorobenzene LT 301 ug/g Chloropenzene LT 301 ug/g Chloropenzene LT 301 ug/g Dibromochloropropane LT 301 ug/g Dicyclopentadiene LT 301 ug/g Dicyclopentadiene LT 301 ug/g Dicyclopentadiene LT 801 ug/g	Dichlorodiphenyltrichloro- ethane Parathion 2-Chloro-1(2,4-Dichlorophenyl) LT 4. 2-Chloro-1(2,4-Dichlorophenyl) LT 3. Vinyldiethyl Phosphates Bicycloheptadiene Carbon Tetrachloride Chloroform Methylene Chloride Chlorobenzene Chlorobenzene Benzene Benzene LT 3. Chlorobenzene LT 3. Chloropentadiene LT 3. Benzene Dicyclopentadiene LT 3.	1 de la		-)- -		5 5	0 / 0]	ACHOO!
Dichlorodiphenyltrichloro- Li 601 ug/g ethane Parathion 2-Chloro-1(2,4-Dichlorophenyl) Ll 301 ug/g Vinyldiethyl Phosphates Bicycloheptadiene Carbon Tetrachloride Ll 301 ug/g Chloroform Methylene Chloride Ll 301 ug/g Chlorobenzene Ll 301 ug/g Chlorobenzene Ll 301 ug/g Dibromochloropropane Ll 301 ug/g Dicyclopentadiene Ll 301 ug/g Dicyclopentadiene Ll 301 ug/g	ethane ethane Parathion Parathion Parathion 2-Chloro-1(2,4-Dichlorophenyl) Vinyldiethyl Phosphates Bicycloheptadiene Carbon Tetrachloride Chloroform Methylene Chloride Chlorobenzene Chloropenane Chlo	<u> </u>		1.		1 0	n -	100104
Parathion 2-Chloro-1(2,4-Dichlorophenyl) L1 301 ug/g Vinyldiethyl Phosphates Bicycloheptadiene Carbon Tetrachloride Chloroform Methylene Chloride Chlorobenzene Chloropenzene Chlorop	Parathion 2-Chloro-1(2,4-Dichlorophenyl) L1 3. Vinyldiethyl Phosphates Bicycloheptadiene Carbon Tetrachloride Chloroform Methylene Chloride Chlorobenzene Benzene Benzene Dibromochloropropane L1 3. Chloropentadiene L1 3. L1 4. Dibromochloropropane L1 3. Dibromochloropropane L1 3. Dibromochloropropane L1 3. Dibromochloropropane L1 3.	Blank	Ulchlorodiphenylirichloro- ethane	_	ó	10-	6/6n	AUHUU1
2-Chloro-1(2,4-Dichlorophenyl) Ll 301 ug/g vinyldiethyl Phosphates Bicycloheptadiene Carbon Tetrachloride Chloroform Methylene Chloride Chlorobenzene Chlorobenzene Chloropropane Ch	2-Chloro-1(2,4-Dichlorophenyl) L1 3. Vinyldiethyl Phosphates Bicycloheptadiene Carbon Tetrachloride Chloroform Methylene Chloride Chlorobenzene Benzene Benzene L1 3. Chlorobenzene L1 3. Chloropenzene L1 3. Benzene Dibromochloropropane L1 3. Bibromochloropropane L1 3. Dibromochloropropane L1 3. Dibromochloropropane L1 3. Dirextlopentadiene L1 4.	Blank	Parathion	1	4.	-01	6/60	AOHI001
Bicycloheptadiene Carbon Tetrachloride Chloroform Methylene Chloride Chlorobenzene Chlorobenzene Chloropenzene Chl	Bicycloheptadiene Carbon Tetrachloride Chloroform Methylene Chloride Chlorobenzene Chlorobenzene Benzene Dibromochloropropane Dicyclopentadiene UT 3.	Blank	2-Chloro-1(2,4-Dichlorophenyl)	7	'n	-01	6/6n	AOHO01
Bicycloheptadlene Carbon Tetrachloride Chloroform Methylene Chloride Chlorobenzene Chloropenzene Chl	Bicycloheptaglene Carbon Tetrachloride Chloroform Methylene Chloride Chlorobenzene Chloropenzene Chl			-	•	Č	7	0 0 0 0 V
Carbon Tetrachloride LT 301 ug/g Chloroform LT 301 ug/g Methylene Chloride LT 701 ug/g Chlorobenzene LT 301 ug/g Benzene LT 301 ug/g Dibromochloropropane LT 301 ug/g Dicyclopentadiene LT 401 ug/g Dimethyldisulfide LT 801 ug/g	Carbon Tetrachloride Chloroform Chloroform Methylene Chloride LT 3. Chlorobenzene Benzene LT 3. Bibromochloropropane Li 3. Dibromochloropropane LT 3. Dibromochloropropane LT 3. Discyclopentadiene LT 3.	Blank	Bloycloheptadlehe	_	, ,	TO-	6/6n	AUNUUI
Chloroform LT 301 ug/g Methylene Chloride LT 701 ug/g Chlorobenzene LT 301 ug/g Benzene LT 301 ug/g Dibromochloropropane LT 401 ug/g Dicyclopentadiene LT 501 ug/g Dimethyldisulfide LT 801 ug/g	Chloroform Methylene Chloride LT 7. Chlorobenzene LT 3. Benzene Dibromochloropropane LT 3. Discyclopentadiene LT 3.	B1ank	Carbon Tetrachloride	Ľ	3.	-01	6/6n	AOK001
Methylene Chloride	Methylene Chloride Chlorobenzene LT 3. Benzene Dibromochloropropane LT 4. Directlyldisulfide LT 8.	Blank	Chloroform	1	8	-01	6/6n	· ACKOD1
Chlorobenzene LT 301 ug/g Benzene LT 301 ug/g Dibromochloropropane LT 401 ug/g Dicyclopentadiene LT 301 ug/g Dimethyldisulfide LT 801 ug/g	Chlorobenzene Benzene Dibromochloropropane Cicyclopentadiene Li 4. Dimethyldisulfide Li 8.	Blank	Methylene Chloride	1	7.	-01	6/6n	AOKU01
Benzene Dibromochloropropane II 401 us/9 Dicyclopentadiene Li 501 us/9 Dicyclopentadiene Li 801 us/9	Benzene LT 3. Dibromochloropropane LT 4. Dicyclopentadiene LT 5. Dimethyldisulfide LT 8.	81ank	Chlorobenzene	LT	پ	-01	6/6n	AOKUD1
Dibromochloropropane (T 4U1 ug/g Dicyclopentadiene L1 3U1 ug/g Uimethyldisulfide LT 8U1 ug/g	Dibromochloropropane (T 4. Dicyclopentadiene L1 3. Dimethyldisulfide LT 8.	Blank	Benzene	LT	۲,	-01	6/6n	AOKOO1
Dicyclopentadiene L1 301 ug/g Dimethyldisulfide LT 801 ug/g	Dicyclopentadiene L1 3. Dimethyldisulfide LT 8.	Blank	Dibromochloropropane	_	4.	-01	6/60	AOK001
Dimethyldisulfide LT 801 ug/g	Dimethyldisulfide LT 8.	Blank	Dicyclopentadiene	-	8	-01	6/6n	ACK001
		Blank	Dimethyldisulfide	1	x	- 01	6/6n	AOK001

Rocky Mountain Arsenal Program

Blanks Associated with lask 7, Site 3-4 Nemagon Spill Area

lype	Analytical Parameters	ř	Results	9	Units	Number
Blank	Ethylbenzene	۲	m'	-01	6/6n	AOK 001
Blank	Toluene	LT	_.	-01	6/611	AOK001
Blank	Methylisobutyl Ketone	1	3.	-01	6/6n	AUKOU1
Blank	Tetrachloroethene	۲	(م	-01	6/6n	AOKOD1
Blank	Trichloroethene	1	ĸ,	-01	6/6n	AOK 001
Blank	Trans-1,2-Dichloroethene	٦	'n	-01	6/60	AOK001
Blank	Ortho- & Para-Xylene	LT	ъ,	-01	6/8n	AOK001
Blank	1,1-Dichloroethane		2,	-01	6/6n	AOK001
Blank	1.1.1-Trichloroethane	-	₩,	-01	6/6n	AOK001
Blank	1,1,2-Trichloroethane	1	'n	-01	e/en	AOKO01
Blank	1,2-Dichloroethane	L	ъ,	-01	6/6n	AOK001
81ank	m-Xylene	LT	7,	-01	6/6n	ACK001
Blank	Dibromochloropropane	LT	5.0	-03	6/6n	AOM001
Blank	Aldrin	-1	М.	-01	6/6n	AONOD1
Blank	Atrazine	LT	3.	-01	6/60	AONDO1
Blark	Chlordane	LT	. 6	-07	6/6n	AON001
Blank	Hexachlorocyclopentadiene	٢	κ,	-01	6/6n	AON001
Blank	p-Chlorophenylmethyl Sulfide	1	4.	00+	6/6n	AONGO 1
Blank	p-Chlorophenylmethyl Sulfoxide	_	7.	+00	6/6n	AONDO1
Blank	p-Chlorophenylmethyl Sulfone		9	-01	6/6n	AON001
Blank		٢	ĸ,	-01	6/6n	AON001
Blank	Dicyclopentadiene	۲	,	-01	6/6n	AUNDOL
Blank	Vaporia	L	'n	-01	6/6n	AUND01
Blank.	Diisopropylmethyl Phosphorate	-1	3.	-01	6/6n	AONDD1
Blank	Dithiane	1	7.	00+	a/en	AON001
81ank	Dieldrin	1	۵,	-01	6/6n	AONGO 1
		-	к	5	5/01	AONOO1
DIGILK		- i) r	7 6) (0)	100204
Blank		بر - د	· ·	10-	00/00 0/10/00	ACNOCI
5 Larık	Malathion	- ! 	'n	7 :	n \ 000	ACMOOL
Blank	1,4-Oxathiane	<u>,</u>	ċ.	00+	6/6n	ACNOO1
Blank	Dichlorodiphenylethane	<u>ا</u>	w,	-01	6/6n	ACNO01
Blank	Dichlorodiphenyltrichloro-	LT	ė	-01	6/6n	AONUD1
	a City City					

Blanks Associated with Task 7, Site 3-4 Nemagon Spill Area

Туре	Analytical Parameters	Result	ب ن	Units	Sample Number
Blank Blank	Parathion 2-Chloro-1(2,4-Dichlorophenyl)	LT 4. LT 3.	-01	6/6n 6/6n	AONOO1 AONOO1
Blank Blank	Vinylatethyi rhosphates Bicycloheptadiene Carbon Tetrachloride	LT 3.	-01	6/6n 6/6n	AOROO1 AOROO1
Blank Blank	Chloroform Methylene Chloride	LT 3.	-01 -01	6/6n	AORGO1 AORGG1
Blank Blank Blank	Chlorobenzene Benzene Dibromochloropropane	LT 3. LT 3. LT 4.	-01 -01	6/6n 6/6n	AOROO1 AOROO1 AOROO1
Blank Blank	Dicyclopentadiene Dimethyldisulfide		-01	6/6n 6/6n	AOROO1 AOROO1
Blank Blank Blank	Ethylbenzene Toluene Methylisobutyl Ketone	רד רד איני איני	-01 -01	6/6n 6/6n	AORO01 AORO01 AORO01
Blank Blank	Tetrachloroethene Trichloroethene		-01	6/6n 6/6n	AOROO1 AOROO1
Blank Blank Blank	Trans-1,2-Dichloroethere Ortho- & Para-Xylene 1,1-Dichloroethane	LT LT	-01 -01	6/6n 6/6n. 6/6n	AOROO1 AOROO1 AOROO1
Blank Blank Blank Blank Blank	1,1,1-Trichloroethane 1,1,2-Trichloroethane 1,2-Dichloroethane m.Xylene Aldrin	LT T T T T T T T T T T T T T T T T T T	-01 -01 -01 -01	6/6n 6/6n 6/6n 6/6n	AOROO1 AUROO1 AUROO1 AOROO1 AOSOO1
Blank Blank Blank Blank Blank	Atrazine Chlordane Hexachlorocyclopentadiene p-Chlorophenylmethyl Sulfide p-Chlorophenylmethyl Sulfoxide	LT 3. LT 6. LT 3. LT 7.	-01 -01 +00 +00	6/6n 6/6n 6/6n 6/6n	A0S001 A0S001 A0S001 A0S001 A0S001
Blank Blank Blank Blank	p-Chlorophenylmethyl Sulfone Dibromochloropropane Dicyclopentadiene Vapona	LT 6. LT 3. LT 3.	-01 -01 -01	6/6n 6/6n 6/6n	A0S001 A0S001 A0S001 A0S001

Ebasco Services Incorporated

Rocky Mountain Arsenal Program

Summary of Analytical Results

tical Results	Blanks Associated with Task 7 Nemagon Spill Area	∠ iò	Site	3-4			
Type	Analytical Parameters	Œ	Results	ø	Units	Sample Number	
Blank	Diisopropylmethyl Phosphonate		ň	-01	6/60	Aosaoı	
д Уста У	Dithiane	1	7.	00+	6/6n	AUS001	
R Jack	Dieldrin		₂	-01	6/6n	A0S001	
Blank	Endrin	<u> </u>	ъ.	-01	a/sn	A05001	
Blank	Isodrin	1	Ŋ	-01	6/6n	A0S001	
Blank	Malathion	1 1	'n	-01	6/6n	A0S001	
R Jank	1.4-Oxathiane	LT	Ģ	+00	6/6n	A05001	
Blank	Dichlorodiphenylethane	1	ĸ)	-01	6/6n	A0500.1	
Blank	Dichlorodiphenyltrichloro-	L	6.	-01	6/6n	A03001	
	ethane						
Blank	Parathion	۲	4.	-01	6/6n	A0S001	
Blank	1(2,4	LT	ن	-01	6/6n	A05001	
	Vinyldiethyl Phosphates						
A		_	7.4	-01	6/6n	APA001	
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Chromium		1.2	+01	6/6n	APA001	
Blank	Copper		5.0	+00	6/6n	APACO1	
Blank	Lead	1	8.4	00+	6/6n	APA001	
Blank	Zinc		3.2	+01	a/an	APA001	
-		-	۳	,	0/00	APROU1	
DIGNIK	Aldrill	- H-	M	1 0	0/07	APB001	
0.1017K	MI COLLING CELL COLLONG	; <u>-</u>		; <u>;</u>	0/65	APB001	
אומנס אומנמ	Hexachlorocyclopentadiene	<u>_</u>	, M	-01	6/6n	APB001	
Blank	p-Chlorophenylmethyl Sulfide	٢٦	. 4	00+	6/ 6 n	APB001	
R) ank	p-Chlorophenylmethyl Sulfoxide	٦	7.	00+	6/6N	APB001	
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		٦	9	-01	ø/øn	APB001	
B.I ank		11	3.	-01	6/6n	APB001	
Blark	Dicyclopentadiene	LI	4.	-01	6/6n	APB001	
Blank	Vapona	LT	δ,	-01	6/6n	APB001	
2 7 7	Officarons/lmethyl Phosphonate	LT	W.	-01	6/8n	APB001	
Blank	Dithiane	LT	7	+00	6/6n	APB001	
E lark	Dieldrin		κ,	-C:1	6/6n	APBG01	
Blank Rank	Endrin	LT	3.	-01	6/6n	APB001	
Blank	Isodrin	LT	ъ,	-01	6/6n	APB001	

♂

Type	Analytical Parameters	Results	its	Units	Sample Number
					THE RESIDENCE OF THE PROPERTY OF THE PROPERTY AND ADDRESS OF THE PROPERTY OF T
Blank	Malathion			e/en	APB001
#1ank	1,4-Oxathlane			6/6n	APBU01
Blank	Dichlorodiphenylethane	LT 3.		6/6n	APB001
81ank	Dichlorodiphenyltrichloro-	LI 6.	-01	6/6n	APBU01
	ethane				
Blank	Parathion	L. 7. 4.	-01	6/6n	AFB001
Blank	2-Chloro-1(2,4-Dichlorophenyl)	LT 3.	-01	6/6n	APB001
	Vinyldiethyl Phosphates				
Blank	Bicycloheptadiene	LT 3.	-01	6/6n	APFOG1
Blank	Carbon Tetrachloride		-01	e/en	APF 001
Blank	Chloroform	L1 3.	-01	6/60	APF001
Blank	Methylene Chloride	L1 7.	-01	6/6n	APF001
Blank	Chlorobenzene		-01	6/6I	APF001
Blank	Benzene	L1 3.	-01	na/a	APF 00.1
Blank	Dibromochloropropane		-01	6/6n	APFOUL
Blank	Dicyclopentadiene	LT 3.	-01	6/6n	APF 00.1
Blank	Dimethyldisulfide		-01	6/6n	APF001
Blank	Ethylbenzene	LT 3.	-01	6/6n	APF 001
Blank	Toluene		-01	6/6n	APF 001
Blank	Methylisobutyl Ketone	LT 3.	-01	6/6n	APF001
81ank	Tetrachloroethene		-01	6/6n	APF001
Blank	Trichloroethene	LT 3.	-01	6/6n	APF001
Blank	Trans-1,2-Dichloroethene		-01	6/6n	APF 001
81ank	Ortho- & Para-Xylene		-01	6/6n	APF001
Blank	1,1-Dichloroethane	LT 9.	-01	6/6n	APF001
Blank	1,1,1-Trichloroethane		-01	6/6n	APF 001
Blank	1,1,2-Trichloroethane	1.1 3.	-01	6/6n	APF 001
Blank	1,2-Dichloroethane	LT 3.	-01	ug/q	APF001
Blank	m-Xylene	LT 7.		0/6n	APF 001
Blank	Dibromochloropropane			6/6n	APICCI
Blank	Mercury			9/6n	APN001
Blank	Mercury	LT 5.	0	6/6n	BKK00.1
- C	A) design			7	-
0.1011X	Atmosta	1 0	10	D () ()	DL.L.001
۲. اق د را	ALTERATION			6/60	DELCOL

Blanks Associated with Task 7, Site 3-4 Nemagon Spill Area

Type	Analytical Parameters	Σ.	Results	Units	S S S	Sample Number
Blank Blank Blank	Chlordane Hexachlorocyclopentadiene p-Chlorophenylmethyl sulfide		601 301 4. +00	1 ug/g 1 ug/g 0 ug/g		BLL001 BLL001 BLL001
Blank Blank Blank Blank Blank	p-Chlorophenylmethyl Sulfoxide p-Chlorophenylmethyl Sulfone Dibromochloropropane Dicyclopentadiene Vapona		7. +00 601 301 401	0 us/s 1 us/s 1 us/s 1 us/s		BLL001 BLL001 BLL001 BLL001
Blank Blank Blank Blank Blank	Diisopropylmethyl Phosphorate Dithiane Dieldrin Endrin Isodrin		301 7. +00 301 301 301	1		BLL001 BLL001 BLL001 BLL001
Blank Blank Blank Blank Blank	Malathion 1,4-Oxathiane Dichlorodiphenylethane Dichlorodiphenyltrichloro- ethane Parathion		301 6. +00 301 601	1		BLL001 BLL001 BLL001 BLL001
Blank Blank Blank Blank	2-Chloro-1(2,4-Dichlorophenyl) Vinyldiethyl Phosphates Aldrin Atrazine Chlordane Hexachlorocyclopentadiene	וונו נ	301 301 301 5. +00	1 ug/g 1 ug/g 0 ug/g 1 ug/g		BLL001 BLU001 BLU001 BLU001
Blank Blank Blank Blank Blank	p-Chlorophenylmethyl Sulfide p-Chlorophenylmethyl Sulfoxide p-Chlorophenylmethyl Sulfone Dibromochloropropane Dicyclopentadiene	וווו	901 301 301 301 1. +00	1 u9/9 1 u9/9 1 u9/9 0 u9/9		BL VOO1 BL VOO1 BL VOO1 BL VOO1
Blank Blank Blank Blank	Vapona Diisopropylmethyl Phosphonate Dithiane Dieldrin		3. +00 1. +00 401 301	0 us/s 0 us/s 1 us/s 1 us/s		8LU001 8LU001 8LU001 8LU001

The second secon

Summary of Analytical Results

Ebasco Services Incorporated

Blanks Associated with Task 7, Site 3..4 Nemagon Spill Area

Type	Analytical Parameters	ĸ	Results	t S	Units	Sample Number
Blank	Endrin		5.	-01	6/6n	BL.UOO1
Blank	Isodrin	۲	'n	-01	6/6n	BL U001
Blank	Malathion		7.	-01	a/an	BL.U001
Blank	1,4-Oxathiane		'n	-01	6/6n	BL.U001
Blank	Dichlorodiphenylethane	_	ċ	01	മ/മ	BL::001
Blarık	Dicklorodiphenyltrichloro- ethane	L1	ທ່	-01	6/6n	BL U001
Blank	Parathion	LT	o.	-01	6/6n	BL UCC1
Blank	2-Chloro-1(2,4-Dichlorophenyl)	LI	Ġ	-01	6/6n	BLU001
í	ğ		(,	
Blank	Liethyl Fhthalate - U4		χ,		6/6n	81,0001
Blank Blank	Bicycloheptadiene Carbon Tetrachloride		4 W.	-01 -01	6/6n	BL.V001 BL.V001
Blank	Chlorobenzene	LT	Η,	00+	6/6n	BL VOO1
Blank	Benzene	۲	κ)	-01	6/6n	BL. V001
81ank	Dibromochloropropane		7	00+	6/6n	BLV001
Blank	Dicyclopentadiene	11	7.	-01	6/6n	BL V001
Blank	Dimethyldisulfide	L.T	6.	+01	6/6n	BL V00.1
Blank	Ethylbenzene	17	4.	-01	6/6n	BL V001
Blank	Toluene	-	'n	-01	6/611	BLV001
Blank	Methylisobutyl Ketone	LT	7.	-01	6/6n	BLV001
Blank	Tetrachloroethene	L	m,	-01	6/6n	BLV001
Blank	Trichloroethene	⊢	٠.	-01	6/6n	BL VOO1
Blank	Ortho- & Para-Xylene	LT	5.	+00	6/6n	BLV001
81ank	1,1,1-Trichloroethane	1	. 4	-01	6/60	BLV001
Blank	1,1,2-Trichloroethane		4.	-01	6/6n	BL.V001
Blank	1,2-Dichloroethane	L.T	9	-01	e/en	81, VOO1
Blank	m~Xylene	LT	8.	-01	e/en	BL V001
Blank	Dibromochleropropane	LT	5.0	-03	6/6n	BLW001
Blank	Bicycloheptadiene	_	. 79	-01	6/6n	BL.2001
Blank	Carbon letrachloride	LT	~;	-01	6/6n	BL2001
α1α ≅·×	Chloroform	<u>_</u>	m)	-01	6/6n	81.2001
Blank	Methylene Chloride		8	90+	6/6n	Bl. 2001

Summary of Analytical Results

Rocky Mountain Arsenal Program

Blanks Associated with Task 7, Site 3-4 Nemagon Spill Area

Type	Analytical Parameters	8	Results	Units	Sample
					000
Blank	Chlorobenzene		•	b/bn	BL 2001
Blank	Benzene			6/6n	BL ZUUI
Blank	Dibromochloropropane	L. T	2. +00	6/6n	BL 2001
Blank	Dicyclopentadiene			6/6n	RL 2001
Blank	Dimethyldisulfide		2. +01	6/6n	BL.2001
Blank	Ethylbenzene		i01	6/6n	BLZ001
8	404		301	6/60	BL.2001
B. ank	Methylisobutyl Ketone	_	701	6/60	BLZ001
Blank	Tetrachloroethene		301	6/6n	BL.2001
81ank	Trichloroethene		501	6/6n	BL2001
Blank	Ortho- & Para-Xylene		5. +00	6/6n	BL 2001
Blank	1,1-Dichloroethane		2. +00	6/6n	BL.2001
Blank	1,1.1-Trichloroethane		401	6/6n	BL2001
Blank	1.1.2-Trichloroethane	ا	401	⊜/sn	BLZ001
Blank	1,2-Dichloroethene		2. +00	6/6n	BLZ001
81ank	1.2-Dichloroethane	٦	601	6/6n	BL 2001
R lank	- X - I e. 1 e. 1 e. 1 e. 1		801	6/6n	BL.2001
20 10 10 10 10 10 10 10 10 10 10 10 10 10	Aldrin		301	6/6n	BMA001
10 E	Atrazine	Ľ	3, -01	6/6n	BMA001
Blank	Chlordane		2. +00	6/6n	BMACO1
B.1 ank	Hexachlorocyclopentadiene		601	6/6n	BMA001
Blank	p-Chlorophenylmethyl Sulfide		901	6/6n	BMA001
Blank			301	6/6n	BMA001
Blank	p-Chlorophenylmethyl Sulfone		301	6/6n	BMA001
Blank	Dibromochloropropane		301	6/6n	BMA001
81ank	Dicyclopentadiene		1. +00	6/6n	BMA001
Blank	Vapona	LT	3. +00	6/6n	BMA001
Blank	Diisopropylmethyl Phosphonate	11	1. +00	6/6n	BMA001
Blank	Dithiane	LT	401	6/6n	BMA001
Blank	Dieldrin	LT	301	6/6n	BMA001
Blank	Endrin	L.T	501	6/6n	BMADU1
Blank	Isodrin		•	6/6n	BMA001
Blank	Malathion	17	701	6/8n	BMA001
Blank	1,4-Oxathiane		301	ഭ/ദന	BMAGG1

Summary of Ana	lytical Results	Blanks Associated with Task 7 Nemagon Spill Area	, site	3-6		The state of the s
	Type	Analytical Parameters	Results	S	Units	Sample
	Blank	Dichlorodiphenylethane	LT 6.	-01	6/6n	BMA001
	Blank	Dichlorodiphenyltrichloro-	LT 5.	-01	6/6n	BMACO1
	B1ank	Farathion	.6	-01	e/en	BMADO1
	Blank	2-Chloro-1(2,4-Dichlorophenyl) Vinyldiethyl Phosphates	LT 6.	-01	a/an	BMA001
	Blank	7	3.0	-01	6/sn	BMAGG
	81ank	Di-N-Octyl Phthalate - D4	LT 6.0 -	-01	6/6n	BMA006
	Blank	1.3-Dichlorobenzene - D4	4.0	-01	6/6n	BMA006
	Blank 	2-Chlorophenol - D4	1.0	+00	e/en	BMADD6
	Blank Riank	Aldrin Atrazina	- L-1	-01	0/6n	BMB001 RMB001
	Blank	Chlordane	; 61	+00	6/6/00 00/00 00/00	BMB001
	Blank	Hexachlorocyclopentadiene	٠,	-01	6/6n	BMB001
	Blank	p-Chlorophenylmethyl Sulfide		-01	6/6n	BMB001
	Blank		ع	-01	ค/ธก	BMB001
	Blank Blank	p-Chlorophenylmethyl Sulfone Dibromochloropropane	LT	-01	6/6n 6/6n	BMB001 BMB001
	Blank	Dicyclopentadiene	LT 1.	+00	ua/a	BMBOOT
	Blank	Vaporia	_ب	+00	ng/a	BMBUU1
	81ank	Diisopropylmethyl Phosphonate	1.	+0.0	6/6n	BMB001
	Blank Blank	Dithiane Dieldrin	LT 4.	-01	06/6n	BMB001 BMB001
			i			(
	o Jank	Endrin .			6/60	BMBUU1
	Blark Shrik	Malathion	; ×	-01	0/00 00/00	BMB001
	Blank	1,4-Oxathiane	3.	-01	6/6n	BMB001
	Blank .	Dichlorodiphenylethane		-01	6/6n	BMB001
	Blank	Dichlorodiphenyltrichloro-	LT 5.	01	6/6n	BMB001
	Blank	ethane Parathion	L.T 9.	-01	e/en	BMB001
	Blank	2-Chloro 1(2,4-Dichlorophenyl) Vinyldiethyl Phosphates	ċ	.01	6/6n	вмвоо 1
	Blank	Arsenio	LT 2.5	00+	e/en	BMC001

Site 3-4	
ed with Task 7,	gon Spill Area
Blanks Associated	Nemagon

Type	Analytical Parameters	Results	Umits	Sample Number
Blank	Cadmium	LT 7.4 -01	6/6n	BMDOG1
B. Jank	Chromium	1.4 +01	6/6n	BMD001
Blank	Copper	1.1 +01	6/60	BMD001
Blank	Lead		മ/ബ	BMD001
Blank	Zinc	3.9	6/6n	BMD001
81ank	Bicycloheptadiene	LT 301	6/6n	BME001
20 120 120	Carbon Tetrachloride		6/6n	BME001
72.6	Chloroform		6/6n	BME001
	Methylene Chloride	LT 701	6/6n	BME001
R ank	Chlorobenzene	ь,	e/en	BME001
Blank	Benzene		6/6n	BME001
2	Anganganalanganalan		6/60	BME001
			0/01-	RMF OU1
Blank	Dicyclopentadiene	o	0 / 0 / 0 / 0	BMEDDI
Blank	Dimethyldisulfide	· 0	6 / 6 n	GMECOL
Blank	Ethylbenzene	ς,	o/on	BITEUU1
81ank	Toluene	LT 301	6/6n	BME UU1
R Jank	Methylisobutyl Ketone	LT 301	6/6n	BME001
R Jank	Tetrachloroethene		6/6n	8ME001
RIEIN	Trichloroethene	LT 301	6/6n	BME 001
Blank	Ortho- & Para-Xylene	LT 301	6/6n	BME001
Blank			6/6n	BME001
Blank	1,1,1-Trichloroethane	LT 301	6/6n	BME001
Blank	1,1,2-Trichloroethane	'n.	6/6n	BME001
81ank	1,2-Dichloroethene	δ.	6/6n	BME CO 1
81ank	1,2-Dichloroethane	LT 301	6/6n	BME 001
81ank	m-Xylene		6/6n	BME001
an Andrews	Dibromochloropropane	LT 5.0 -03	6/6n	BMF001
B.Lank	Aldrin	L1 301	6/6n	BMG001
R ark	Atrazine	LT 301	6/6n	BMG001
Blank	Chlordane		6/6n	BMG001
Blank	Hexachlorocyclopentadiene	LT 601	6/6n	BMGU01
<u>0</u>	p-Chlorophenylmethyl Sulfide	LT 901	6/60	BMG001
8 19.7K		3.	6/60	BM6001
í j				

Summary of Analytical Results

Rocky Mountain Arsenal Program

Blanks Associated with fask 7, Site 3-4 Newagon Spill Area

Туре	Analytical Parameters	נצ <u> </u>	Results	t s	Units	Sample
Blank	p-Chlorophenylmethyl Sulfone	L	م	-01	6/6n	BMC001
Blank	Dibromochloropropane	L .1	8	-01	6/6n	BM6001
Blank	Dicyclopentadiene	LT	1,	+000	6/6n	BMG001
Blank	Vapona	٦	ĸ,	00+	6/6n	BMG001
Blank	Diisopropylmethyl Phosphonate	17	1.	+00	6/60	BMC001
Blank	Dithiane	1	4.	-01	6/60	BMG001
81ank	Dieldrin	11	ъ,	-01	6/6n	BM6001
Blank	Endrin	Ļ	5.	-01	6/6n	BMG001
Blank	Isodrin	LT	'n	-01	6/6n	BM600.1
Blank	Malathion		7.	-01	6/60	BM6001
Blank	1,4-Oxathiane	٦	'n	-01	6/60	BM6001
81ank	Dichlorodiphenylethane	Ξ	ċ	-01	6/6n	BM6001
Blank	Dichlorodiphenyltrichloro-	٢٦	s.	-ŭ1	6/6n	BMG001
	ethane					
Blank	Parathion	1	6	-01	6/6n	BMG001
Blank	2-Chloro-1(2,4-Dichlorophenyl)	-1	è.	-01	6/6n	BM6001
·	Vinyldiethyl Phosphates					
Blank	Bicycloheptadiene		4.	01	6/6n	BMH001
Blank	Carbon Tetrachloride		ý.	-01	6/6n	BMHOU1
Blank	Chloroform	LŢ	κ,	-01	6/6n	BMH001
Blank	Methylene Chloride	نـ ـ	2.	00+	g/gu	BMH001
Blank	Chlorobenzene	1	٦,	+00	6/6n	BMH00.1
Blank	Benzene	۲	3,	-01	6/60	BMH001
Blank	Dibromochloropropane	1	ći	00+	6/6n	BMH001
Blank	Dicyclopentadiene	LT	7.	-01	6/6n	BMH001
Blank	Dimethyldisulfide	۲	2.	+01	6/6n	BMH001
Blank	Ethylbenzene	-1	4.	-01	6/6n	BMH001
Blank	Toluene	1	8	-01	6/6n	BMH001
81ank	Methylisobutyl Ketone	1	7.	-01	6/6n	BMH001
Blank	Tetrachloroethene	1	m	-01	6/6n	BMH001
Blank	Trichloroethene	٦	5.	-01	6/6n	BMH001
Blank	Ortho- & Para-Xylene		S	00+	6/6n	BMH001
Blank	1,1-Dichloroethane	L	64	00+	6/60	BMH001
Blank	1,1,1-Trichloroethane	Ľ	. 4	-01	6/6n	BMH001

Blanks Associated with lask 7, Site 3-4 Nemagon Spill Area

Type	Analytical Parameters	œ	Result	بر اد	Units	Sample
Blank	1,1,2-Trichloroethane	Ļ	. 4	-01	6/6n	BMH001
Blank	1,2-Dichloroethene	-1	61	+00	6/6n	BMH001
Blank	1,2-Dichloroethane	LT	•	-01	6/6n	BMH001
Blank	m-Xylene	1.1	8.	-01	6/611	BMH001
Blank	Aldrin	LT	8,	-01	6/6n	BMIOU1
Blank.	Atrazine	LT	ĸ,	-01	മ/മ	BMI001
Blank	Chlordane	LT	61	+00	6/6n	BMIOO1
Blank	Hexachlorocyclopentadiene.	۲	œ.	-01	6/6n	BMI001
Blank		L1	6	-01	6/6n	BMI001
Blank		L	'n,	-01	6/6n	BMI001
Blank	p-Chlorophenyimethyl Sulfone	-1	Э.	-01	6/6n	BMI001
Blank	Dibromochloropropane	۲	ю,	-01	6/6n	BMI001
Blank	Dicyclopentadiene	1	1.	+00	6/6n	BMI001
Blank	Vapona	۲	δ,	00+	6/6n	BMI001
Blank	Diisopropylmethyl Phosphonate		1.	+00	na/a	BMI001
81ank	Dithiane	LŢ	4.	-01	6/6n	BMI001
Blank	Dieldrin	L	w,	-01	6/6n	BM1001
81ank	Endrin		5.	-01	6/6n	BM1001
Blank	Isodrin	٦.	8	-01	a/an	BM1001
Blank	Malathion	1	7.	-01	6/6n	BMI001
81ank	1,4-Oxathiane		m,	-01	6/6n	BM1001
Blank	Dichlorodiphenylethane	L	Ġ	-01	6/6n	BMI001
Blank	Dichlorodiphenyltrichloro-	LT	υ	-01	6/6n	BM1001
	ethane			į		
Blank.	Parathion	_ :	o,	-01	6/6n	BMIODI
Blank	2-Chloro-1(2,4-Dichlorophenyl)		٥	-01	6/6n	BMIOOI
	Vinyldiethyl Fhosphates				•	1
Blank	Bicycloheptadiene	<u>-</u>		-01	6/6n	BM3001
Blank	Carbon Tetrachloride	LI	8	-01	6/6n	BMJOO1
- B. Lenk	Chloroform	Ļ	δ.	-01	6/6n	BM3001
8 arrik	Methylene Chloride	LI	N.	+00	6/6n	BM3001
Blank Blank	Chlorobenzene	_ :	-		6/6n	BMJ001
Bjank	Benzene	L L	'n	Ģ	6/6n	BM3001

Summary of Analytical Results

Dibromochloropropane
Dicyclopentadiene Dimethyldisulfide
Methylisobutyl Ketone
Tetrachloroethene
ortho- a rana-xylene 1,1-Dichloroethane
1,1,1-Trichloroethane
1,1,2-Trichloroethane
1,2-Dichloroethene
1,2-Dichloroethane
Dibromochloropropane
Arsenic Bicycloheptadiene
Carbon Tetrachloride
Metnylene unioride
Dibromochloropropane
Dicyclopentadiene
Dimethyldisulfide
Methylisobutyl Ketone
Tetrachloroethene
Ortho: & Para-Xylene

Blanks Associated with Task 7, Site 3-4 Nemagon Spill Area

Type	Analytical Parameters	æ	Result	ر ق	Units	Sample Number	
Blank	1,1-Dichloroethane	5	6	-01	6/6n	BM0001	
	4 4 6 6 6 6 7 7 8 8 8 8 8 8 8 8 8 8 8 8 8 8	-	~		0/0	RMCDD1	
DIGUE		- ۱- - ن	, , ,	5 5	0 0 0	TOOONE TOOONE	
51 ank	1,1,7:IFICHIUFOEUNGHE	- H	; ·	7 6	0 / 0	100010	
Blank	1,2-Dichloroethene	۔ ن	ς.	-01	6/6h	BMOUL	
Blank	1,2-Dichloroethane		ĸ,	-01	6/6n	BM0001	
Blank	m·Xylene		7.	-01	6/8n	BM0001	
Blank	Aldrin	LT	δ,	-01	6/6n	BMP001	
81ank	Atrazine	٢	3.	-01	6/6n	BMP001	
Blank	Chlordane		ģ	-01	6/6n	8MP001	
Blank	Hexachlorocyclopentadiene	LT	3	-01	6/6n	BMP001	
Blank	p-Chlorophenylmethyl Sulfide	LT	4.	00+	6/6n	BMP001	
Blank	p-Chlorophenylmethyl Sulfoxide	L	7.	00+	6/60	BMP001	
Blank	p-Chlorophenylmethyl Sulfone	LT	٠,	-01	6/6n	BMP001	
Blank	Dibromochloropropane	١,١	8	-01	6/6n	BMF001	
Blank	Dicyclopentadiene	ΓŢ	4.	-01	6/6n	BMP001	
Blank	Vapona	רו	m	-01	6/6n	BMP001	
Blank	Diisopropylmethyl Phosphonate	L	δ,	-01	6/6n	BMP001	
Blank	Dithiane	ב	7.	00+	6/6n	BMP001	
81ank	Dieldrin	ר	M	-01	6/6n	BMP001	
Blank	Endrin	. LT	8	T 0-	6/611	BMP001	
Blank	Isodrin	17	w,	-01	6/6n	BMP001	
Blank	Malathion	۲	₆	01	6/6n	BMP001	
Blank	1,4-Oxathiane	۲	Ġ	+00	6/6n	BMP001	
Blank	Dichlorodiphenylethane		κ,	-01	6/6n	BMP001	
Blank.	Dichlorodiphenyltrichloro- ethane		9	-01	6/6n	BMP001	
81ank	Parathion	LI	. 4	-01	6/6n	BMP001	
Blank	2-Chloro-1(2,4-Dichlorophenyl)	L	δ,	-01	6/6n	BMP001	
	A 125-45	-	p'	.0.	0/011	RMOOD	
Didrik Risph	AIGHTH	- L	j ×		0/07	BMG001	
Blank	Chlondane	-	N	3	6/6n	BM0001	
Blank	Hexachlorocyclopentadiene	LI	\$	-01	6/60	BMQ001	

Summary of Analytical Results

Blanks Associated with Task 7, Site 3-4 Nemagon Spill Area

lype	Analytical Parameters	ž	Results	Units	Sample
The state of the state of the state of		and dark with the court	COLUMN TRANSPORT OF THE PROPERTY OF THE PROPER	*************************	NAME OF TAXABLE PARTY AND ADDRESS OF TAXABLE PARTY.
Blank	p-Chlorophenylmethyl Sulfide		901	6/6n	BMQC01
Blank	p-Chlorophenylmethyl Sulfoxide	T1	301	6/60	BMCCO1
81ank	p-Chlorophenylmethyl Sulfone		301	e/en	BM0001
Blank	Dibromochloropropane			6/6n	BMGU01
Blank	Dicyclopentadiene	L.T	1. +00	6/6n	BM9001
Blank	Vapona	ا ـ	3. +00	e/en	BM0001
Blank	Diisopropylmethyl Phosphonate			6/60	BMG001
Blank.	Dithiane		401	6/6n	BMG001
Blank	Dieldrin	LT	301	6/60	BMOCOT
Blank	Endrin		501	6/6n	BMG0C1
Blank	Isodrin			6/6n	BMQ001
Blank.	Malathion		701	6/60	BM3001
Bla nk	1,4-Oxathiane		301	6/6n	BMQ001
Blank	Dichlorodiphenylethane		601	6/60	BMG001
81ank	Dichlorodiphenyltrichloro-		501	6/6n	BM0001
	etharie				
Blank	Parathion	LT	901	6/6n	BM0001
Blank	2-Chloro-1(2,4-Dichlorophenyl)	Ľ	601	6/6n	BM0001
	Vinyldiethyl Phosphates				
Blank	Dibromochloropropane	LT			BMROO1
Blarik	Arsenic		0		BMS001
Blank	Cadmium		6.601	6/6n	8MT001
Blank	Chromium	LT	5.2 +00	6/60	BMT001
Blank	Copper		4.9 +00	6/6n	BM1001
81ank	Lead	LT	1.3 +01	6/60	BMT001
Blank	Zinc		S		BM1001
Blank	Cadmium		7.4 -01	6/6n	BM,J001
Blank	Chromium		1.5 +01	6/6n	BMU001
81arık	Copper		1.1 +01	6/60	BMI.I001
Blank	Lead		1.3 +01	6/6n	BM.100.1
Blank	Zinc			6/6n	BMUD01
Blank	Arsenio		2.9 +00	e/en	BMVOOT
Blank	Menculy	1	5.0 -02	6/6n	BMW001
Blank	Cadmitum		7.4 -01	e/en	BMX001

Ebasco Services Incorporated Summary of Analyti

tical Results	Blanks Associated with last 7, Nemagon Spill Area	sk /, Site 3-4 Area	4	
Type	Analytical Parameters	Results	Units	Sample
81ank	Chromium			BMXOOI
Blank	Copper	7.5		BMXUUI
Blank	L.ead	LT 8.4 +(e/en	BMX001
B. ank	Zinc	3.9 +(e/en 10+	BMX001
B. ank	Aldrin		-01 ug/g	BMY001
Blank	Atrazine	₩,	-01 ug/g	BMYC01
Blank	Chlordane	2.	6/6n 00+	BMYOU1
81ank	Hexachlorocyclopentadiene	LT 6(-01 ug/g	BMYOO1
Blank	p-Chlorophenylmethyl Sulfide		-01 ug/9	BMYOO1
Blank	p-Chlorophenylmethyl Sulfoxide	LI 3(-01 ug/g	BMY0U1
Blank	p-Chlorophenylmethyl Sulfone		-01 ug/g	BMYGG1
Blank			-01 ug/g	BMY001
Blank	Dicyclopentadiene		6/6n 00+	BMY001
		,		000
Blank		· ·	+0.0 (19/9 -0.0	BINY DOL
81ank	Diisopropylmethyl Phosphonate	•		
Blank	Dithiane	† †		
81ank	Dieldrin	· ·	/6ID	1001 1001 1001
Blank	Endrin		6/6n 1n-	BERT UU1
B. ank	Isodrin		-01 ug/9	BMY001
81ank	Malathion	7.	-01 ug/g	BMY001
Blank	1,4-Oxathiane		-01 ug/g	BMY001
Blank	Dichlorodiphenylethane	ò	-01 ng/g	BMY001
Blank	Dichlorodiphenyltrichloro-		-01 ug/g	BMY001
	ethane			
Blank	Parathion	LT 9	-01 ug/g	BMY001
Blank	2-Chloro-1(2,4-Dichloropheny1)	9	-01 us/s	BMY001
	Vinyldiethyl Phosphates			
Blank	Bicycloheptadiene	۴.	-01 ug/9	BMZ001
Blank	Carbon Tetrachloride	۵.	-01 ng/g	BMZ001
Blan⊬	Chloroform		-01 പാ/9	BM2001
A Substantial	Methylene Chloride		6/6n n0+	BMZCiCi1
تا ت	Chlorobenzene	1		BMZ001
10.1 dink 18.1 amk	Senzene Senzene	. ×		
± ± ± ± ± ± ± ± ± ± ± ± ± ± ± ± ± ± ±	Dibromochloropropane	N		

Ebasco Services Incorpurated

Summary of Analytical Results	Blanks Associated with Task 7, Site 3-4 Nemagon spill Area	Task 7, Site 3-4 11 Area		
Type	Analytical Parameters	Results	Units	Sample Number
Blank	Dicyclopentadiene	LI 701	6/6n	BMZ001
Blank Blank Blank	Dimethyldisulfide Ethylbenzene Toluene	LT 2. +01 LT 401 L1 301	5/6n 5/6n 5/6n	BMZU01 BMZ001 BMZ001 BMZ001
Blank Blank	Methyllsobutyl Netone Tetrachloroethene		6/6n	BMZ001
Blank Blank Blank Blank	Trichloroethene Ortho- & Para-Xylene 1,1-Dichloroethane 1,1,1-Trichloroethane	LT 501 LT 5. +00 LT 2. +00 LT 401 LT 401	6/6n 6/6n 6/6n	BMZ001 BMZ001 BMZ001 BMZ001 BMZ001
Blank Blank Blank Blank Blank	1,2-Dichloroethene 1,2-Dichloroethene m-Xylene Uibromochloropropane	LT 2. +00 LT 601 LT 801 LT 5.0 -03 LT 5.0 -02	6/6n 6/6n 6/6n	BMZ001 BMZ001 BMZ001 BNA001 BNO001
Blank Blank Blank Blank Blank	Cadmium Chromium Copper Lead Zinc	LT 7.4 -01 1.4 +01 1.1 +01 1.2 +01 4.5 +01	6/6n 6/6n 6/6n 6/6n	BNROO1 BNROO1 BNROO1 BNROO1

21

Appendix 3-4-C

Comments and Responses

STATE OF COLORADO

COLORADO DEPARTMENT OF HEALTH

4210 East 11th Avenue Denver, Colorado 80220 Phone (303) 320-8333



Roy Romer Governor

Thomas M. Vernon, M.D. Executive Director

March 7, 1988

Mr. Donald Campbell
Office of the Program Manager
HMA Contamination Cloanup
AMXRM-EB, Building E4460
Department of the Army
Aberdeen Proving Grounds, Maryland 21010-5401

Re: Task 7, Site 3-4 Nemagon Spill Area

Dear Mr. Campbell:

While the State believes the Army has made a substantial effort with respect to the Phase I program, attached are the State's comments concerning the Draft Final Contamination Report, Site 3-4, Nemagon Spill Area. The Phase II plan should be modified to better define the nature and extent of soils contamination.

If you have any questions, please contact Mr. Jeff Edson with this division.

Sincerely,

David C. Shelton, Director Hazardous Materials and

Waste Management Division

DCS:nr

cc: Howard Kenison, Colorado Attorney General's Office
Robert Duprey, U.S. Environmental Protection Agency
Connally Mears, U.S. Environmental Protection Agency
Chris Hahn, Shell Oil Company
Edward McGrath, Esq., Holme, Roberts and Owen
David Anderson, Department of Justice
Michael Gaydosh, U.S. Environmental Protection Agency

RESPONSE TO COMMENTS OF THE COLORADO DEPARTMENT OF HEALTH ON DRAFT FINAL CONTAMINATION ASSESSMENT REPORT, SITE 3-4, TASK 7

Comment 1: Page 3

The prominent ground stain, visible on aerial photographs since 1948, appears to contain only one shallow, composited, boring investigated as part of the Section 3-UNC (Task 15) activities. This location should include at least one boring that samples 5 ft. depth intervals through the entire unsaturated zone.

Response:

The results of the Phase I investigation at Boring 50, which was centered in the groundstain area, did not detect any target or non-target analytes. There was no information found to suggest the cause(s) of the groundstains. Further interpretation of the aerial photograph indicated that the ground stain in question may have been a storage area for scrap metal and wood debris resulting from railyard repairs. Based upon this information, it was determined that further investigation of the ground stain is unnecessary.

Comment 2: Page 11

The ground stain in the western section of the railyard visible in the 1955 aerial photograph, is not shown on Figure 3-4-2 (page 3). It cannot be discerned if any Phase I borings investigated this locality.

Response:

The ground stain referred to includes the bulk of the railcar holding area from tracks 1 through 8. The Phase I and II investigations covered the periphery of this area. Sufficient sampling was conducted during the PETREX and Phase II program to adequately define the nature of the contamination.

Comment 3: Page 12

The mounded material observed in the open storage area is not shown on Figure 3-4-2 (page 3). It cannot be discerned if Phase I borings investigated this locality.

Response:

The mounded material referred to in the comment was not investigated during the Phase I program because there was no information available to suggest that dibromochloropropane spills or disposition of other wastes had occurred there. Historically, the storage area may have been used by the Army to store empty mustard cylinders in the early 1950's. In the 1960's and 1970's, the area was used for storage of scrap junk equipment. The bulk of the Phase II investigation concentrated on the internal track system within the railyard. Consequently, the mounds were not investigated under Task 7. Task 15, the Section 3 Nonsource area, investigated a location immediately north of the mounded material and detected no significant target or non-target analytes.

Comment 4: Page 16

Borings 7 and 14 were the only two Phase I borings that were drilled to the water table. According to the Task 7 Technical Plan, "20% of all borings will be drilled to the water table", (page 3-8). Accordingly, three additional Phase I borings should have been drilled to the water table.

Response:

As stated in the text (page 15), the boring program was modified based on historical information that became available after the completion of the Task 7 Technical Plan. The modification involved both moving boring locations to areas that appeared to be more likely areas of contamination based on the new information and adding new borings to more adequately cover an expanded area of potentail contamination. Ten borings added were drilled to 5 or 10 feet. The purpose of these borings was exploratory, to locate areas of DBCP contamination in the most economical way possible. DBCP was not found in any of the soil samples at this site. If the results of the Phase II investigation around the one soil gas sample location where DBCP was found or the two soil samples where DBCP was found, indicate the possibility of contamination below the deepest Phase II sample, further sampling in the FS program will be considered.

Comment 5: Page 19

No explanation is given for the high OVA readings recorded in Borings 7 and 8. The text that the readings were judged to be "insignificant". At what level would such readings be judged as significant?

Response:

The OVA and HNL detect many volatile organic compounds. The instruments are used for health and safety monitoring and not for sample screening. A positive instrument response indicates that volatile compounds are present at the mouth of the borehole. They may be the result of compounds in the borehole or compounds, such as engine exhaust, in the ambient air. All samples below the O-1 foot interval in borings 7 and 8 were sent for GC/MS volatile analysis. Thus, volatile compounds present in the intervals sampled would be detected.

Comment 6: Page 19

No explanation was given for limiting M8 alarm use to Borings 3, 7 and 8. It would appear that the use of an M8 alarm would have been warranted at all borings in Site 3-4.

Response:

The RI work was just beginning in 1985 when Borings 3, 7 and 8 were completed. At the time these were drilled, no analytic results had been returned from the laboratory. It was then standard practice to use all available field detection instruments. By 1986, when the balance of the borings at this site were completed, field experience informed by analysis of the results of sample analysis had led to a modification of the procedures for use of field detection equipment. By 1986, M8 kits were used only in areas where historical information indicated the presence of GB or VX. Site 3-4 is not such an area, therefore the M8 kits were not used at any of the 1986 boring locations.

Comment 7: T Page 51 d

The unexpected presence of 1,4-oxathiene in Boring 25 demonstrated a need for M8 alarm and analysis for chemical agents on all Phase I soil samples.

Response:

As noted in the response to Comment 8 by Shell Chemical Company in the final version (3.2) of the CAR (page 75), a review of laboratory analytical data revealed that 1,4-oxathiane was actually not detected in Phase I Boring 25, as previously indicated. The text was revised to reflect this change. Therefore, the use of an M8 alarm at Boring 25 as suggested by the State was not necessary.

Comment 8: Page 51

The methylene chloride found in Borings 3, 7, 9 and 14 could represent significant contamination warranting further investigation. Any sample results thought to be influenced by laboratory contamination should be resampled and reanalyzed. Suspected laboratory contamination must be confirmed.

Response:

A history search has been initiated to determine if an investigation for methylene chloride is warranted. If so, an effective investigation to detect methylene chloride will be initiated. The necessity of this investigation will be determined by the Feasibility Study Group.

Comment 9: Page 52

The semivolatile GC/MS method is not a certified method to verify the absence of nontarget volatile organic compounds, hence, any conclusions drawn from this method are inconclusive. The response to this comment, included in the White Cover CAR for 7-UNC, further substantiates the need to use a certified method for volatile organic compounds.

Response:

The response to the State's comment in the Final CAR for Section 7-UNC was written with regard to a site where volatile organic (VO) compound analyses were not conducted. In the case of Site 3-4, VO analyses were conducted and a number of compounds were detected.

The use of the semivolatile GC/MS analytical method to establish the presence or absence of high concentrations of higher boiling point volatiles is used as a qualitative tool to indicate possible contamination and to point out the areas where additional investigations are required. It is not intended to estimate concentrations of volatile compounds, (as in the case for GC volatile analyses) to prove conclusively the absence of low concentrations of the higher boiling point volatiles, or to indicate the absence of low boiling point volatiles.

Comment 10: Page 55

The Phase II investigation should be expanded to include determination of the vertical extent of dibromochloropropane contamination at the PETREX Sample 6 locality.

Response:

As noted in the text on Page 55, the Phase II survey included 4 borings at and adjacent (within 10 feet) to PETREX Sample 6. Soil borings were drilled to a depth of 5 feet and sampled at the 0-1 and 4-5 foot intervals. The samples were analyzed for dibromochloropropane only. The PETREX method is capable of detecting volatile compounds in the soil within a limited vertical extent from the samples. The Phase II sampling program was designed to investigate the results obtained from the PETREX sampling program. Therefore, using the sampling protocol in the Task 7 Technical Plan, Phase II samples were collected to the next sampling interval below where dibromochloropropane may have been detected.

Comment 11: Page 56 The proposed Phase II investigation is not in accordance with the distribution of Phase I and Phase II borings stipulated in the Task 7 Technical Plan. The Plan states that "Phase I will contain 30% of the borings and Phase II will contain 70%" (page 3-7). Phase I utilized 26 borings, accordingly, Phase II should include 61 borings, instead of the 12 proposed. No explanation is given as to why the Technical Plan is not being followed.

Response:

The purpose of the Phase I investigation was to locate contamination from reported DBCP spills, no DBCP was reported from any soil sample taken in Phase I. The only DBCP detected was from a single PETREX soil gas sample (Sample 6). Detectable levels of other organic compounds were found in two borings, 27 and 14. The Phase II program was designed to define the extent of contamination around these three locations. The Army believes that the 12 borings proposed are adequate to assess contamination at these 3 locations.

Comment 12: Page 56

The proposed Phase II boring depths are also not in accordance with the Task 7 Technical Plan. As proposed, the deepest Phase II borings (Borings 30, 31 and 32) would attain a depth of 8 feet, a depth insufficient to reach the water table. As stipulated in the Technical Plan, "20% of the borings will be drilled to the water table," (page 3-8). The Phase II boring depths should be modified accordingly.

Response:

See Response to Comment 11 above.

Comment 13: Page 57

Phase II boring samples around Boring 27 (Borings 30, 31 and 32) should also be analyzed for organosulfur compounds because of their proximity to the 1,4-oxathiane found in Boring 25.

Response:

As stated in our response to Comment 7, 1,4-oxathiane was not actually detected in Boring 25. Consequently, the analyses conducted in Boring 28, 29 and 30 near Boring 27 are accurate based upon the results of the Phase I program. Additionally, based upon this comment as well as Comment 7, it is clear that the State was not able to review the final version of this CAR prior to making this comment.

Comment 14: Page 58

At least two of the proposed Phase II borings located around the PETREX Sample 6 locality (Borings 33 through 36), should be of sufficient depth to sample the entire unsaturated zone. This locality has been the only one found at Site 3-4 that indicates the presence of dibromochloropropane. Accordingly, to adequately determine the vertical extent of dibromochloropropane contamination and its potential impact on ground water, deeper borings are needed.

Response:

The PETREX method can detect volatile compounds eminating from soil or groundwater in the immediate area of the sample and to a limited distance from the samples. The PETREX method is not a USATHAMA-certified method for detecting DBCP in soils or ground water. Rather, it provides an indication that DBCP is present in some media in the vicinity of the samples. To determine the nature of the hit, should the Phase II soils data indicate that the vertical distribution of DBCP is not well defined, the Feasibility Study may consider additional sampling. Consequently, the borings located adjacent to PETREX Sample 6 were drilled only in the immediate vicinity of the hit and were not taken to the water table, as suggested.

Comment 15: Page 58 The Phase II program should investigate the entire rail classification yard for the presence of dibromochloropropane. As presented earlier in this report at least six known, significant, dibromochloropropane spills occurred between 1965 and 1973 (p. 1- 37). Accordingly, it is very likely that the dibromochloropropane, that has been found in groundwater monitoring wells, is from numerous sources.

Response:

As noted in Section 3.2 (Phase I Survey), all borings and all samples collected during this Phase I program were analyzed for dibromochoropropane, both by separate analysis and by GC/MS methods. The Phase II program was based upon the PETREX investigation, which detected dibromochloropropane at only one site. We believe that the procedures used to identify potential sources of dibromochloropropane contamination were based on thorough historical and field investigations. Therefore, additional studies to identify dibromochloropropane are not warranted. The premise of this survey was based upon the very spills referred to in this comment. However, it was never known as a fact that the spills actually occurred within the boundaries of Site 3-4. The final version of this report was revised to reflect this.

Comment 16: Page 58

Because the GC/MS scan does offer a greater level of confidence in compound identification, more than 10% of the Phase II samples should be subjected to this analytical method.

Response:

The Phase I sample analysis used the GC/MS method to identify compounds. The identification results of this method can be relied on to a high degree of confidence, but the concentration levels determined by this method are only semi-quantitative. Conversely, the GC method produces quantitative concentration level results, but less reliable identification results. The Phase II analysis is based on the GC method because the purpose of Phase II was to determine the extent of contamination once the kind of contamination had been determined in Phase I. The 10% GC/MS confirmation was done as a final check of the Phase I results.



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

REGION VIII

999 18th STREET - SUITE 500 DENVER, COLORADO 80202-2405

MAY 6 3 1988

Ref: 8HWM-SR

Colonel W. N. Quintrell Program Manager AMXRM-EE Department of the Army U.S. Army Toxic and Hazardous Materials Agency Building 4460 Aberdeen Proving Ground, Maryland 21010-5401

> Re: Rocky Mountain Arsenal (RMA), Task 7, Site 3-4, Draft Final Phase 1 Contamination Assessment Report, Nemagon Spill Area, December, 1987.

Dear Colonel Quintrell:

We have reviewed the above referenced report and have the enclosed comments from our contractor. Our contact on this matter is Mr. Connally Mears at (303) 293-1528.

Sincerely yours,

Robert L. Duprey, Director Hazardous Waste Management Division

Enclosure

Thomas P. Looby, CDH David Shelton, CDH

Lt. Col. Scott P. Isaacson Chris Hahn, Shell Oil Company R. D. Lundahl, Shell Oil Company Thomas Bick, Department of Justice David Anderson, Department of Justice

Preston Chiaro, EBASCO

RESPONSE TO COMMENTS OF THE ENVIRONMENTAL PROTECTION AGENCY ON DRAFT FINAL CONTAMINATION ASSESSMENT REPORT SITE 3-4, TASK 7

Comment 1: The DBCP hit in PETREX Sample 6 could have originated from a relatively deep area of the unsaturated zone, or possibly even from the contaminated ground water itself. Therefore, EPA recommends that at least one of the four Phase II borings (33, 34, 35 and 36) surrounding the PETREX hit be drilled and sampled to the ground water table. Furthermore, EPA recommends that this boring be completed as a ground water monitoring well with the screen set in the upper five feet of the saturated zone.

Response: The PETREX method can detect volatile compounds eminating from soil or groundwater in the immediate area of the sample and to a limited distance from the samples. The PETREX method is not a USATHAMA-certified method for detecting DBCP in soils or ground water. Rather, it provides an indication that DBCP is present in some media in the vicinity of the samples. To determine the nature of the hit, should the Phase II soils data indicate that the vertical distribution of DBCP is not well defined, the Feasibility Study may consider additional sampling. Consequently, the borings located adjacent to PETREX Sample 6 were drilled only in the immediate vicinity of the hit and were not taken to the water table, as suggested.

Also, six soil borings located near PETREX Sample 6 were located in or near a ditch to the west and downslope of the rail tracks, or to the southeast, away from Tracks 3, 4, and 7, where dibromochloropropane was reportedly "held" in rail cars (according to Shell memos). These borings were drilled to depths ranging from 10 feet (Borings 17 and 18) to 60 feet (Boring 14) and ranged in distance to PETREX Sample 6 from 75 to 300 feet. None of these borings detected dibromochloropropone.

Comment 2: Oxathiane was found in boring 25. Since this is a breakdown product of Mustard, thiodiglycol should also be analyzed in the Phase II samples surrounding this boring.

Response: The report of an oxathiane hit in the Draft Final was an error and corrected in the Final Version of this report. The reported concentration level in the Draft Final was equal to the detection limit. Upon review of the laboratory records, it was discovered that the results for oxathiane had, in fact, been reported as less than the detection limit by the laboratory. The "less than" designation had been erroneoudsly dropped in the data report used to prepare the Draft Final.

Shell Oil Company



c/o Holme Roberts & Owen Suite 1800 1700 Broadway Denver, CO 80290

February 2, 1988

FEDERAL EXPRESS

Mr. Donald L. Campbell
Department of the Army
Office of the Program Manager
Rocky Mountain Arsenal
Contamination Cleanup
ATTN: AMXRM-EE
Bldg. 4460
Aberdeen Proving Ground, MD 21010-5401

Re: United States v. Shell Oil

Dear Mr. Campbell:

Enclosed herewith are Shell Oil's comments on Draft Final Contamination Assessment Report for Site 3-4, Nemagon Spill Area, Task 7, December 1987.

Sincerely,

C. K. Hahn

Manager

Denver Site Project

CKH/mp/14437

Enclosure

cc: (w/enclosure)

USATHAMA

Office of the Program Manager

Rocky Mountain Arsenal Contamination Cleanup

ATTN: AMXRM-EE: Mr. Charles Scharmann

Bldq. E4460, Trailer

Aberdeen Proving Ground, MD 21010-5401

Mr. Thomas Bick
Environmental Enforcement Section
Land and Natural Resources Division
U.S. Department of Justice
P.O. Box 23896
Benjamin Franklin Station
Washington, DC 20026

Lt. Col. Scott P. Isaacson Headquarters - Department of the Army ATTN: DAJA-LTE Washington, DC 20310-2210

Ms. Patricia Bohm
Office of Attorney General
CERCLA Litigation Section
1560 Broadway, Suite 250
Denver, CO 80202

Mr. David C. Shelton, Director Hazardous Materials and Waste Management Division Colorado Department of Health 4210 East 11th Avenue Denver, CO 80220

Mr. Jeff Edson Hazardous Materials and Waste Management Division Colorado Department of Health 4210 East 11th Avenue Denver, CO 80220

Mr. Robert L. Duprey
Director, Air and Waste Management Division
U.S. Environmental Protection Agency, Region VIII
One Denver Place
999 18th Street, Suite 1300
Denver, CO 80202-2413

Mr. Connally Mears
Air and Waste Management Division
U.S. Environmental Protection Agency, Region VIII
One Denver Place
999 18th Street, Suite 1300
Denver, CO 80202-2413

RESPONSE TO COMMENTS OF SHELL COMPANY ON DRAFT FINAL CONTAMINATION ASSESSMENT REPORT SITE 3-4, TASK 7

Comment 1: Executive Summary, first paragraph "The site (Site 3-4) is an area where Nemagon (dibromochloro-propane) reportedly was spilled periodically between 1967 and 1976".

Response:

This statement that Nemagon was reportedly spilled periodically at this site is without basis. Shell's documentation of spills on the RMA revealed no known spill of Nemagon at this site. The Nemagon incidents listed on page 13 of this Draft Final report either did not occur at this site or, in Shell's opinion, are unlikely to have occurred at this site (see comment #4).

Comment 2: Pg 1, 1.1,

Although losses or spills of dibromochloropropane did occur on RMA, it is not known if, in fact, the spills occurred within the boundaries of Site 3-4. Therefore, the text of the executive summary has been revised.

With references to the third from last sentence, railcars containing dibromochloropropane (DBCP) were stored at this site but loading and unloading of the cars occurred in the South Plants area. No facilities for loading or unloading DBCP ever existed at this site.

Response:

Location

The text has been revised to clarify that the track system in the railyard could only accommodate temporary storage of railcars, and was not equipped for loading or unloading.

Comment 3: Pg. 12, Paragraph 1

". . . it appears that Site 3-4 has been used as a handling area for dibromochloropropane being shipped by rail and as a storage area for the railcars".

It is unclear what is meant by a handling area for dibromochloropropane. With respect to dibromochloropropane, Shell does not believe that any activity occurred at this site other than the storage of railcars.

Response:

History reviews of activities at the site indicate that railcars containing dibromochloropropane intended for shipment off post were temporarily "held over" in the area until either cleared for shipment or rail lines were open for transport to their intended destinations. The text has been revised to clarify the issue of Shell's concern.

RESPONSE TO COMMENTS OF SHELL COMPANY ON DRAFT FINAL CONTAMINATION ASSESSMENT REPORT SITE 3-4, TASK 7 (continued)

Comment 4: Pg. 13, Descriptions of Spill Incidents September 1965

Any loss of Nemagon C due to a tank cleaning mishap probably did not occur in the rail classification area since Shell did not have either tanks or tank cleaning facilities in that area.

February 1966

There were no facilities in the rail classification area for reprocessing Nemagon C, therefore Shell does not believe that this incident occurred at this site. Also, a "loss" does not indicate a release to the environment, but instead represents unrecoverable materials disposed of by conventional means.

June 1970

This incident involved the disappearance of a portion of a shipment lot. It may have disappeared in-transit or may even be a manifestation of an error in preparation of shipping documents. It should not be characterized as a spill.

November 1971, November 1973

Shell's records indicate that these spills were located in the South Plants area (near Building 471), not in the rail classification area. See Shell's letter from C.K. Hahn to D.L. Campbell dated May 1, 1985 which documents Shell's knowledge of spills in the South Plants area.

Response:

As noted in the paragraph prior to the spill list, the precise locations of the spills or other types of material disposition were for the most part unknown. As noted in Shell's comments, it is recognized that "losses" may not have been actual "spills", and may have been either recovered by some other means or were shipping manifest errors. However, the term "loss" is taken directly from Shell memos, with no explanation defining that term. In any case, the ultimate disposition of the dibromochloropropane is unknown. Review of Shell's 5/1/85 memo from C.K. Hahn to D. Campbell (PMO) and historical investigations conducted in support of the South Plants Spills Site (Site 1-13/2-18) investigation confirms that the 1971 and 1973 spills probably did occur in the South Plants area. Therefore, these two spills have been taken out of the revised test.

Comment 5: Section 3.2.5, Pg 51, second paragraph "Finally, there is no historical evidence to suggest that methylene chloride was present in rail cars stored at the site"

RESPONSE TO COMMENTS OF SHELL COMPANY ON DRAFT FINAL CONTAMINATION ASSESSMENT REPORT SITE 3-4, TASK 7 (continued)

Shell believes that it may have received (thus stored in the rail classification area) tank cars of methylene chloride in 1964 in connection with initiation of Azodrin Insecticide production. Shell has no record of a spill methylene chloride in the rail classification yard.

Response:

A history search for compounds other than dibromochloropropane that may have been present at the site has been initiated. The results of this history search will provide the necessary information to determine if an investigation for methylene chloride is warranted and if so, to design an effective investigation for methylene chloride. The necessity of this investigation will be determined by the Feasibility Study group.

Comment 6:
Pg 55, first
bullet

Substitute contamination for spill in this statement.

Response:

The text has been changed to reflect this comment.

Comment 7:
Pg 56, Second
Paragraph

Although PETREX Sample 6 had a detectable level of DBCP from the DBCP soil gas field program, no DBCP was found in samples from the six adjacent soil boreholes. The apparent detection of DBCP in Sample 6 may reflect DBCP vapors from a zone deeper than was sampled in the Phase I boring program (The three borings nearest Sample 6 sample point were only to twenty feet). Since Sample 6 is the only lead on a possible DBCP spill site, it is recommended that the four Phase II boreholes (#33, 34, 35, and 36) be drilled and sampled to the groundwater table.

Response:

The six borings referred to in Shell's comment were located in or near a ditch to the west and downslope of the rail tracks, or to the southeast, away from Tracks 3, 4, and 7, where dibromochloropropane was reportedly "held" in rail cars (according to Shell memos). These borings were drilled to depths ranging from 10 feet (Borings 17 and 18) to 60 feet (Boring 14) and ranged in distance to PETREX Sample 6 from 75 to 300 feet. The PETREX method can detect volatile compounds in the soil in the immediate area of the sample and to a limited a distance from the samples. Since the vapor pressure of dibromochloropropane is low, and groundwater concentrations of dibromochloropropane are low (less than 50 ppb), the potential for vapor to be emanating from the water table area

RESPONSE TO COMMENTS OF SHELL COMPANY ON DRAFT FINAL CONTAMINATION ASSESSMENT REPORT SITE 3-4, TASK 7 (continued)

is unlikely. Also, a number of PETREX samples within 40 feet of each other and from PETREX Sample 6 did not detect the presence of dibromochloropropane in near-surface soils. If vapors were to emanate from below ground, it might be fair to expect that more than one sampler would detect dibromochloropropane. Consequently, the borings located adjacent to PETREX Sample 6 will remain only in the immediate vicinity of the hit and will not be investigated to the water table, as suggested.

Comment 8:
Pg 57, Figure
3-4-7a

Samples from Phase II borings 28 and 29 should be analyzed for mustard degradation products thiodiglycol and chloroacetic acid due to the presence of 1-5 oxathiane in Boring 25.

Response:

A recent review of laboratory analytical data revealed that 1,4-oxathiane was <u>not</u> detected in Phase I Boring 25, as previously indicated. Consequently, the text has been revised and the two borings (28 and 29) removed from the Phase II program. All remaining Phase II borings have been renumbered to maintain continuity with Phase I borings.

RESPONSES TO GENERAL COMMENTS OF COLORADO DEPARTMENT OF HEALTH AND ENVIRONMENTAL PROTECTION AGENCY ON DRAFT FINAL CONTAMINATION ASSESSMENT REPORT, SITE 3-4, TASK 7

The draft final report was sent to the Colorado Department of Health and Environmental Protection Agency on December 29, 1987. The one month comment period has been exceeded, and no comments on the report were received in time for inclusion in this report.

Appendix 3-4-D

Letter Technical Plan - Site 3-4

Soil Gas Investigation

143 Union Bouleverd, Suite 1010, Listemood, CO 80228-1824, (303) 988-2202

September 10, 1987 MMA20-EDER-USA-T-010

Commander, Office of the Program Manager for Rocky Mountain Arsenal Contamination Cleanup

ATTN: AMXRM-EE/J. Lopez Building E4460 Aberdeen Proving Ground Maryland 21010-5401

Subject: Revision of Letter Technical Plan for Task 20 - Soil Gas Study at Site 3-4

Dear Juan:

Ebasco Services Incorporated (Ebasco) proposes to revise the planned PETREX soil gas investigation at Site 3-4 on the Western Tier of the Rocky Mountain Arsenal. The revised program will focus the investigation in areas where recently obtained Shell documents indicate that the dibromochloropropane (DBCP) tank cars were stored and shipped. The purpose of the study is to identify potential areas of DBCP soil contamination.

Site History

Site 3-4 is located in the western portion of Section 3 on the Rocky Mountain Arsenal. Included in the area is a rail classification yard which was used for storage of DBCP containing rail cars and shipment of DBCP off-site. Shell documents indicate that the northern portion of rails 3, 4, and 7 were used for DBCP containing cars. See attached hand drafted sketches.

DBCP has been detected in the groundwater beneath and northwest of the rail classification yard. Concentrations tend to be greater near the rail yard indicating that the rail yard is a potential source of the DBCP groundwater contamination.

The site was investigated under Task 7 in the summers of 1985 and 1986. A total of 27 borings, yielding 91 soil samples, were drilled to depths ranging from 5 to 75 feet. All 91 samples were analyzed for Memagon with detection limits ranging from 0.005 to 0.014 ug/g. Memagon was not detected in any of the samples.

0011X/0133A Rev. 9/9/87 PRIVILEGED INFORMATION
PREPARED PLANT IN THE LITTERATION

Page Two

Proposed Program

Although the previous investigation did not detect Remagon at Site 3-4, historic information indicates that Remagon was handled in the area. In addition, a DBCP groundwater plume, which appears to originate in the rail classification yard, has been identified. Therefore, additional investigation is warranted.

A PETREX soil gas investigation is proposed. The PETREX method can detect volatile compounds in the soil in the immediate area of the sampler, soil contamination some distance from the sampler, and groundwater contamination. Since groundwater concentrations are quite low (less than 50 ppb), the purpose of the PETREX investigation will be to assess the presence and distribution of any DBCP soil contamination. The PETREX technique has detected DBCP off-site in Adams County, but several PETREX samplers placed on Site 3-4 in a previous investigation did not detect DBCP.

A laboratory test program designed to determine the applicability of lower detection limit DBCP techniques has been conducted (Ebasco Letter Technical Plan, RMA20-EDEN-USA-T-002). Initial results indicate that the detection limit for DBCP has been lowered by approximately one order of magnitude from that used in previous investigations and the PETREX samplers were capable of detecting DBCP in soils spiked with concentrations as low as 1 ppb.

Sampler Placement

The proposed program will place 90 samplers in the portion of Site 3-4 highlighted on the attached figure. Samplers will be placed in soils immediately adjacent to rails 3, 4, and 7, and in adjacent areas where surface runoff from these rails would migrate. Samples will be staggered on both sides of each rail line and/or will be placed in adjacent low or stained areas at the discretion of the field crew. Of the 90 samplers, 25 will be placed along each of the three rail lines and 15 will be placed in the adjacent run-off area. The portion of the rail lines to be investigated are each approximately 1,000 feet long. Thus, 25 samples on each line will result in a sampler density of one per 40 linear feet of rail line. Additionally, the runoff area is a linear zone approximately 600 feet long so the 15 samplers will also result in a one per 40 linear feet sample density.

Samplers will be placed in shallow hand augered or dug holes. Each location will be clearly marked with a stake or a painted mark.

PRINCELLED EXPORMATION
PREPARED IN EXPOUNT OF LITTERATION

0011X/0133A Rev. 9/9/87

Page Three

Sampler Retreival
Approximately 30 days after placement of the samplers, they will be retreived
and immediately shipped to PETREX in Lakewood, Colorado for analysis. Results
will be reported to Ebasco within 30 days.

Field Monitoring
In-situ air and soil monitoring will be conducted during sampler installation
operations by the on-site health and safety supervisor using a photoionization
detector (HNU) or an organic vapor analyzer (OVA).

<u>OA/OC</u>
All sampler collection, storage, and shipping procedures will conform to the standards outlined in the Bocky Mountain Arsenal Procedures to the Technical Plan. All equipment used for drilling or digging will be thoroughly washed and rinsed between each hole.

Beasto will prepare a letter report documenting the field and analytical procedures. The soil gas data collected will be presented with an analysis discussing the potential for soil contamination in and near the areas where soil gas samplers were placed. Should PETREX results indicate the presence of DBCP, supplementary soil samples may be collected.

Please advise us immediately regarding your concurrence with our proposed program. Thank you for your consideration.

Sincerely,

Douglas L. Cushing Task 20 Manager

DLC: jah Enclosures

cc: D. Campbell

K. Blose

P. Chiaro

J. Keithley


K. Knirsch


.D. Meyer

DCC/Denver

Chron File

0011X/0133A Rev. 9/9/87





Rocky Mountain Arsenal Cleanup Aberdeen Proving Ground, Maryland

Droffed : 7/17/87

Location Map

Rocky Mountain Arsenal, Task 20

Prepared by: Ebasco Services Incorporated

